



**Dear Sceptre Customer,**

Congratulations on your new **SCEPTRE Sound Bar** purchase. Thank you for your support. To ensure safety and many years of trouble free operation of your Sound Bar, please read the manual carefully before making any adjustments, and keep them in a safe place for future references. The Sceptre Sound Bar is a versatile speaker unit with both digital and analog audio inputs for audio visual sources. Connect the Sound Bar to the audio output of your TV and you can use the Sound Bar to enhance the sound from all sources playing through your TV. We hope you enjoy your new SCEPTRE Sound Bar.





**For technical assistance**, please call 1800-788-2878 and select option 3 or email our tech support group at [monitor-ts@sceptre.com](mailto:monitor-ts@sceptre.com).

**For all other inquiries**, please call 1800-788-2878 and select option 4 or email our customer service group at [cs@sceptre.com](mailto:cs@sceptre.com).

We recommend you register your SCEPTRE Sound Bar online or with the enclosed registration card and mail it in.

# IMPORTANT SAFETY INFORMATION

**WARNING: TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK, DO NOT EXPOSE THIS PRODUCT TO RAIN OR MOISTURE.**

	<b>CAUTION</b> RISK OF ELECTRIC SHOCK DO NOT OPEN			The lightning flash with arrow-head symbol, within an equilateral triangle, is intended to alert the user to the presence of uninsulated "dangerous voltage" within the product's enclosure that may be of sufficient magnitude to constitute a risk of electric shock to persons.
<p>CAUTION: TO REDUCE THE RISK OF ELECTRIC SHOCK, DO NOT REMOVE COVER (OR BACK). NO USER-SERVICEABLE PARTS INSIDE. REFER SERVICING TO QUALIFIED SERVICE PERSONNEL.</p>				The exclamation point within a triangle is intended to alert the user to the presence of important operating and maintenance (servicing) instructions in the literature accompanying the product.

Electricity is used to perform many useful functions, but it can also cause personal injuries and property damage if improperly handled. This product has been engineered and manufactured with the highest priority on safety. However, improper use can result in electric shock and / or fire. In order to prevent potential danger, please observe the following instructions when installing, operating and cleaning the product. To ensure your safety and prolong the service life of your Sound Bar, please read the following precautions carefully before using the product.

1. Read these instructions.
2. Keep these instructions.
3. Heed all warnings.
4. Follow all instructions.
5. Do not use this apparatus near water.
6. Clean only with dry cloth.
7. Do not block any ventilation openings. Install in accordance with the manufacturer's instructions.
8. Do not install near any heat sources such as radiators, heat registers, stoves, or other apparatus (including amplifiers) that produce heat.
9. Do not defeat the safety purpose of the polarized or grounding-type plug. A polarized plug has two blades with one wider than the other. A grounding type plug has two blades and a third grounding prong. The wide blade and the third prong are provided for your safety. If the provided plug does not fit into your outlet, consult an electrician for replacement of the obsolete outlet.

10. Protect the power cord from being walked on or pinched particularly at the plugs, convenience receptacles, and the point where they exit from the apparatus.
11. Only use attachments/accessories specified by the manufacturer.
12. Use only with the cart, stand, tripod, bracket, or table specified by the manufacturer, or sold with the apparatus. When a cart is used, use caution when moving the cart/apparatus combination to avoid injury from tip-over.
13. Unplug this apparatus during lightening storms or when unused for long periods of time.
14. Refer all servicing to qualified service personnel. Servicing is required when the apparatus has been damaged in any way, such as power-supply cord or plug is damaged, liquid has been spilled or objects have fallen into the apparatus, the apparatus has been exposed to rain or moisture, does not operate normally, or has been dropped.

# SAFETY INSTRUCTIONS

---

This product is designed and manufactured to operate within defined design limits, and misuse may result in electric shock or fire. To prevent the product from being damaged, the following rules should be observed for the installation, use and maintenance of the product. Read the following safety instructions before operating the Sound Bar. Keep these instructions in a safe place for future reference.

- To avoid the risk of electric shock or component damage, switch off the power before connecting other components to the SOUND BAR.
- Unplug the power cord before cleaning the SOUND BAR. Please use the included custom bezel cleaning cloth for cleaning the bezel of the SOUND BAR only. Do not use a liquid or a spray cleaner for cleaning the product. Do not use abrasive cleaners.
- Always use the accessories recommended by the manufacturer to insure compatibility.
- When moving the SOUND BAR from an area of low temperature to an area of high temperature, condensation may form on the housing. Do not turn on the SOUND BAR immediately after this to avoid causing fire, electric shock or component damage.
- Do not place the SOUND BAR on an unstable cart, stand, or table. If the SOUND BAR falls, it can injure a person and cause serious damage to the appliance.
- Any heat source should maintain a distance of at least 5 feet away from the SOUND BAR, i.e. radiator, heater, oven, amplifier etc. Do not install the product too close to anything that produces smoke or moisture. Operating the product close to smoke or moisture may cause fire or electric shock.
- Never push any object into the ventilation slots of the SOUND BAR. Do not place any objects on the top of the Product. It could short circuit parts causing a fire or electric shock. Never spill liquids on the SOUND BAR.
- The SOUND BAR should be operated only from the type of power source indicated on the label. If you are not sure of the type of power supplied to your home, consult your dealer or local power company.
- The power cable must be replaced when using different voltage from that specified in the User Manual. For more information, contact your dealer.
- Do not overload power strips and extension cords. Overloading can result in fire or electric shock.
- The wall socket should be installed near the equipment and should be easily accessible.
- Only the marked power source can be used for the product. Any power source other than the specified one may cause fire or electric shock.
- Do not touch the power cord during thunderstorms. To avoid electric shock, avoid handling the power cord during electrical storms.
- Unplug the unit during a lightning storm or when it will not be used for a long period of time. This will protect the SOUND BAR from damage due to power surges.
- Do not attempt to repair or service the product yourself. Opening or removing the back cover may expose you to high voltages, the risk of electric shock, and other hazards. If repair is required, please contact your dealer and refer

- all servicing to qualified service personnel.
- Keep the product away from moisture. Do not expose this appliance to rain or moisture. If water penetrates into the product, unplug the power cord and contact your dealer. Continuous use in this case may result in fire or electric shock.
  - Do not use the product if any abnormality occurs. If any smoke or odor becomes apparent, unplug the power cord and contact your dealer immediately. Do not try to repair the product yourself.
  - Avoid using dropped or damaged appliances. If the product is dropped and the housing is damaged, the internal components may function abnormally. Unplug the power cord immediately and contact your dealer for repair. Continued use of the product may cause fire or electric shock.
  - Do not install the product in an area with heavy dust or high humidity. Operating the product in environments with heavy dust or high humidity may cause fire or electric shock.
  - Hold the power connector when removing the power cable. Pulling the power cable itself may damage the wires inside the cable and cause fire or electric shocks. When the product will not be used for an extended period of time, unplug the power connector.
  - To avoid risk of electric shock, do not touch the connector with wet hands.
  - Insert batteries in accordance with instructions while using the remote control. Incorrect polarities may cause damage and leakage of the batteries, operator injury and contamination the remote control.
  - If any of the following occurs please contact the dealer:
    - The power connector fails or frays.
    - Liquid sprays or any object drops into the SOUND BAR.
    - The Sound Bar is exposed to rain or other moisture.
    - The Sound Bar is dropped or damaged in any way.
    - The performance of the Sound Bar changes substantially.
  - Operating environment: Temperature: 5°C ~ 35°C, Humidity: 10% to 75% non-condensing, Altitude: 0~10,000 ft.

# Opening the Package

---

The SCEPTRE SOUND BAR is packaged in a carton. Any standard accessories are packed separately in another carton. The weight of the SOUND BAR is approximately 4.74 lbs. Due to the size and weight of the product, it is suggested that it must be handled by a minimum of 1 or more persons. Please handle the product gently. When opening the carton, check that the product is in good condition and that all standard accessories and items are included. Save the original box and all packing materials for future shipping needs.

# Package Contents

---

SCEPTRE Sound Bar x 1  
User Manual x 1  
Warranty / Registration Card x 1  
AC Adapter x 1  
Mounting Plate x 1  
Drywall Anchor with Screw x 2 sets  
Audio Cable x 1  
Sound Bar Remote Control x 1

# Installation

---

Please read the user manual carefully before performing the installation. The power consumption of the Sound Bar is approximately 36 watts. Please use the power cord designated for the product. When an extension cord is required, use one with the correct power rating. The cord must be grounded and the grounding feature must not be defeated. The product should be installed on a flat surface to avoid tipping. Space should be maintained between the back of the product and the wall for proper ventilation. If you would like to mount the Sound Bar onto the wall, please see page 8, and 10 for additional information. Avoid installing the product in the kitchen, bathroom or other places with high humidity dust or smoke, so as not to shorten the service life of the electronic components. Please ensure the product is installed in a landscape orientation. Any 90° clockwise or counterclockwise installation may induce poor ventilation and successive component damage.

# Table of Contents


---

<b>IMPORTANT SAFETY INFORMATION</b> .....	2
<b>SAFETY INSTRUCTIONS</b> .....	4
<b>Opening the Package</b> .....	6
<b>Package Contents</b> .....	6
<b>Installation</b> .....	6
<b>Table of Contents</b> .....	7
<b>Identifying Front and Rear Panel</b> .....	8
<b>Front &amp; Top View</b> .....	8
<b>Rear View</b> .....	9
<b>Mounting the Sound Bar</b> .....	10
<b>Installing Batteries to the Remote Control</b> .....	11
<b>SCEPTRE Sound Bar Remote</b> .....	12
<b>Connection Suggestions</b> .....	13
<b>If you have digital audio with your TV</b> .....	14
<b>If you have analog audio with your TV</b> .....	15
<b>Operation</b> .....	16
<b>How do I clean the Sceptre Sound Bar?</b> .....	17
<b>Troubleshooting</b> .....	18
<b>Call Us If You Need Help!</b> .....	19
<b>Specification</b> .....	20
<b>LIMITED PRODUCT WARRANTY</b> .....	21
<b>Disclaimer, Trademarks, &amp; Copyright Information</b> .....	23
<b>FCC Compliance Statement</b> .....	24

# Identifying Front and Rear Panel

---

## Front & Top View




1. **POWER** – This button turns the Sound Bar on or off.
2. **SOURCE** – This button selects the sound connection between COAX (digital) and AUX (analog).
3. **MODE** – This button selects all the sound modes (MOVIE, MUSIC, NEWS, GAMES).
  - a. **MOVIE** – This sound mode is made for watching movies.
  - b. **MUSIC** – This sound mode is made for listening to music broadcasts.
  - c. **NEWS** – This sound mode is made for watching the news.
  - d. **GAMES** – This sound mode is made for games such as football, soccer, basketball, and baseball.
4. **VOL(-)** – This button decreases the volume.
5. **VOL(+)** – This button increases the volume.

### Please Note:

- Once the Sound Bar is turned on, the indicator lights (showing you the volume, power, and sound mode selections) will auto shut off in 60 seconds time. Once you press any button on the Sound Bar or the Sound Bar's remote, the lights will turn back on.




## Rear View




1. **RUBBER FEET** – These two protruding plastic piece are for installing rubber feet onto the back of the speaker so that when the Sound Bar is mounted the plastic shell on the back will not hit the wall.
2. **WALL MOUNT STUDS** – The two studs slide into the wall mounting plate so you can wall mount the Sound Bar.
3. **DC POWER PLUG** – This connection plugs into the AC adapter to provide the Sound Bar with electricity.
4. **AUX ANALOG AUDIO** – This connection connects to an analog audio source with RCA red and white plugs for analog audio.
5. **COAX DIGITAL AUDIO** – This connection connects to a digital audio source with RCA COAX black plug for digital audio.

## Mounting the Sound Bar




To mount the Sound Bar you need to install the mounting plate onto the wall first.

1. Take the mounting plate and place it leveled against the wall.
2. With a pencil mark the two entry points where you are going to install the dry wall anchors.
3. With a #2 Phillips screw driver press the anchor tip slightly into the point marked previously on the drywall. Applying pressure, turn the screw driver until the anchor is flush with the drywall. Do this for both drywall anchors.



4. Insert the screw through the mounting plate and turn into the anchor.
5. The drywall anchor will **"CLICK"** once, when the screw is half way in, in order to indicate that the anchor is secure. Please continue tightening until the screw and the wall mounting plate is secure.



## Installing Batteries to the Remote Control

Please insert one CR2025 lithium battery into the remote control. Make sure that you match the (+) and (-) symbols on the batteries with the (+) and (-) symbols inside the battery compartment. Afterwards, re-attach the battery cover.




Please note:

- Only use CR2025 lithium batteries.
- Inserting the batteries incorrectly may also result in cracking or leakage that may pose a fire risk or lead to personal injury.
- Dispose the batteries in accordance with local laws and regulations.
- Keep the batteries away from children and pets.
- If the remote control is not used for a long time, remove the batteries.
- Keep the remote control away from moisture, sunlight, and high temperatures.

# SCEPTRE Sound Bar Remote & Extras

---

This remote uses a lithium CR2025 battery.




1. POWER – Turns the Sound Bar on or off.
2. VOLUME (-) – Press this button to decrease the volume.
3. NEWS – Press this button to switch to the NEWS sound mode.
4. MUSIC – Press this button to switch to the MUSIC sound mode.
5. AUX – Press this button to switch to the analog audio source AUX.
6. MUTE – Press this button to mute the volume.
7. VOLUME (+) – Press this button to increase the volume.
8. MOVIE – Press this button to switch to the MOVIE sound mode.
9. GAMES – Press this button to switch to the GAMES sound mode.
10. COAX – Press this button to switch to the digital audio source COAX.

**Please Note:**

- The Sound Bar remote power button controls both the turning on and turning off function of the Sound Bar and any Sceptre TV.
- The mute button of the Sound Bar only mutes the sound bar not the Sceptre TV, however if you use the Sceptre TV remote's mute, it will mute the Sound Bar.

Some Sceptre HDTV remotes might also have buttons used to control the sound bar. If you see S. source, S. mode, S. Vol (+/-) buttons, you can use them to control the Sound Bar.



1. S. Source – This button changes the sound source on the Sound Bar between COAX and AUX.
2. S. Mode – This button changes the sound mode on the Sound Bar.
3. S.Vol(-) – This button decreases the volume on the Sound Bar.
4. S. Vol(+)- This button increases the volume on the Sound Bar.

# Connection Suggestions

---

## If you have digital audio with your TV




1. Obtain a SPDIF digital audio coax cable.
2. Find the SPDIF digital audio coax connection on the back of the TV and connect one end of the cable to it.
3. Connect the other end of the cable to the back of the Sceptre Sound Bar's orange coax connection.
4. Turn on the TV, make sure you output PCM signal to the Sceptre Sound Bar.
5. Turn on the Sceptre Sound Bar and press the COAX button on the Sceptre Sound Bar remote.
6. Enjoy your Sceptre Sound Bar!

Please note:

- For digital audio, the sound bar only decodes PCM signals. If the sound has static or the Sound Bar is silent that means the signal is not PCM.

## If you have analog audio with your TV



1. Obtain a RCA analog audio (red / white head) cable.
2. Find the analog audio out on the back of the TV and connect one end of the cable to it matching the colors red to red, and white to white.
3. Connect the other end of the cable to the back of the Sceptre Sound Bar's AUX red and white connection.
4. Turn on the TV, and the Sceptre Sound Bar.
5. Press the AUX button on the Sceptre Sound Bar remote.
6. Enjoy the Sceptre Sound Bar!

# Operation

---

## TO SWITCH ON / OFF THE UNIT

1. Press the POWER button on the front panel or the RED button on the remote control to turn on the unit. If the unit is on you will see the display window show the source selected, volume level and sound mode.
2. Press the POWER button on the front panel or the RED button on the remote control again to turn off the unit.

## SELECTING A SOURCE

1. Press the SOURCE button on the control panel repeatedly to switch between sources. From the remote control, press the AUX button to select the analog source or the COAX button to select the digital input. The source will be shown on the display window.

## VOLUME CONTROL

1. Press the VOL+ button to increase the volume of the sound bar.
2. Press the VOL- button to decrease the volume of the sound bar.

Please Note:

- The sound bar has a maximum volume unit of 30.

## SOUND MODES

1. Your Sound Bar includes 4 sound modes optimized for different types of program content. Choose from MOVIE, GAMES, NEWS, and MUSIC.
2. You can change them by either pressing the MODE button on the Sound Bar itself or using the remote buttons labeled MOVIE, GAMES, NEWS, and MUSIC. The selected mode will show up on the Sound Bar display.



# How do I clean the Sceptre Sound Bar?

---

## IMPORTANT

1. The power cable has to be removed from the socket before cleaning the Sound Bar.
2. Do not use volatile solvent (alcohol, rosin, and toluene) to clean the Sound Bar. These types of chemicals might damage the housing .

## Cleaning the bezel and remote control

1. Use a 100% cotton cloth or micro-fiber cloth for cleaning.
2. If the remote control or bezel is dirty to the point where you cannot simply dry wipe it, please lightly dampen the wiping material (**the wiping material cannot be dripping wet, because if water drips into the panel it will cause malfunction and possible permanent damage to the speakers which will not be covered under the warranty**) with clean water and wipe again. Wipe the Sound Bar with a dry micro-fiber cloth or 100% cotton cloth afterwards.

Please Note :

- Make sure you wring the water out of the cloth before cleaning the bezel or remote in order to prevent water from penetrating into the electronics.

# Troubleshooting

---

The following table contains the common problems and the solutions to these problems. Please check this list before you contact the technicians.

Problems	Solutions
NO SOUND	<ul style="list-style-type: none"><li>• Try increasing the volume of the speaker.</li><li>• Check that the Sound Bar is not turned off.</li><li>• Check the Sound Bar volume level.</li><li>• Make sure the correct input is selected.</li><li>• Make sure the proper cables are connected.</li><li>• If you are using digital audio, make sure the source is sending out a PCM signal. Some devices have default settings on Bitstream.</li></ul>
REMOTE DOES NOT WORK	<ul style="list-style-type: none"><li>• Make sure the battery is properly installed.</li><li>• Take the battery out, press the buttons once or twice, install the batteries back in to see if it works.</li><li>• Maybe the battery is out of power, please replace the battery.</li></ul>
NO POWER	<ul style="list-style-type: none"><li>• Make sure the AC power cord is securely connected to a power outlet.</li><li>• Make sure the DC socket is properly connected.</li><li>• Try another electrical device on the power outlet to ensure there is power through it.</li></ul>
Speaker buzzing or humming	<ul style="list-style-type: none"><li>• Make sure both ends of the audio cables are connected properly.</li><li>• Test the sound bar with another audio cable.</li><li>• Test the sound bar with another TV.</li></ul>

## Call Us If You Need Help!

---

Products are often returned due to a technical problem rather than a defective product that may result in unnecessary shipping charges billed to you. Our trained support personnel can often resolve the problem over the phone or email. For more information on warranty services or repairs after the warranty period, please contact our support department at the number below.

For technical help, contact our Sceptre Technical Support Group via email or phone. **Please have your Sceptre p/n number, serial number, and date of purchase available before you call.**

Tech Support E-mail : [monitor-ts@sceptre.com](mailto:monitor-ts@sceptre.com)

Customer Service Email : [cs@sceptre.com](mailto:cs@sceptre.com)

TEL : 1800-788-2878

Operation Hours : Mon - Fri at 8:30 AM – 5:30 PM (PST)



16800 East Gale Ave.

City of Industry, CA 91745

TEL : 626-369-3698

FAX : 626-855-5711

Website : [www.SCEPTRE.com](http://www.SCEPTRE.com)

# Specification

NAME	UNITS
Speakers	2 x 2.5" Full Range 2 x 2.5" Woofer up to 30 Watts
Frequency Response	Full Range: 200 Hz – 20 kHz (+/- 3dB) Woofer: 60 Hz – 10 kHz (+/- 3dB)
Audio Amplifier	Integrated Class-D @ 20 watts x 2 CH, 4Ω THD = 1%, 1kHz
Sound Pressure Level	87 dB (1W@0.5M)
Supported Sampling Frequencies	32KHz · 44.1KHz · 48KHz · 96KHz
Supported Linear PCM Bit Depths	16bit · 24bit
SPDIF Sample Rate	96kHz 24bit
Supported Audio Engine	High Performance 32bit 73.728MHz DSP Audio Engine
Input sensitivity (mV)	500 mV rms
Inputs	SPDIF Coaxial (rear), Analog RCA (rear), DC 15V
Power Input	AC Adapter 15 VDC, 2.4 A, 36 W Max.
Voltage	110 – 240 V~, 50/60 Hz
Power Consumption	36 Watts
Dimensions	37.4" (L) x 3.5" (W) x 2.28" (H)
Net Weight	4.74 lbs
Gross Weight	7.71 lbs
Storage Temperature	32F – 140F
Operating Temperature	41F – 95F
Compliances	FCC, UL, cTUV <sub>us</sub>

\*The product's specifications may change without notice or obligation.

\*\*This manual's pictures and words are for references only and are subject to change without notice or obligation. Sceptre Inc is not liable for the misuse or misinterpretation of this manual.

# LIMITED PRODUCT WARRANTY

---

Please read this warranty card carefully, it is a “ONE-YEAR LIMITED WARRANTY” on parts and labor (90 days for commercial use) and is only valid when purchased from an Authorized Reseller, only on new and non-refurbished product, and available to customers in the Continental US, Alaska, Hawaii and Puerto Rico. See below for the SCEPTRE Extended Service warranty.

## **SCEPTRE's Responsibility**

SCEPTRE units purchased from an authorized SCEPTRE U.S. Reseller in the United States and that are used in the fifty (50) United States or Puerto Rico and Canada are warranted to be free from manufacturing defects in materials and workmanship for a period of one (1) year from the date of their original retail purchase (or a period of ninety (90) days for commercial use). If the unit fails to conform to this warranty, we will service the units using new or refurbished parts. In the event that the part required for replacement is no longer in production and/or is obsolete, SCEPTRE will repair or replace the unit with similar or like parts of equal value. If a similar or like part is not available, a charge may be incurred to the owner, for any upgraded parts substituted.

## **Service Labor**

During a period of one (1) year from the effective warranty date (or a period of ninety (90) days for commercial use), SCEPTRE will provide, when needed, service labor to repair a manufacturing defect at its designated Service Center. To obtain warranty service in the United States, you must first call our Customer Support at (800) 788-2878. The determination of service will be made by SCEPTRE Customer Support. PLEASE DO NOT RETURN YOUR UNIT TO SCEPTRE WITHOUT PRIOR AUTHORIZATION.

## **Parts**

New or remanufactured parts will be used for repairs by SCEPTRE at its designated Service Center for one (1) year (or ninety (90) days for commercial use) from the effective warranty date. Such replacement parts are warranted for the remaining portion of the original warranty period.

## **Service**

During the one (1) year (or ninety (90) days for commercial use) warranty period, SCEPTRE will, at its option and sole discretion, repair or replace defective parts, including replacement of the entire Panel. The Customer will be required to ship the unit to the Service Center indicated at the time Customer Support is contacted to make the necessary repairs, you are responsible for all transportation charges to the service facility. SCEPTRE is not responsible for the de-installation or re-installation of the unit.

## **Packaging and Shipping Instruction**

When you send the product to an authorized SCEPTRE service facility you must use the original carton box and packing material or an equivalent as designated by SCEPTRE. If you no longer have them please contact Sceptre's Customer Support.

## **Not Covered**

This warranty does not cover the following: cosmetic defects; damage, malfunctions, or failures resulting from shipping or transit accidents, abuse, misuse, operation contrary to furnished instructions, operation on incorrect power supplies, operation with faulty associated equipment, modification, alteration, improper servicing, tampering and or, damage from fire, water, lightning, power surges, abnormal environmental conditions, or other acts of nature; normal wear and tear (SCEPTRE reserves the right to determine “wear and tear” on any and all products); unsatisfactory audio performance not caused by a manufacturing defect; or

Sound Bars on which the serial number has been removed or defaced. Mishandling are not covered by this warranty. Installation, removal, transportation and reinstallation of a speaker and routine maintenance and cleaning, are not covered by this warranty. Any hardware, components, and/or software bundled with the Sound Bar are not covered by this warranty. Any damages caused directly or indirectly by Buyer's or Reseller's "Value Added Feature" are not covered by this warranty or Sceptre, Inc. Any damages of any kind including, but not limited to, direct or indirect damages, lost profits, lost savings, or other special incidental, exemplary or consequential damages whether for breach of contract, tort, or otherwise, or whether arising out of the use of or inability to use the product, even if SCEPTRE, INC. or any dealer, distributor or authorized service provider/partner has been advised of the possibility of such damages, or any claim by any other warranty are not covered by this warranty or Sceptre Inc.

ANY IMPLIED WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE SHALL BE LIMITED IN DURATION TO THE PERIOD OF TIME SET FORTH ABOVE. OUR LIABILITY FOR ANY AND ALL LOSSES AND DAMAGES RESULTING FROM ANY CAUSE WHATSOEVER, INCLUDING OUR NEGLIGENCE, ALLEGED DAMAGE OR DEFECTIVE GOODS, WHETHER SUCH DEFECTS ARE DISCOVERABLE OR LATENT, SHALL IN NO EVENT EXCEED THE PURCHASE PRICE OF THE SPEAKER. WE SHALL NOT BE RESPONSIBLE FOR LOSS OF USE, COMMERCIAL LOSS OR OTHER INCIDENTAL OR CONSEQUENTIAL DAMAGES. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS OR THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATIONS OR EXCLUSIONS MAY NOT APPLY TO YOU. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. This is the only warranty applicable; no one is authorized to extend or modify it or to grant any other warranty. SCEPTRE retains the right to assess all warranty claims and to determine if damages are covered by the warranty. In case of a claim that is not covered by the warranty, you will be contacted to determine whether SCEPTRE should repair the damage for a fee or whether the product should be returned to you as received by the repair center.

### **Owner's Responsibility**

#### **Effective Warranty Date**

Warranty begins on the date of sale to the end user. To ensure warranty service, keep the dated bill or sale receipt as evidence of the purchase date. If you can no longer obtain your receipt, the warranty will revert to the unit's manufacture date according to the serial number of the unit. This limited warranty applies only to the original purchaser and is non-transferable.

### **Warranty Service**

For warranty service information, contact SCEPTRE Technical Support at email address [Monitor-TS@SCEPTRE.com](mailto:Monitor-TS@SCEPTRE.com), via phone at (800) 788-2878, or via World Wide Web chatting service at [www.Sceptre.com](http://www.Sceptre.com). SCEPTRE Technical Support is available Monday to Friday 8:30 AM to 5:30 PM Pacific Time. Parts and service labor that are SCEPTRE's responsibility (see above) will be provided without charge. Other services or services not covered by the warranty are at the owner's expense. You must provide the model, serial number and date of purchase. Before you ask for warranty service, read your User Manual. You might avoid a service call.

Warranty conditions are subject to change, for latest Warranty Terms and Conditions and additional information regarding your warranty, please see complete details online at [www.SCEPTRE.com](http://www.SCEPTRE.com).

# Disclaimer, Trademarks, & Copyright Information

---

- SCEPTRE is a trademark or registered trademark of Sceptre Group.
- Sceptre, Inc. shall not be liable for technical or editorial errors or omissions contained herein; nor for incidental or consequential damages resulting from furnishing this material, or the performance or use of this product.
- In the interest of continuing product improvement, Sceptre, Inc. reserves the right to change product specifications without notice. Information in this document may change without notice.
- No part of this document may be copied, reproduced, or transmitted by any means, for any purpose without prior written permission from Sceptre, Inc..

# FCC Compliance Statement

---

This device complies with Part 15 of the FCC Rules.

Operation is subject to the following conditions:

This device may not cause harmful interference

This device must accept any interference received, including interference that may cause undesired operation.

Please Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and the receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

**Caution: To comply with the limits for an FCC Class B computing device, always use the signal cord and power cord supplied with this unit.**

The Federal communications Commission warns that changes or modifications to the unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

## European Notice

Products with the CE marking comply with both the EMC Directive (89/336/EEC), (93/68/EEC) and the Low Voltage Directive (72/23/EEC) issued by the Commission of the European Community.