

E240BC-FHD 24" LED TV





Display	
Active Screen Size	24"
Native Resolution	1920 x 1080
Contrast Ratio	1000 : 1 Typical
LED Panel	
Refresh Rate	60 Hz
Aspect Ratio	16:9 Wide Screen
Response Time	5 ms
Default Brightness (cd/m2)	250 cd/m ²
Viewing Angle	170º (horizontal) / 160º (vertical)
LED Backlight Life	> 20,000 hours
Audio Features	
Speakers	3 Ω per Channel
Equalizer Settings	Yes
Surround Sound Mode	Yes
Video Features	
OSD (On Screen Display Control)	N/A

SCEPTRE®	
OSD Supported Languages / Subtitles	English / French / Spanish
Other Features	
Weak Signal Enhancement	Yes
Comb Filter	3D
Noise Reduction	Yes
MPEG Noise Reduction	Yes
Inputs & Outputs	
HDMI (# of Ports & Version)	2
Supported HDMI Signals	1080/24P, 1080/60P, 1080i, 720P, 480P
Cable / Antenna Input	1
Supported HDTV Signals	1080i, 720P, 480P, 480i
SPDIF Audio Output	0
VGA (# of Ports)	1
Component (YPbPr) Input	1
Supported VGA Signals	1920 x 1080@ 60Hz (Native & Max)
	1027x768
	800×600
	640x480
Composite Video	1
Mechanical Features	
Tilt Angles	< 5° Forward,
	<10° Backward
Neck Stand Swivel Angle	No
VESA Mount Screw Size (mm)	M4 x 12
Dimensions	
With Stand (inches, $W \times H \times D$)	22.5 x 16.9 x 7.7
Without Stand (Inches, W x H x D)	
	22.5 x 13.9 x 2.8
Carton Box Dimension (inches, W x H x	
Carton Box Dimension (inches, W x H x Weight	
Weight	D)25.6 x 19.3 x 5.5
Weight Net Weight with Stand (lbs)	D)25.6 x 19.3 x 5.5 12.2 lb
Weight Net Weight with Stand (lbs) Net Weight without Stand (lbs)	D 25.6 x 19.3 x 5.5 12.2 lb 10.5 lb
Weight Net Weight with Stand (lbs) Net Weight without Stand (lbs) Gross Weight (lbs)	D 25.6 x 19.3 x 5.5 12.2 lb 10.5 lb
Weight Net Weight with Stand (lbs) Net Weight without Stand (lbs) Gross Weight (lbs) Power	D 25.6 x 19.3 x 5.5 12.2 lb 10.5 lb 15.8 lb
Weight Net Weight with Stand (lbs) Net Weight without Stand (lbs) Gross Weight (lbs) Power Power Range (V, A, Hz)	D 25.6 x 19.3 x 5.5 12.2 lb 10.5 lb 15.8 lb 110~240V,60/50Hz, 1.2A (Max.)
Weight Net Weight with Stand (lbs) Net Weight without Stand (lbs) Gross Weight (lbs) Power Power Range (V, A, Hz)	D >25.6 x 19.3 x 5.5 I 12.2 lb I 10.5 lb I 15.8 lb I I10~240V,60/50Hz, 1.2A (Max.) < 40W (Typical),
Weight Net Weight with Stand (lbs) Net Weight without Stand (lbs) Gross Weight (lbs) Power Power Range (V, A, Hz) Power Consumption (Typical)	D >25.6 x 19.3 x 5.5 I 12.2 lb I 10.5 lb I 15.8 lb I I10~240V,60/50Hz, 1.2A (Max.) < 40W (Typical),
Weight Net Weight with Stand (lbs) Net Weight without Stand (lbs) Gross Weight (lbs) Power Power Range (V, A, Hz) Power Consumption (Typical) Regulations / Certifications	D >25.6 x 19.3 x 5.5 12.2 lb 10.5 lb 10.5 lb 15.8 lb 110~240V,60/50Hz, 1.2A (Max.) 40W (Typical), < 40W (Typical),
WeightNet Weight with Stand (lbs)Net Weight without Stand (lbs)Gross Weight (lbs)PowerPower Range (V, A, Hz)Power Consumption (Typical)Regulations / CertificationsCertifications	D >25.6 x 19.3 x 5.5 12.2 lb 10.5 lb 10.5 lb 15.8 lb 110~240V,60/50Hz, 1.2A (Max.) 40W (Typical), < 40W (Typical),

