

E240LC-FHD 24"



Specification

Display	
Active Screen Size	24"
Native Resolution	1920 x 1080
Contrast Ratio	1000 : 1 Typical
LED Panel	
Refresh Rate	60 Hz
Aspect Ratio	16:9 Wide Screen
Response Time	5 ms
Default Brightness (cd/m2)	250 cd/m²
Viewing Angle	170º (horizontal) / 160º (vertical)
LED Backlight Life	> 20,000 hours
Audio Features	
Speakers	3 Ω per Channel
Equalizer Settings	Yes
Surround Sound Mode	Yes
Video Features	
OSD (On Screen Display Control)	N/A

OSD Supported Languages / Subtitles	English / French / Spanish
<b>Other Features</b>	
Weak Signal Enhancement	Yes
Comb Filter	3D
Noise Reduction	Yes
MPEG Noise Reduction	Yes
<b>Inputs &amp; Outputs</b>	
HDMI (# of Ports & Version)	2
Supported HDMI Signals	1080/24P, 1080/60P, 1080i, 720P, 480P
Cable / Antenna Input	1
Supported HDTV Signals	1080i, 720P, 480P, 480i
SPDIF Audio Output	0
VGA (# of Ports)	1
Component (YPbPr) Input	1
Supported VGA Signals	1920 x 1080@ 60Hz (Native & Max) 1027x768 800x600 640x480
Composite Video	1
<b>Mechanical Features</b>	
Tilt Angles	< 5° Forward, <10° Backward
Neck Stand Swivel Angle	No
VESA Mount Screw Size (mm)	M4 x 12
<b>Dimensions</b>	
With Stand (inches, W x H x D)	22.5 x 16.9 x 7.7
Without Stand (Inches, W x H x D)	22.5 x 13.9 x 2.8
Carton Box Dimension (inches, W x H x D)	25.6 x 19.3 x 5.5
<b>Weight</b>	
Net Weight with Stand (lbs)	12.2 lb
Net Weight without Stand (lbs)	10.5 lb
Gross Weight (lbs)	15.8 lb
<b>Power</b>	
Power Range (V, A, Hz)	110~240V,60/50Hz, 1.2A (Max.)
Power Consumption (Typical)	< 40W (Typical), < 1W (Standby)
<b>Regulations / Certifications</b>	
Certifications	cTUV us, FCC Class B
<b>Warranty</b>	
Limited Parts and Labor	One Year Limited Parts and Labor

