E325PD-HDR 32" Pink LED TV

Specification

| LED Panel	
Aspect Ratio	Wide Screen 16:9
Auto Frame Rate	60 Hz
Brightness	250 cd/m2
Response Time	8ms (G-to-G)
Colors	16.7M
Lamp Life	50,000+ Hours
Viewing Angle	178º (Horizontal) / 178º (Vertical)
Display	
Active Screen Size	32" (31.5" Diagonal corner to corner)
Native Resolution	1366 x 768
Dynamic Contrast Ratio	5,000 : 1
Contrast Ratio	1,200 : 1 (Typical)
Features	
On Screen Display Control (OSD)	Picture, Sound, Channel, Parental, Setup, Others
Built-in Tuner	ATSC, NTSC, Clear QAM
OSD Supported Languages	English (Default), French, Spanish

Weak Signal Enhancement	Yes
Comb Filter	3D
De-interlace Technology	3D
Auto Dynamic Contrast Mode	Yes
Noise Reduction	Yes
MPEG Noise Reduction	Yes
Built-in Speakers	2 x 10W 8Ω
Surround Sound Mode	Yes
Sound Equalizer Settings	Yes (7-band)
Auto Volume Level Control	Yes
Wall Mountable	Yes
Swivel Angles	± 20º (Right & Left)
Neck & Base Detachable	Yes
Energy Guide	E325LD-HDR
Inputs & Outputs	
HDMI (# of Ports & Version)	3 x HDMI
Supported HDMI Signals	1080/24p, 1080/60p, 1080i, 720p, 480p, 480i
Cable / Antenna Input	1 x IEC-Connector 75Ω
Supported HDTV Signals	1080p, 1080i, 720p, 480p, 480i
SPDIF Audio Output	1 x SPDIF (Coaxial, Orange)
VGA (# of Ports)	1 x D-SUB terminal (blue,15 pin)
Component (YPbPr) Input	1 x Component (Audio input share with Composite)
3.5mm Headphone Jack (Output)	1 x Earphone terminal (black)
Supported VGA Signals	1360 x 768 @ 60Hz (Native & Max.) 1280 x 720 @ 60Hz 1280 x 600 @ 60Hz 1024 x 768 @ 60Hz 800 x 600 @ 60Hz
USB	1 x USB 2.0
Composite Video	1 x Composite
Analog Audio Output (L + R)	1 (2 x RCA terminals (white, red)
Mechanical Features	
VESA Mount Pattern (mm)	200mm x 100mm
VESA Mount Screw Size (mm)	M4 x 7mm
Dimensions	
With Stand (inches, W x H x D)	29.05" x 8.07" x 19.29"
Without Stand (Inches, W x H x D)	29.05" x 3.42" x 17.32"
Carton Box Dimension (inches, W x H x D)	35.1" x 8.7" x 24.8"
Weight	
Net Weight with Stand (lbs)	13.20 lbs.
Net Weight without Stand (lbs)	11.95 lbs.
Gross Weight (lbs)	18.26 lbs.
Power	
Power Range (V, A, Hz)	100 - 240 VAC, 50/60Hz, 3.0A (Max.)
Power Consumption (Typical)	50W (Maximum), 40W (Typical), < 1W (Standby)
Regulations / Certifications	

Certificates	FCC, cTUVus, Energy Star V6.1, ISTA 3A
Warranty	
Limited Parts and Labor	One Year

Key Features

LED

With sharper contrasts of light and darks, LED display delivers a vast array of rich colors, ensuring that moving images have never been so pleasing to the eyes.

HDMI

HDMI not only delivers superior digital video and audio, but also, connects both to the TV with only one cable.

Coaxial Digital Out

Offering superior backwards compatibility for stereo receivers. This Sceptre TV is equipped with a Coaxial Digial audio output which will enrich your TV audio experience with the coaxial supported soundbar, soundbase or audio equipment.

USB

Let's you view your pictures as a slideshow or listen to your favorite music via the USB port. Just insert your flash drive into the USB port for the ultimate entertainment.

DTS SRS TruSurround HD

DTS SRS TruSurround HD delivers an enveloping combination of smooth treble and maximum bass response. The broad sound capability produces dialog that is crisp and audible.

Customer Service

Our customer service representatives are, and have always been, based in the USA, guaranteeing that our customers' needs are met as efficiently as possible.

Key Features

30+ Years of Experience

Founded in City of Industry, CA over 30 years ago, Sceptre Inc. made a promise to create & deliver superior products for remarkably affordable prices, a rare tradition that continues today.