

## X322PV-HDR 32" Pink Color Series HDTV



# Specification

Display		
Active Screen Size	31.5" Diagonal Viewable	
Native Resolution	1366 x 768	
Refresh Rate	Up to 60Hz Refresh Rate	
Aspect Ratio	16:9	
Response Time	8ms (G-to-G)	
Dynamic Contrast Ratio	1,000,000:1	
Color Depth	16.7M (8-bit True)	
Contrast Ratio	3,000:1	
Brightness (Typ.)	250 cd/m²	
Viewing Angle	Vertical: 178° / Horizontal: 178°	
Features		
On Screen Display Control (OSD)	Standard/Mild/Dynamic/User	
Color Temperature	Warm, Normal, Cool, Standards	
Adjustable Picture Control*	Brightness, Contrast, Backlight, Color, Tint, Sharp	
Backlight	50,000+ Hour	
Built-in Tuner	ATSC, NTSC, Clear QAM	

SCEPTRE®		
OSD Supported Languages	English / Spanish / French	
Weak Signal Enhancement	Yes	
Comb Filter	3D	
De-interlace Technology	3D	
Auto Dynamic Contrast Mode	Yes	
Noise Reduction	Yes	
MPEG Noise Reduction	Yes	
Surround Sound Mode	Yes	
Sound Equalizer Settings	Yes (7-band)	
Auto Volume Level Control	Yes	
Wall Mountable	Yes	
Swivel Angles	± 20º (Right & Left)	
Neck & Base Detachable	Yes	
Energy Guide	X322UV-HDR	
Audio Features		
Speakers	2 x 10W/8Ω	
Video Features		
Picture Mode	Normal, Wide, Cinema, Zoom	
Outputs		
Analog Audio Output ( L + R)	1 (2 x RCA terminals (white, red)	
Headphone Output	1 x Earphone terminal (black)	
Inputs		
PC Audio In	1 x Audio in terminal (black)	
HDTV Signal Compatibility		
VGA Input Support	1360 x 768 @ 60Hz (Native & Max.) 1280 x 720 @ 60Hz 1280 x 600 @	
	60Hz br />1024 x 768 @ 60Hz br />800 x 600 @ 60Hz	
Inputs & Dutputs		
HDMI (# of Ports & Version)	3 x HDMI	
Supported HDMI Signals	1080/24p, 1080/60p, 1080i, 720p, 480p, 480i	
Cable / Antenna Input	1 x IEC-Connector 75Ω	
Supported HDTV Signals	1080p, 1080i, 720p, 480p, 480i	
SPDIF Audio Output	1 x SPDIF (Coaxial, Orange)	
VGA (# of Ports)	1 x D-SUB terminal (blue,15 pin)	
Component (YPbPr) Input	1 x Component (Audio input share with Composite)	
USB	1 x USB 2.0	
Composite Video	1 x Composite	
Mechanical Features		
VESA Mount Pattern (mm)	200mm x 100mm	
VESA Mount Screw Size (mm)	M4 x 6mm	
Dimensions		
With Stand (inches, W x H x D)	29.1" x 19.3" x 8.1"	
Without Stand (Inches, W x H x D)	29.1" x 17.3" x 3.5"	
Carton Box Dimension (inches, W x H x D)33.1" x 21.8" x 6.7"		

SCEPTRE®		
Weight		
Net Weight with Stand (lbs)	12.32 lbs	
Net Weight without Stand (lbs)	11.44 lbs	
Gross Weight (lbs)	17.16 lbs	
Power		
Power Range (V, A, Hz)	100 - 240 VAC, 60Hz, 3.0A (Max.)	
Power Consumption (Typical)	50W (Maximum), 43W (Typical), < 1W (Standby)	
Regulations / Certifications		
Certificates	FCC, cTUVus, Energy Star V6.0, ISTA 3A	
Warranty		
Limited Parts and Labor	One Year	

href="https://www.sceptre.com/Accessories/Remote-Control/TV-Remote-Control-142021"


270010C-product745category19category69.html" >142021270010C</a>

<a

Remote Control Model No



### **Key Features**



#### LED

With sharper contrasts of light and darks, LED display delivers a vast array of rich colors, ensuring that moving images have never been so pleasing to the eyes.



#### **HDMI**

HDMI not only delivers superior digital video and audio, but also, connects both to the TV with only one cable.



#### **Coaxial Digital Out**

Offering superior backwards compatibility for stereo receivers. This Sceptre TV is equipped with a Coaxial Digial audio output which will enrich your TV audio experience with the coaxial supported soundbar, soundbase or audio equipment.



#### **USB**

Let's you view your pictures as a slideshow or listen to your favorite music via the USB port. Just insert your flash drive into the USB port for the ultimate entertainment.



#### **Customer Service**

Our customer service representatives are, and have always been, based in the USA, guaranteeing that our customers' needs are met as efficiently as possible.



#### 30+ Years of Experience

Founded in City of Industry, CA over 30 years ago, Sceptre Inc. made a promise to create & deliver superior products for remarkably affordable prices, a rare tradition that continues today.