

## X420EV-F120 LCD HDTV



## Specification

Display	
Active Screen Size	42"
Native Resolution	1920 x 1080
Contrast Ratio	16000:1 Dynamic/4000:1 Typical
LED Panel	
Refresh Rate	60Hz
Aspect Ratio	16:9 Wide Screen
Brightness	500 cd/m2
Response Time	4ms
Colors	16.7 million
Viewing Angle	178º (horizontal) / 178º (vertical)
LED Backlight Life	> 50,000 hours
Audio Features	
Speakers	10 watts per Channel
Video Features	
OSD (On Screen Display Control)	Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust,
	Information, Manual Image Adjust, Setup Menu, Memory Recall

SCEPTRE®		
OSD Supported Languages / Subtitles	English	
Inputs & Outputs		
HDMI (# of Ports & Version)	4	
Supported HDMI Signals	1080P, 1080i, 720P, 480P video signal HDCP video up to 1080P	
Cable / Antenna Input	1	
SPDIF Audio Output	1	
VGA (# of Ports)	1	
Component (YPbPr) Input	2	
3.5mm Headphone Jack (Output)	1	
Supported VGA Signals	PC Input Max Resolution : 1920 x 1080@ 60hz	
	Native Resolution : 1920 x 1080	
USB	N/A	
Composite Video	0	
Analog Audio Output (L + R)	N/A	
Mechanical Features		
Tilt		
Swivel		
VESA Mount Pattern (mm)		
VESA Mount Screw Size (mm)		
Dimensions		
With Stand (inches, $W \times H \times D$ )	40.45"W x 27.3"H x 9.12"D	
Without Stand (Inches, $W \times H \times D$ )	40.45"W x 27.3"H x 4.45"D	
Carton Box Dimension (inches, W x H x D)43.2"W x 32.05"H x 11.34"D		
Weight		
Net Weight with Stand (lbs)	49 lbs.	
Net Weight without Stand (lbs)	N/A	
Gross Weight (lbs)	62 lbs.	
Power		
Power Range (V, A, Hz)		
Power Consumption (Typical)	<23W (typical) / (Standby) <1W	
Regulations / Certifications		
Certificates		
Warranty		
Limited Parts and Labor	One Year Limited Parts and Labor	

