

# **E245BV-FHD 24" LED TV**



# Specification


Display		
Active Screen Size	24" Diagonal Viewable	
Native Resolution	1920 x 1080	
Refresh Rate	Up to 60Hz Refresh Rate	
Aspect Ratio	16:9	
Response Time	5 ms (G-to-G)	
Dynamic Contrast Ratio	1,000,000:1	
Color Depth	16.7 M (RGB 6-bits + Hi-FRC)	
Contrast Ratio	3,000:1	
Brightness (Typ.)	250 cd/m²	
Viewing Angle	Vertical: 160° / Horizontal: 170°	
Backlight Life	30,000+ Hours	
Features		
On Screen Display Control (OSD)	Picture, Sound, Channel, Parental, Setup, Others	
Color Temperature	Warm, Normal, Cool, Standards	
Adjustable Picture Control*	Brightness, Contrast, Backlight, Color, Tint, Sharp	
Built-in Tuner	ATSC, NTSC, QAM	

SCEPTRE®	
OSD Supported Languages	English (Default), French, Spanish
Weak Signal Enhancement	Yes
Comb Filter	3D
De-interlace Technology	3D
Auto Dynamic Contrast Mode	Yes
Noise Reduction	Yes
MPEG Noise Reduction	Yes
Surround Sound Mode	Yes
Sound Equalizer Settings	Yes (7-band)
Auto Volume Level Control	Yes
Wall Mountable	Yes
Neck & Base Detachable	Yes
Energy Guide	E245BV-FHD
Audio Features	
Speakers	2 × 3W/4Ω
Outputs	
Headphone Output	1 × Earphone terminal (black)
Inputs	
PC Audio In	1 x Audio-In terminal (black)
HDTV Signal Compatibility	2 A Addition of Control of Contro
VGA Input Support	1920 × 1080 @ 60Hz (Max & Native) 1600 × 900 @ 60Hz 1280 × 1024 @
VGA Input Support	60Hz 60Hz
Institute 9 amm. Outsoute	001/2 01
Inputs & Dutputs	0. 11014
HDMI (# of Ports & Version)	2 x HDMI
Supported HDMI Signals	1080/24p, 1080/60p, 1080i, 720p, 480p, 480i
Cable / Antenna Input	1 × IEC-Connector 75 Ohm
Supported HDTV Signals	1080p, 1080i, 720p, 480p, 480i
SPDIF Audio Output	1 × SPDIF (Coaxial, Orange)
VGA (# of Ports)	1 x D-SUB terminal (blue, 15 pin)
C (\( \text{O} \) D \( \text{O} \)	
Component (YPbPr) Input	1 × Component (Audio input share with composite)
USB	1 × Component (Audio input share with composite)  1 x USB 2.0
USB Composite Video	1 × Component (Audio input share with composite)
USB Composite Video Mechanical Features	1 × Component (Audio input share with composite)  1 × USB 2.0  1 × Composite
USB Composite Video Mechanical Features VESA Mount Pattern (mm)	1 × Component (Audio input share with composite)  1 × USB 2.0  1 × Composite  100mm × 100mm
USB Composite Video Mechanical Features	1 × Component (Audio input share with composite)  1 × USB 2.0  1 × Composite
USB Composite Video Mechanical Features VESA Mount Pattern (mm)	1 × Component (Audio input share with composite)  1 × USB 2.0  1 × Composite  100mm × 100mm
USB Composite Video Mechanical Features VESA Mount Pattern (mm) VESA Mount Screw Size (mm)	1 × Component (Audio input share with composite)  1 × USB 2.0  1 × Composite  100mm × 100mm
USB Composite Video Mechanical Features VESA Mount Pattern (mm) VESA Mount Screw Size (mm) Dimensions	1 × Component (Audio input share with composite)  1 × USB 2.0  1 × Composite  100mm × 100mm  M4 × 6mm
USB Composite Video Mechanical Features VESA Mount Pattern (mm) VESA Mount Screw Size (mm) Dimensions With Stand (inches, W x H x D)	1 × Component (Audio input share with composite)  1 × USB 2.0  1 × Composite  100mm × 100mm  M4 × 6mm  23.13" × 16.38" × 6.38"  23.13" × 14.5" × 1.81"
USB Composite Video Mechanical Features VESA Mount Pattern (mm) VESA Mount Screw Size (mm) Dimensions With Stand (inches, W x H x D) Without Stand (Inches, W x H x D)	1 × Component (Audio input share with composite)  1 × USB 2.0  1 × Composite  100mm × 100mm  M4 × 6mm  23.13" × 16.38" × 6.38"  23.13" × 14.5" × 1.81"
USB Composite Video Mechanical Features VESA Mount Pattern (mm) VESA Mount Screw Size (mm) Dimensions With Stand (inches, W x H x D) Without Stand (Inches, W x H x D) Carton Box Dimension (inches, W x H x	1 × Component (Audio input share with composite)  1 × USB 2.0  1 × Composite  100mm × 100mm  M4 × 6mm  23.13" × 16.38" × 6.38"  23.13" × 14.5" × 1.81"
USB Composite Video Mechanical Features VESA Mount Pattern (mm) VESA Mount Screw Size (mm) Dimensions With Stand (inches, W x H x D) Without Stand (Inches, W x H x D) Carton Box Dimension (inches, W x H x Weight	1 × Component (Audio input share with composite)  1 × USB 2.0  1 × Composite  100mm × 100mm  M4 × 6mm  23.13" × 16.38" × 6.38"  23.13" × 14.5" × 1.81"  D)26.4" × 18.3" × 5.0"

SCEP I RE		
Power		
Power Range (V, A, Hz)	100~240V, 50/60 Hz	
Power Consumption (Typical)	45W (Maximum) 35 W (Typical) ≤ 0.5 W (Standby)	
Regulations / Certifications		
Certificates	FCC, cTUVus, Energy Star V6.0, ISTA 3A	
Warranty		
Limited Parts and Labor	One Year	



## **Key Features**





#### LED

With sharper contrasts of light and darks, LED display delivers a vast array of rich colors, ensuring that moving images have never been so pleasing to the eyes.

#### **HDMI**

HDMI not only delivers superior digital video and audio, but also, connects both to the TV with only one cable.

#### **Coaxial Digital Out**

Offering superior backwards compatibility for stereo receivers. This Sceptre TV is equipped with a Coaxial Digial audio output which will enrich your TV audio experience with the coaxial supported soundbar, soundbase or audio equipment.







#### USB

Let's you view your pictures as a slideshow or listen to your favorite music via the USB port. Just insert your flash drive into the USB port for the ultimate entertainment.

#### **DTS SRS TruSurround HD**

DTS SRS TruSurround HD delivers an enveloping combination of smooth treble and maximum bass response. The broad sound capability produces dialog that is crisp and audible.

#### **Customer Service**

Our customer service representatives are, and have always been, based in the USA, guaranteeing that our customers' needs are met as efficiently as possible.



# **Key Features**



### 30+ Years of Experience

Founded in City of Industry, CA over 30 years ago, Sceptre Inc. made a promise to create & deliver superior products for remarkably affordable prices, a rare tradition that continues today.