

X226W-1920



Specification

Display	
Active Screen Size	22"
Native Resolution	1920 x 1080
Aspect Ratio	16:10 Wide Screen
Display Colors	16.7M
Response Time	5ms
Contrast Ratio	1000:1
Brightness (Typ.)	300 nit (cd/m²)
Viewing Angle	160º (horizontal) 160º (vertical)
Backlight Type	50,000+ hours
Features	
On Screen Display Control (OSD)	Power on/off, OSD (On Screen Display), Contrast, Brightness, Clock, phase, H-Position, V-Position, H-Size, V-Size, Graph/Text Mode Selection, Auto-adjust, Color Temperature, Audio Volume, OSD H-Position, OSD V-Position, Display Mode Detection, Show Firmware Version, and Reset: Basic Setting, Position, Miscellaneous, & All Functions
OSD Supported Languages	English (default), Spanish, French, Dutch

Built-in Stereo Speakers	In-Line Dual Stereo speakers with amplifier (2 Watt /channel)
Base Detachable	Yes
Wall Mountable	Yes
Energy Guide	N/A
<b>Inputs &amp; Outputs</b>	
HDMI (# of Ports & Version)	N/A
Supported DVI Signals	2 MM 24-pin DVI Connector
VGA (# of Ports)	1.5 M detachable cable 15-pin mini D-Sub VGA Connector
<b>Mechanical Features</b>	
Chassis Colors	N/A
Tilt Angles	Yes
Swivel	N/A
Pivot	Yes
Height Adjustment	Yes
Slim Design	Yes
VESA Mount Pattern (mm)	100mm x 100mm
VESA Mount Screw Size (mm)	N/A
<b>Dimensions</b>	
With Stand (inches, W x H x D)	18.75"(W) x 15.38" (H) x 7.1"(D)
Without Stand (Inches, W x H x D)	N/A
Carton Box Dimension (inches, W x H x D)	24"(W) x 19.88"(H) x 10.75"(D)
<b>Weight</b>	
Net Weight with Stand (lbs)	18 lbs.
Net Weight without Stand (lbs)	N/A
Gross Weight (lbs)	25.1 lbs.
<b>Power</b>	
Power Range (V, A, Hz)	80w max 100V to 240V AC @ 50/60 Hz
Power Standby Mode	N/A
<b>Regulations / Certifications</b>	
Regulations	N/A
Certifications	UL, FCC-B, EPA
<b>Warranty</b>	
Limited Parts and Labor	One Year: Limited Parts and Labor
<b>What's in the Box?</b>	
Power Cable	N/A
Display Cable	N/A
Accessories	N/A

## Key Features

---



### DVI

Providing the capability for analog and digital content, DVI inputs allow you to connect your favorite devices to the monitor to achieve stellar picture quality and performance.



### 5ms Response Time

With a 5 millisecond response time, all activity on your LED screen will seamlessly transition almost instantly.



### VGA

With the ability to connect your computer, laptop, monitor, or TV to all your favorite variety of input options, VGA inputs deliver superb analog video.



### Customer Service

Our customer service representatives are, and have always been, based in the USA, guaranteeing that our customers' needs are met as efficiently as possible.



### 30+ Years of Experience

Founded in City of Industry, CA over 30 years ago, Sceptre Inc. made a promise to create & deliver superior products for remarkably affordable prices, a rare tradition that continues today.