

X22HG-Naga 22" LCD Monitor



Specification

Display		
Active Screen Size	22"	
Native Resolution	1680 x 1050	
Aspect Ratio	16:10 Wide Screen	
Display Colors	16.7M	
Response Time	5ms	
Contrast Ratio	1000:1	
Brightness (Typ.)	300 nit (cd/m²)	
Viewing Angle	160º (horizontal)	
	160º (vertical)	
Backlight Type	50,000+ hours	
Features		
On Screen Display Control (OSD)	Power on/off, OSD (On Screen Display), Contrast, Brightness, Clock, phase, H-Position,	
	V-Position, H-Size, V-Size, Graph/Text Mode Selection, Auto-adjust, Color Temperature,	
	Audio Volume, OSD H-Position, OSD V-Position, Display Mode Detection, Show Firmware	
	Version, and Reset: Basic Setting, Position, Miscellaneous, & All Functions	
OSD Supported Languages	English (default), Spanish, French, Dutch	

SCEPTRE®		
Built-in Stereo Speakers	In-Line Dual Stereo speakers with amplifier	
	(2 Watt /channel)	
Base Detachable	Yes	
Wall Mountable	Yes	
Energy Guide	N/A	
Inputs & Outputs		
HDMI (# of Ports & Version)	N/A	
Supported DVI Signals	2 MM 24-pin DVI Connector	
VGA (# of Ports)	1.5 M detachable cable 15-pin mini D-Sub VGA	
	Connector	
Mechanical Features		
Chassis Colors	N/A	
Tilt Angles	Yes	
Swivel	N/A	
Pivot	Yes	
Height Adjustment	Yes	
Slim Design	Yes	
VESA Mount Pattern (mm)	100mm x 100mm	
VESA Mount Screw Size (mm)	N/A	
Dimensions		
With Stand (inches, $W \times H \times D$)	18.75"(W) x 15.38" (H) x 7.1"(D)	
Without Stand (Inches, $W \times H \times D$)	N/A	
Carton Box Dimension (inches, W x H x	D)22"(W) x 19.88"(H) x 10.75"(D)	
Weight		
Net Weight with Stand (lbs)	18 lbs.	
Net Weight without Stand (lbs)	N/A	
Gross Weight (lbs)	25.1 lbs.	
Power		
Power Range (V, A, Hz)	80w max	
	100V to 240V AC @ 50/60 Hz	
Power Standby Mode	N/A	
Regulations / Certifications		
Regulations	N/A	
Certifications	UL, FCC-B, EPA	
Warranty		
Limited Parts and Labor	One Year: Limited Parts and Labor	
What's in the Box?		
Power Cable	N/A	
Display Cable	N/A	
Accessories	N/A	

