

X20WG-Naga 20" LCD Monitor



Specification

Display	
Active Screen Size	20"
Native Resolution	1680 x 1050
Aspect Ratio	16:10 Wide Screen
Display Colors	16.7M
Response Time	5ms
Contrast Ratio	1000:1
Brightness (Typ.)	300 nit (cd/m²)
Viewing Angle	160º (horizontal) 160º (vertical)
Backlight Type	50,000+ hours
Features	
On Screen Display Control (OSD)	Power on/off, OSD (On Screen Display), Contrast, Brightness, Clock, phase, H-Position, V-Position, H-Size, V-Size, Graph/Text Mode Selection, Auto-adjust, Color Temperature, Audio Volume, OSD H-Position, OSD V-Position, Display Mode Detection, Show Firmware Version, and Reset: Basic Setting, Position, Miscellaneous, & All Functions
OSD Supported Languages	English (default), Spanish, French, Dutch

Built-in Stereo Speakers	In-Line Dual Stereo speakers with amplifier (2 Watt /channel)
Base Detachable	Yes
Wall Mountable	Yes
Energy Guide	N/A
Inputs & Outputs	
HDMI (# of Ports & Version)	N/A
Supported DVI Signals	2 MM 24-pin DVI Connector
VGA (# of Ports)	1.5 M detachable cable 15-pin mini D-Sub VGA Connector
Mechanical Features	
Chassis Colors	N/A
Tilt Angles	Yes
Swivel	N/A
Pivot	Yes
Height Adjustment	Yes
Slim Design	Yes
VESA Mount Pattern (mm)	100mm x 100mm
VESA Mount Screw Size (mm)	N/A
Dimensions	
With Stand (inches, W x H x D)	18.75"(W) x 15.38" (H) x 7.1"(D)
Without Stand (Inches, W x H x D)	N/A
Carton Box Dimension (inches, W x H x D)	22"(W) x 19.88"(H) x 10.75"(D)
Weight	
Net Weight with Stand (lbs)	18 lbs.
Net Weight without Stand (lbs)	N/A
Gross Weight (lbs)	25.1 lbs.
Power	
Power Range (V, A, Hz)	80w max 100V to 240V AC @ 50/60 Hz
Power Standby Mode	N/A
Regulations / Certifications	
Regulations	N/A
Certifications	UL, FCC-B, EPA
Warranty	
Limited Parts and Labor	One Year: Limited Parts and Labor
What's in the Box?	
Power Cable	N/A
Display Cable	N/A
Accessories	N/A

Key Features



DVI

Providing the capability for analog and digital content, DVI inputs allow you to connect your favorite devices to the monitor to achieve stellar picture quality and performance.



5ms Response Time

With a 5 millisecond response time, all activity on your LED screen will seamlessly transition almost instantly.



VGA

With the ability to connect your computer, laptop, monitor, or TV to all your favorite variety of input options, VGA inputs deliver superb analog video.



Customer Service

Our customer service representatives are, and have always been, based in the USA, guaranteeing that our customers' needs are met as efficiently as possible.



30+ Years of Experience

Founded in City of Industry, CA over 30 years ago, Sceptre Inc. made a promise to create & deliver superior products for remarkably affordable prices, a rare tradition that continues today.