


20WG-Agama 20" LCD Monitor



Specification

Display

Active Screen Size	20"
Native Resolution	1680 x 1050
Aspect Ratio	16:10 Wide Screen
Display Colors	16.7M
Response Time	5ms
Contrast Ratio	1000:1
Brightness (Typ.)	300 nit (cd/m ²)
Viewing Angle	160° (horizontal) 160° (vertical)
Backlight Type	50,000+ hours

Features

On Screen Display Control (OSD)	Power on/off, OSD (On Screen Display), Contrast, Brightness, Clock, phase, H-Position, V-Position, H-Size, V-Size, Graph/Text Mode Selection, Auto-adjust, Color Temperature, Audio Volume, OSD H-Position, OSD V-Position, Display Mode Detection, Show Firmware Version, and Reset: Basic Setting, Position, Miscellaneous, & All Functions
OSD Supported Languages	English (default), Spanish, French, Dutch

Built-in Stereo Speakers	In-Line Dual Stereo speakers with amplifier (2 Watt /channel)
Base Detachable	Yes
Wall Mountable	Yes
Energy Guide	N/A
Inputs & Outputs	
HDMI (# of Ports & Version)	N/A
Supported DVI Signals	2 MM 24-pin DVI Connector
VGA (# of Ports)	1.5 M detachable cable 15-pin mini D-Sub VGA Connector
Mechanical Features	
Chassis Colors	N/A
Tilt Angles	Yes
Swivel	N/A
Pivot	Yes
Height Adjustment	Yes
Slim Design	Yes
VESA Mount Pattern (mm)	100mm x 100mm
VESA Mount Screw Size (mm)	N/A
Dimensions	
With Stand (inches, W x H x D)	18.75"(W) x 15.38" (H) x 7.1"(D)
Without Stand (Inches, W x H x D)	N/A
Carton Box Dimension (inches, W x H x D)	22"(W) x 19.88"(H) x 10.75"(D)
Weight	
Net Weight with Stand (lbs)	18 lbs.
Net Weight without Stand (lbs)	N/A
Gross Weight (lbs)	25.1 lbs.
Power	
Power Range (V, A, Hz)	80w max 100V to 240V AC @ 50/60 Hz
Power Standby Mode	N/A
Regulations / Certifications	
Regulations	N/A
Certifications	UL, FCC-B, EPA
Warranty	
Limited Parts and Labor	One Year: Limited Parts and Labor
What's in the Box?	
Power Cable	N/A
Display Cable	N/A
Accessories	N/A

