

U508CV-UMK 50" 4K UHD TV



Specification


Display

Display	
Active Screen Size	48.5" Diagonal Viewable
Native Resolution	Ultra HD - 3840 x 2160
Refresh Rate	60Hz
Aspect Ratio	Normal, Wide, Cinema, Zoom
Display Colors	1.06 Billion colors (10-bit)
Response Time	8 ms (G-to-G)
Dynamic Contrast Ratio	5,000,000:1
Contrast Ratio	3,000:1
Brightness (Typ.)	330 cd/m ²
Viewing Angle	Vertical: 178° / Horizontal: 178°
Backlight Type	LED
Backlight Life	30,000+ Hours
Audio Features	
Auto Volume Level Control	AVL available
Audio Adjustable Control	Treble, Bass, Balance, Volume, Mute control, Preset EQ
Speakers	2 x 10W/8Ω

SCEPTRE®	
Equalizer Settings	5-band
Surround Sound Mode	SRS TruSurround HD®
Highlight Features	
HDCP Version	2.2 (Specifically design for 4k video)
HDMI 2.0	Support latest Standard for 4k x 2k video at 60Hz refresh rate.
CEC & ARC	Yes
Video Features	
OSD (On Screen Display Control)	Picture, Sound, Channel, Parental, Setup, Others
Picture Mode	Normal / Wide / Cinema / Zoom
Picture Control	Brightness, Contrast, Backlight, Color, Tint, Sharpness
Temperature (color)	Warm / Normal / Cool / Standards
White Balance	Adjustable. Multiple Preset Options available.
OSD Supported Languages / Subtitles	English / Spanish / French
Other Features	
Built-in Tuner	ATSC / NTSC
Weak Signal Enhancement	Yes
Comb Filter	3D
De-interlace Technology	3D
Noise Reduction	Yes
MPEG Noise Reduction	Yes
Sleep Timer	Yes
Power Saving Mode	Yes
Inputs & Outputs	
HDMI (# of Ports & Version)	3 x HDMI
	3 x HDMI (HDMI1: HDMI 2.0, HDCP 2.2;
	(HDMI1: HDMI 2.0, HDCP 2.2;
	(HDMI1: HDMI 2.0, HDCP 2.2; HDMI2: HDMI1.4;
HDMI (# of Ports & Version)	(HDMI1: HDMI 2.0, HDCP 2.2; HDMI2: HDMI1.4; HDMI3: HDMI1.4 with ARC features)
HDMI (# of Ports & Version) Supported HDMI Signals	(HDMI1: HDMI 2.0, HDCP 2.2; HDMI2: HDMI1.4; HDMI3: HDMI1.4 with ARC features) 4K, 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i
HDMI (# of Ports & Version) Supported HDMI Signals Cable / Antenna Input	 (HDMI1: HDMI 2.0, HDCP 2.2; HDMI2: HDMI1.4; HDMI3: HDMI1.4 with ARC features) 4K, 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i 1 x IEC-connector 75Ω
HDMI (# of Ports & Version) Supported HDMI Signals Cable / Antenna Input 3.5mm Auxiliary Input Jack	 (HDMI1: HDMI 2.0, HDCP 2.2; HDMI2: HDMI1.4; HDMI3: HDMI1.4 with ARC features) 4K, 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i 1 x IEC-connector 75Ω Yes
HDMI (# of Ports & Version) Supported HDMI Signals Cable / Antenna Input 3.5mm Auxiliary Input Jack Supported HDTV Signals	 (HDMI1: HDMI 2.0, HDCP 2.2; HDMI2: HDMI1.4; HDMI3: HDMI1.4 with ARC features) 4K, 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i 1 x IEC-connector 75Ω Yes 1080p, 1080i, 720p, 480p, 480i
HDMI (# of Ports & Version) Supported HDMI Signals Cable / Antenna Input 3.5mm Auxiliary Input Jack Supported HDTV Signals SPDIF Audio Output	 (HDMI1: HDMI 2.0, HDCP 2.2; HDMI2: HDMI1.4; HDMI3: HDMI1.4 with ARC features) 4K, 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i 1 x IEC-connector 75Ω Yes 1080p, 1080i, 720p, 480p, 480i 1 x SPDIF (Optical, Black)
HDMI (# of Ports & Version) Supported HDMI Signals Cable / Antenna Input 3.5mm Auxiliary Input Jack Supported HDTV Signals SPDIF Audio Output VGA (# of Ports)	 (HDMI1: HDMI 2.0, HDCP 2.2; HDMI2: HDMI1.4; HDMI3: HDMI1.4 with ARC features) 4K, 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i 1 x IEC-connector 75Ω Yes 1080p, 1080i, 720p, 480p, 480i 1 x SPDIF (Optical, Black) 1 x D-SUB terminal (blue, 15pin)
HDMI (# of Ports & Version) Supported HDMI Signals Cable / Antenna Input 3.5mm Auxiliary Input Jack Supported HDTV Signals SPDIF Audio Output VGA (# of Ports) Component (YPbPr) Input	 (HDMI1: HDMI 2.0, HDCP 2.2; HDMI2: HDMI1.4; HDMI3: HDMI1.4 with ARC features) 4K, 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i 1 x IEC-connector 75Ω Yes 1080p, 1080i, 720p, 480p, 480i 1 x SPDIF (Optical, Black) 1 x D-SUB terminal (blue, 15pin) 1080p, 1080i, 720p, 480p, 480i
HDMI (# of Ports & Version) Supported HDMI Signals Cable / Antenna Input 3.5mm Auxiliary Input Jack Supported HDTV Signals SPDIF Audio Output VGA (# of Ports) Component (YPbPr) Input 3.5mm Headphone Jack (Output)	 (HDMI1: HDMI 2.0, HDCP 2.2; HDMI2: HDMI1.4; HDMI3: HDMI1.4 with ARC features) 4K, 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i 1 x IEC-connector 75Ω Yes 1080p, 1080i, 720p, 480p, 480i 1 x SPDIF (Optical, Black) 1 x D-SUB terminal (blue, 15pin) 1080p, 1080i, 720p, 480p, 480i Yes
HDMI (# of Ports & Version) Supported HDMI Signals Cable / Antenna Input 3.5mm Auxiliary Input Jack Supported HDTV Signals SPDIF Audio Output VGA (# of Ports) Component (YPbPr) Input 3.5mm Headphone Jack (Output)	 (HDMI1: HDMI 2.0, HDCP 2.2; HDMI2: HDMI1.4; HDMI3: HDMI1.4 with ARC features) 4K, 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i 1 x IEC-connector 75Ω Yes 1080p, 1080i, 720p, 480p, 480i 1 x SPDIF (Optical, Black) 1 x D-SUB terminal (blue, 15pin) 1080p, 1080i, 720p, 480p, 480i Yes 1920 x 1080 @ 60Hz (Native & Max.)
HDMI (# of Ports & Version) Supported HDMI Signals Cable / Antenna Input 3.5mm Auxiliary Input Jack Supported HDTV Signals SPDIF Audio Output VGA (# of Ports) Component (YPbPr) Input 3.5mm Headphone Jack (Output)	 (HDMI1: HDMI 2.0, HDCP 2.2; HDMI2: HDMI1.4; HDMI3: HDMI1.4 with ARC features) 4K, 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i 1 x IEC-connector 75Ω Yes 1080p, 1080i, 720p, 480p, 480i 1 x SPDIF (Optical, Black) 1 x D-SUB terminal (blue, 15pin) 1080p, 1080i, 720p, 480p, 480i Yes 1920 x 1080 @ 60Hz (Native & Max.) 1360 x 768 @ 60Hz
HDMI (# of Ports & Version) Supported HDMI Signals Cable / Antenna Input 3.5mm Auxiliary Input Jack Supported HDTV Signals SPDIF Audio Output VGA (# of Ports) Component (YPbPr) Input 3.5mm Headphone Jack (Output)	(HDMI1: HDMI 2.0, HDCP 2.2; HDMI2: HDMI1.4; HDMI3: HDMI1.4 with ARC features) 4K, 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i 1 x IEC-connector 75Ω Yes 1080p, 1080i, 720p, 480p, 480i 1 x SPDIF (Optical, Black) 1 x D-SUB terminal (blue, 15pin) 1080p, 1080i, 720p, 480p, 480i Yes 1080p, 1080i, 720p, 480p, 480i 1280 x 1080 @ 60Hz (Native & Max.) 1360 x 768 @ 60Hz 1280 x 1024 @ 60Hz
HDMI (# of Ports & Version) Supported HDMI Signals Cable / Antenna Input 3.5mm Auxiliary Input Jack Supported HDTV Signals SPDIF Audio Output VGA (# of Ports) Component (YPbPr) Input 3.5mm Headphone Jack (Output)	 HDMI1: HDMI 2.0, HDCP 2.2; HDMI2: HDMI1.4; HDMI3: HDMI1.4 with ARC features) 4K, 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i 1 x IEC-connector 75Ω Yes 1080p, 1080i, 720p, 480p, 480i 1 x SPDIF (Optical, Black) 1 x D-SUB terminal (blue, 15pin) 1080p, 1080i, 720p, 480p, 480i Yes 1920 x 1080 @ 60Hz (Native & Max.) 1360 x 768 @ 60Hz 1280 x 1024 @ 60Hz 1024 x 768 @ 60Hz
HDMI (# of Ports & Version) Supported HDMI Signals Cable / Antenna Input 3.5mm Auxiliary Input Jack Supported HDTV Signals SPDIF Audio Output VGA (# of Ports) Component (YPbPr) Input 3.5mm Headphone Jack (Output) Supported VGA Signals	(HDMI1: HDMI 2.0, HDCP 2.2; HDMI2: HDMI1.4; HDMI3: HDMI1.4 with ARC features) 4K, 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i 1 x IEC-connector 75Ω Yes 1080p, 1080i, 720p, 480p, 480i 1 x SPDIF (Optical, Black) 1 x D-SUB terminal (blue, 15pin) 1080p, 1080i, 720p, 480p, 480i Yes 1080p, 1080i, 720p, 480p, 480i 120 x 1080 @ 60Hz (Native & Max.) 1360 x 768 @ 60Hz 1280 x 1024 @ 60Hz 1024 x 768 @ 60Hz 800 x 600 @ 60Hz


SCEPTRE® Mechanical Features	
Chassis Colors	Black Housing with Silver Stand Fashionable Design
Wall Mountable	Yes
Wall Mount Screw Size (mm)	M6 x 12mm
Neck Detachable	Yes
Slim Design	Ultra Slim
VESA Mount Pattern (mm)	300mm x 200mm
Base Detachable	Yes
Neck Screw Size & Quantity (mm)	M4 x 14mm (4pcs)
Wall Mount Specifications	
Screws for Metal Stand	M4 x 10mm (Ansc)
	M4 x 10mm (4pcs)
Dimensions	
With Stand (inches, $W \times H \times D$)	43.70" x 28.03" x 12.72"
Without Stand (Inches, $W \times H \times D$)	43.70" x 25.47" x 3.11"
Carton Box Dimension (inches, W x H	x D)52.75" x 29.92" x 6.42"
Weight	
Net Weight with Stand (lbs)	25.35 lbs
Net Weight without Stand (lbs)	22.05 lbs
Gross Weight (lbs)	33.07 lbs
Power	
Power Range (V, A, Hz)	100V - 240VAC, 60/50Hz, 1.5A (Max.)
Power Consumption (Typical)	75W
Maximum	≤ 130W
Standby	≤ 0.5W
Regulations / Certifications	
Regulations	cULus, FCC, ISTA 3A
Certifications	HDMI, SRS TruSurround HD
Warranty	
Limited Parts and Labor	One Year
What's in the Box?	
Accessories	Display
	Neck
	Stand
	User Manual
	Quick Start Guide
	Warranty Card
	Screwdriver
	Screws for Neck
	Remote Control
Domoto Control Model No	3.5mm Stereo Plug to RCA Female Cable
Remote Control Model No	<a 142021<="" accessories="" centrel="" https:="" pemete="" td="" tv="" www.contro.com="">
	href="https://www.sceptre.com/Accessories/Remote-Control/TV-Remote-Control-142021
	270009C-product742category19category69.html">142021270009C





LED

With sharper contrasts of light and darks, LED display delivers a vast array of rich colors, ensuring that moving images have never been so pleasing to the eyes.





UHD Upscaling

Breathing new life into the colors of older movies and shows, UHD Upscaling upgrades SD, HD, FHD resolution nearly to the level of the masterful 4K picture quality the UHD display has to offer.

Halo Stand Design

Sleek and slender, Sceptre's Halo Stand Design is remarkably light in weight while still providing a durable metallic frame that balances the weight of the TV more evenly and efficiently than previous designs.



Multiple Ports

4 HDMI ports deliver sharply crafted images during fast-paced action scenes. Component & Composite ports provide analog video. Audio In, a headphone jack, & optical out enhance audio.



HDMI 2.0

Connect all your favorite devices- game consoles, blu-ray devices, laptops. HDMI 2.0 ensures you get the best picture and audio quality from your 4K display.



HDCP 2.2

HDCP 2.2 ensures that all the 4K content that is transferred from a source (Blu-Ray player, DVD player, etc.) to the display (the TV) is secured with copyright protection.





USB Port

Let's you view your pictures as a slideshow or listen to your favorite music via the USB port. Just insert your flash drive into the USB port for the ultimate entertainment.



Audio Return Channel (ARC)

a single HDMI connection to send

Audio Return Channel, or ARC, uses

audio from a TV to the SoundBar or

AV Receiver. Using one HDMI cable,

video is send to the TV with an HDMI cable, and that same HDMI cable sends audio from the TV back down

the same cable.



CEC

The CEC (Consumer Electronics Control) feature effortlessly allows users to control HDMI connected devices with only one remote.



VESA Wall Mountable

The VESA wall mount provides the ideal position to view your TV and eliminates cable clutter, contributing a stylishly modern addition to your decor.



Customer Service

Our customer service representatives are, and have always been, based in the USA, guaranteeing that our customers' needs are met as efficiently as possible.



30+ Years of Experience

Founded in City of Industry, CA over 30 years ago, Sceptre Inc. made a promise to create & deliver superior products for remarkably affordable prices, a rare tradition that continues today.