

E325BV-HDH+ 32" LED TV



Specification


		6	N.
 P~1		[0]	Μ.
	100		P./

Display		
Active Screen Size	31.5" Diagonal Viewable	
Native Resolution	1366 x 768	
Refresh Rate	Up to 60Hz Refresh Rate	
Aspect Ratio	16:9	
Response Time	8 ms (G-to-G)	
Dynamic Contrast Ratio	1,000,000:1	
Color Depth	16.7M	
Contrast Ratio	3,000 : 1	
Brightness (Typ.)	250 cd/m ²	
Viewing Angle	Vertical: 178° / Horizontal: 178°	
Backlight Life	30,000+ Hour	
Features		
On Screen Display Control (OSD)	Picture, Sound, Channel, Setup	
Color Temperature	Warm, Normal, Cool, Standards	
Adjustable Picture Control*	Brightness, Contrast, Backlight, Color, Tint, Sharp	
Picture Presets	Normal, Wide, Cinema, Zoom	

SCEPTRE®			
Built-in Tuner	ATSC, NTSC, Clear QAM		
OSD Supported Languages	English (Default), Spanish, French, Chinese		
Weak Signal Enhancement	Yes		
Comb Filter	3D		
De-interlace Technology	3D		
Auto Dynamic Contrast Mode	Yes		
Noise Reduction	Yes		
MPEG Noise Reduction	Yes		
Surround Sound Mode	Yes		
Sound Equalizer Settings	Yes (7-band)		
Auto Volume Level Control	Yes		
Wall Mountable	Yes		
Swivel Angles	+/- 30 degree		
Neck & Base Detachable	Yes		
Energy Guide	E325BV-HDH+		
Audio Features			
Speakers	10 watts per Channel x 2		
Video Features			
White Balance	Available		
Outputs			
Analog Audio Output (L + R)	1 (2 × RCA terminals (white, red))		
Headphone Output	1 × Earphone terminal (black)		
Inputs			
PC Audio In	1 × Audio In terminal (black)		
Inputs & Outputs			
HDMI (# of Ports & Version)	3 x HDMI		
Supported HDMI Signals	1080/24P, 1080/60P, 1080i, 720P, 480P		
Cable / Antenna Input	1 × IEC-Connector 75 Ohm		
Supported HDTV Signals	1080i, 720P, 480P, 480i		
SPDIF Audio Output	1 × SPDIF (Coaxial, Orange)		
VGA (# of Ports)	1 × D-SUB terminal (blue, 15 pin)		
Component (YPbPr) Input	1 × Component (Audio input share with composite)		
USB	1 × USB 2.0		
Composite Video	1 × Composite		
HDTV Signal Compatibility			
VGA Input Support	1360 × 768 @ 60Hz (Native & Max)		
	1280 × 720 @ 60Hz		
	1280 × 600 @ 60Hz		
	1024 × 768 @ 60Hz		
	800 × 600 @ 60Hz		
Mechanical Features			
VESA Mount Pattern (mm)	400mm x 200mm		
VESA Mount Screw Size (mm)	M6 x 8mm		

28.85" x 19.75" x 8.1"				
28.85" x 17.6" x 2.1"				
Carton Box Dimension (inches, W x H x D)32.0" x 23.6" x 5.0"				
15.98 lbs				
14.11 lbs				
19.54 lbs				
110 ~ 240V, 60/50 Hz, 3.0A (Max.)				
53W (Typical)				
\leq 0.5W (Standby)				
FCC, cETLus, Energy Star V5.3, ISTA 3A				
One Year				





LED

With sharper contrasts of light and darks, LED display delivers a vast array of rich colors, ensuring that moving images have never been so pleasing to the eyes.



HDMI

HDMI not only delivers superior digital video and audio, but also, connects both to the TV with only one cable.



Coaxial Digital Out

Offering superior backwards compatibility for stereo receivers. This Sceptre TV is equipped with a Coaxial Digial audio output which will enrich your TV audio experience with the coaxial supported soundbar, soundbase or audio equipment.



USB

Let's you view your pictures as a slideshow or listen to your favorite music via the USB port. Just insert your flash drive into the USB port for the ultimate entertainment.



Customer Service

Our customer service representatives are, and have always been, based in the USA, guaranteeing that our customers' needs are met as efficiently as possible.



30+ Years of Experience

Founded in City of Industry, CA over 30 years ago, Sceptre Inc. made a promise to create & deliver superior products for remarkably affordable prices, a rare tradition that continues today.