

E165BV-MQ 16" LED 720P HDTV



Specification

Display		
Active Screen Size	15.6" Diagonal Viewable	
Native Resolution	1366 x 768	
Refresh Rate	Up to 60Hz Refresh Rate	
Aspect Ratio	16:9	
Response Time	12ms (G-to-G)	
Dynamic Contrast Ratio	1,000,000:1	
Color Depth	262k	
Contrast Ratio	3,000:1	
Brightness (Typ.)	250 cd/m ²	
Viewing Angle	90º (Horizontal) / 60º (Vertical)	
Backlight Life	15,000+ Hours	
Features		
On Screen Display Control (OSD)	Picture, Sound, Channel, Setup	
Color Temperature	Warm, Normal, Cool, Standards	
Support MHL	Yes	
Adjustable Picture Control*	Brightness, Contrast, Backlight, Color, Tint, Sharp	


SCEPTRE®	
Picture Presets	Normal, Wide, Cinema, Zoom
Built-in Tuner	ATSC / NTSC
OSD Supported Languages	English (Default), Spanish, French, Chinese
Weak Signal Enhancement	Yes
Comb Filter	3D
De-interlace Technology	3D
Auto Dynamic Contrast Mode	Yes
Noise Reduction	Yes
MPEG Noise Reduction	Yes
Surround Sound Mode	Yes
Sound Equalizer Settings	Yes (5-band)
Auto Volume Level Control	Yes
Wall Mountable	Yes
Neck & Base Detachable	Yes
Energy Guide	Yes
Audio Features	
Speakers	2 x 3W/4Ω
Video Features	
White Balance	Available
HDTV Signal Compatibility	
VGA Input Support	1360 × 768 @ 60Hz (Native & Max)
VOA IIIput Support	1280 × 720 @ 60Hz
	1280 × 600 @ 60Hz
	1024 × 768 @ 60Hz
	800 × 600 @ 60Hz
Inputs & Outputs	
HDMI (# of Ports & Version)	2 × HDMI (Only HDMI2 with MHL function)
Supported HDMI Signals	1080/24p, 1080/60p, 1080i, 720p, 480p, 480i
Cable / Antenna Input	1 x IEC-connector 75Ω
3.5mm Auxiliary Input Jack	1 x PC Audio In terminal (black)
Supported HDTV Signals	1080P, 1080i, 1080i, 720P, 480P, 480i
SPDIF Audio Output	1 × SPDIF (Optical, Black)
VGA (# of Ports)	1 x D-SUB terminal (blue, 15pin)
Component (YPbPr) Input	1 x Component (Audio share with Composite)
3.5mm Headphone Jack (Output)	1 x Earphone terminal (black)
USB	1 x USB 2.0 Slot
Composite Video	1 x Composite
Mechanical Features	
VESA Mount Pattern (mm)	75mm x 75mm
VESA Mount Screw Size (mm)	M4 x 6mm
	PP4 A OHIIII
Dimensions	45 000 44 770 5 440
With Stand (inches, W x H x D)	15.23" x 11.77" x 5.11"
Without Stand (Inches, W x H x D)	15.23" x 11.65" x 2.02"

		R
		(=

D)18.03" x 14.29" x 4.52"
3.17 lbs
2.77 lbs
5.77 lbs
AC Adapter DC 12V, 2A
100 - 240VAC, 50/60Hz
24W (Max),
16W (Typical),
≤1W (Standby)
6.1
cTUVus, FCC, Energy Star,
ISTA 3A
HDMI, MHL
One Year
<a< td=""></a<>
href="https://www.sceptre.com/Accessories/Remote-Control/TV-Remote-Control-142021
270010C-product745category19category69.html" >142021270010C



Key Features



LED

With sharper contrasts of light and darks, LED display delivers a vast array of rich colors, ensuring that moving images have never been so pleasing to the eyes.



HDMI

HDMI not only delivers superior digital video and audio, but also, connects both to the TV with only one cable.



Coaxial Digital Out

Offering superior backwards compatibility for stereo receivers. This Sceptre TV is equipped with a Coaxial Digial audio output which will enrich your TV audio experience with the coaxial supported soundbar, soundbase or audio equipment.



USB

Let's you view your pictures as a slideshow or listen to your favorite music via the USB port. Just insert your flash drive into the USB port for the ultimate entertainment.



Customer Service

Our customer service representatives are, and have always been, based in the USA, guaranteeing that our customers' needs are met as efficiently as possible.



30+ Years of Experience

Founded in City of Industry, CA over 30 years ago, Sceptre Inc. made a promise to create & deliver superior products for remarkably affordable prices, a rare tradition that continues today.