

E165BV-MQ 16" LED 720P HDTV



Specification

Display		
Active Screen Size	15.6" Diagonal Viewable	
Native Resolution	1366 x 768	
Refresh Rate	Up to 60Hz Refresh Rate	
Aspect Ratio	16:9	
Response Time	12ms (G-to-G)	
Dynamic Contrast Ratio	1,000,000:1	
Color Depth	262k	
Contrast Ratio	3,000:1	
Brightness (Typ.)	250 cd/m²	
Viewing Angle	90º (Horizontal) / 60º (Vertical)	
Backlight Life	15,000+ Hours	
Features		
On Screen Display Control (OSD)	Picture, Sound, Channel, Setup	
Color Temperature	Warm, Normal, Cool, Standards	
Support MHL	Yes	
Adjustable Picture Control*	Brightness, Contrast, Backlight, Color, Tint, Sharp	


SCEPTRE®			
Picture Presets	Normal, Wide, Cinema, Zoom		
Built-in Tuner	ATSC / NTSC		
OSD Supported Languages	English (Default), Spanish, French, Chinese		
Weak Signal Enhancement	Yes		
Comb Filter	3D		
De-interlace Technology	3D		
Auto Dynamic Contrast Mode	Yes		
Noise Reduction	Yes		
MPEG Noise Reduction	Yes		
Surround Sound Mode	Yes		
Sound Equalizer Settings	Yes (5-band)		
Auto Volume Level Control	Yes		
Wall Mountable	Yes		
Neck & Base Detachable	Yes		
Energy Guide	Yes		
Audio Features			
Speakers	2 x 3W/4Ω		
Video Features			
White Balance	Available		
Inputs & Outputs			
HDMI (# of Ports & Version)	2 × HDMI (Only HDMI2 with MHL function)		
Supported HDMI Signals	1080/24p, 1080/60p, 1080i, 720p, 480p, 480i		
Cable / Antenna Input	1 x IEC-connector 75Ω		
3.5mm Auxiliary Input Jack	1 x PC Audio In terminal (black)		
Supported HDTV Signals	1080P, 1080i, 1080i, 720P, 480P, 480i		
SPDIF Audio Output	1 × SPDIF (Optical, Black)		
VGA (# of Ports)	1 x D-SUB terminal (blue, 15pin)		
Component (YPbPr) Input	1 x Component (Audio share with Composite)		
3.5mm Headphone Jack (Output)	1 x Earphone terminal (black)		
USB	1 x USB 2.0 Slot		
Composite Video	1 x Composite		
HDTV Signal Compatibility			
VGA Input Support	1360 × 768 @ 60Hz (Native & Max)		
	1280 × 720 @ 60Hz		
	1280 × 600 @ 60Hz		
	1024 × 768 @ 60Hz		
	800 × 600 @ 60Hz		
Mechanical Features			
VESA Mount Pattern (mm)	75mm x 75mm		
VESA Mount Screw Size (mm)	M4 x 6mm		
Dimensions			
With Stand (inches, W x H x D)	15.23" x 11.77" x 5.11"		
Without Stand (Inches, W x H x D)	15.23" x 11.65" x 2.02"		

		R
5 C		\subset

D)18.03" x 14.29" x 4.52"		
3.17 lbs		
2.77 lbs		
5.77 lbs		
AC Adapter DC 12V, 2A		
100 - 240VAC, 50/60Hz		
24W (Max),		
16W (Typical),		
≤1W (Standby)		
6.1		
cTUVus, FCC, Energy Star,		
ISTA 3A		
HDMI, MHL		
One Year		
<a< td=""></a<>		
href="https://www.sceptre.com/Accessories/Remote-Control/TV-Remote-Control-142021		
270010C-product745category19category69.html" >142021270010C		



Key Features



LED

With sharper contrasts of light and darks, LED display delivers a vast array of rich colors, ensuring that moving images have never been so pleasing to the eyes.



HDMI

HDMI not only delivers superior digital video and audio, but also, connects both to the TV with only one cable.



Coaxial Digital Out

Offering superior backwards compatibility for stereo receivers. This Sceptre TV is equipped with a Coaxial Digial audio output which will enrich your TV audio experience with the coaxial supported soundbar, soundbase or audio equipment.



USB

Let's you view your pictures as a slideshow or listen to your favorite music via the USB port. Just insert your flash drive into the USB port for the ultimate entertainment.



Customer Service

Our customer service representatives are, and have always been, based in the USA, guaranteeing that our customers' needs are met as efficiently as possible.



30+ Years of Experience

Founded in City of Industry, CA over 30 years ago, Sceptre Inc. made a promise to create & deliver superior products for remarkably affordable prices, a rare tradition that continues today.