

E322BV-HDR 32" LED TV



Specification

Display	
Active Screen Size	31.5" Diagonal Viewable
Native Resolution	1366 x 768
Refresh Rate	Up to 60Hz Refresh Rate
Aspect Ratio	16:9
Response Time	8 ms (G-to-G)
Dynamic Contrast Ratio	1,000,000 : 1
Color Depth	16.7 M (8bit - true)
Contrast Ratio	3,000 : 1
Brightness (Typ.)	250 cd/m²
Viewing Angle	178º (Horizontal) / 178º (Vertical)
Backlight Type	50,000+ hours
Features	
On Screen Display Control (OSD)	Picture, Sound, Channel, Setup
Color Temperature	Warm, Normal, Cool, Standards
Adjustable Picture Control*	Brightness, Contrast, Backlight, Color, Tint, Sharp
Picture Presets	Normal, Wide, Cinema, Zoom

Built-in Tuner	ATSC / NTSC / Clear QAM
OSD Supported Languages	English (Default), Spanish, French, Chinese
Weak Signal Enhancement	Yes
Comb Filter	3D
De-interlace Technology	3D
Auto Dynamic Contrast Mode	Yes
Noise Reduction	Yes
MPEG Noise Reduction	Yes
Surround Sound Mode	Yes
Sound Equalizer Settings	Yes (7-band)
Auto Volume Level Control	Yes
Wall Mountable	Yes
Swivel Angles	± 25 degree
Neck & Base Detachable	Yes
Energy Guide	X322BV-HDR

#### Audio Features

Speakers	2 x 10W/8Ω
----------	------------

#### Video Features

White Balance	Available
---------------	-----------

#### HDTV Signal Compatibility

VGA Input Support	1360 × 768 @ 60Hz (Native & Max) 1280 × 720 @ 60Hz 1280 × 600 @ 60Hz 1024 × 768 @ 60Hz 800 × 600 @ 60Hz
-------------------	---

#### Inputs & Outputs

HDMI (# of Ports & Version)	3 × HDMI
Supported HDMI Signals	1080/24p, 1080/60p, 1080i, 720p, 480p, 480i
Cable / Antenna Input	1 EC-Connector 75 Ohm
3.5mm Auxiliary Input Jack	1 × Audio-In terminal (Black)
Supported HDTV Signals	1080p, 1080i, 720p, 480p, 480i
SPDIF Audio Output	1 × SPDIF (Coaxial, Orange)
VGA (# of Ports)	1 × D-SUB terminal (Blue, 15 pin)
Component (YPbPr) Input	1 × Component (Audio input share with composite)
3.5mm Headphone Jack (Output)	1 × Earphone terminal (black)
USB	1 x USB 2.0
Composite Video	1 x Composite
Analog Audio Output (L + R)	1 (2 × RCA terminals ( white, red))

#### Mechanical Features

VESA Mount Pattern (mm)	200mm x 100mm
VESA Mount Screw Size (mm)	M4 x 6mm


#### Dimensions

With Stand (inches, W x H x D)	29.1" x 19.3" x 8.1"
Without Stand (Inches, W x H x D)	29.1" x 17.3" x 3.5"
Carton Box Dimension (inches, W x H x D)	33.1" x 21.8" x 6.7"

#### Weight

Net Weight with Stand (lbs)	12.32 lbs
Net Weight without Stand (lbs)	11.44 lbs
Gross Weight (lbs)	17.16 lbs
Power	
Power Range (V, A, Hz)	100 ~ 240V, 60/50 Hz, 3.0A (Max)
Power Consumption (Typical)	50 W
Regulations / Certifications	
Certificates	FCC, cTUVus, Energy Star V6.0, ISTA 3A
Warranty	
Limited Parts and Labor	One Year

## Key Features



### LED

With sharper contrasts of light and darks, LED display delivers a vast array of rich colors, ensuring that moving images have never been so pleasing to the eyes.



### HDMI

HDMI not only delivers superior digital video and audio, but also, connects both to the TV with only one cable.



### Coaxial Digital Out

Offering superior backwards compatibility for stereo receivers. This Sceptre TV is equipped with a Coaxial Digital audio output which will enrich your TV audio experience with the coaxial supported soundbar, soundbase or audio equipment.



### USB

Let's you view your pictures as a slideshow or listen to your favorite music via the USB port. Just insert your flash drive into the USB port for the ultimate entertainment.



### Customer Service

Our customer service representatives are, and have always been, based in the USA, guaranteeing that our customers' needs are met as efficiently as possible.



### 30+ Years of Experience

Founded in City of Industry, CA over 30 years ago, Sceptre Inc. made a promise to create & deliver superior products for remarkably affordable prices, a rare tradition that continues today.