

E405BD-FMQR 40" LED TV



Specification


Display	
Active Screen Size	39.5" Diagonal Viewable
Panel Type	VA (Vertical Alignment)
Native Resolution	1920 x 1080
Refresh Rate	60Hz
Aspect Ratio	16:9
Response Time	8.5 ms (G-to-G)
Pixel Pitch	0.45735mm (H) x 0.4494mm (V)
Dynamic Contrast Ratio	1,000,000 : 1
Color Gamut	sRGB: 88% DCI-P3: 72%
Color Depth	16.7M
Contrast Ratio	5,000:1
Brightness (Typ.)	250 cd/m²
Viewing Angle	178º (Horizontal) / 178º (Vertical)
Backlight Life	50,000+ Hours
Surface Treatment	Antiglare (Haze 1%)
Features	

On Screen Display Control (OSD) Picture, Sound, Channel, Setup Color Temperature Warm, Normal, Cool, Standards Adjustable Picture Control* Brightness, Contrast, Backlight, Color, Tint, Sharp Picture Presets Normal, Wide, Cinema, Zoom Built-in Tuner ATSC / NTSC SOS Disported Languages English (Default), Spanish, French, Chinese Weak Signal Enhancement Yes Built-in DVD Player Yes Comb Filter 3D De-interlace Technology 3D Auto Dynamic Contrast Mode Yes Noise Reduction Yes Surround Sound Mode Yes Surround Sound Mode Yes Surround Equalizer Settings Yes Auto Volume Level Control Yes Wall Mountable Yes Energy Guide Yes Video Fostures Available Inputs & Samp; Outputs Video Fostures Hold Fostures Available Inputs & Samp; Outputs 1 Lable / Antenna Input 1 x FC-Connector 75 ohm 3.5mm Auxiliary Input Jac	SCEPTRE®	
Adjustable Picture Control* Brightness, Contrast, Backlight, Color, Tint, Sharp Picture Presets Normal, Wide, Cinema, Zoom Built-in Tuner ATSC / NTSC OSD Supported Languages English (Default), Spanish, French, Chinese Weak Signal Enhancement Yes Built-in DVD Player Yes Comb Filter 3D De-interlace Technology 3D Auto Dynamic Contrast Mode Yes Noise Reduction Yes Sound Equalizer Settings Yes Surround Sound Mode Yes Surround Sound Mode Yes Surround Sound Mode Yes Surround Sound Equalizer Settings Yes Auto Volume Level Control Yes Auto Journal Level Control Yes Auto Control Yes Auto Control Yes Auto Volume Level Control Yes Auto Volume Level Control Yes Auto Volume Level Control Yes Auto Ontrol Yes Mill Bountable Yes Propertion of Search Search S	On Screen Display Control (OSD)	Picture, Sound, Channel, Setup
Picture Presets Normal, Wide, Cinema, Zoom	Color Temperature	Warm, Normal, Cool, Standards
Bullt-in Tuner ATSC / NTSC OSD Supported Languages English (Default), Spanish, French, Chinese Weak Signal Enhancement Yes Built-in DVD Player Yes Comb Filter 3D De-interlace Technology 3D Auto Dynamic Contrast Mode Yes Noise Reduction Yes Surround Sound Mode Yes Surround Sound Mode Yes Sund Equalizer Settings Yes Auto Volume Level Control Yes Mall Mountable Yes Rengy Guide Yes Audio Features Yes Speakers 2 × 10W/80 Video Features Yes White Balance Available Inputs & Samp; Outputs Yes HOMI & of Ports & Version) 3 × HDMI Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Supported HDMI Signals 1080p, 1080p, 720p, 480p, 480i Syppic de HDMI Signals 1080p, 1080p, 1080p, 1080p, 1080p, 1080p, 1080p, 1	Adjustable Picture Control*	Brightness, Contrast, Backlight, Color, Tint, Sharp
OSD Supported Languages English (Default), Spanish, French, Chinese Weak Signal Enhancement Yes Built-in DVD Player Yes Comb Filter 3D De-interface Technology 3D Auto Dynamic Contrast Mode Yes Noise Reduction Yes Surround Sound Mode Yes Sound Equalizer Settings Yes Auto Volume Level Control Yes Wall Mountable Yes Benery Guide Yes Veadures Yes Speakers 2 × 10W/80 Video Features Yes White Balance Available Inputs & Amprodutputs Public (# of Ports & Version) 3 × HDMI Supported HDMI Signals 1080/24p, 1080/60p, 10801, 720p, 480p, 4801 Supported HDMI Signals 1080/24p, 1080/60p, 10801, 720p, 480p, 4801 Supported HDMI Signals 1080/24p, 1080/60p, 10801, 720p, 480p, 4801 Supported HDMI Signals 1080/24p, 1080/60p, 10801, 720p, 480p, 4801 Supported HDMI Signals 1080/24p, 1080/60p, 10801, 720p, 480p, 4801 Supported HDMI Signals	Picture Presets	Normal, Wide, Cinema, Zoom
Weak Signal Enhancement Yes Built-in DVD Player Yes Comb Filter 3D Obe-Interiace Technology 3D Auto Dynamic Contrast Mode Yes Noise Reduction Yes Surround Sound Mode Yes Surround Sound Gualizer Settings Yes Auto Volume Level Control Yes Wall Mountable Yes Energy Guide Yes Autof Features Yes Speakers 2 × 10W/RQ Video Features Yes White Balance Available Inputs Yes Video Foatures Yes White Balance Available Inputs Yes White Balance A	Built-in Tuner	ATSC / NTSC
Built-in DVD Player Yes	OSD Supported Languages	English (Default), Spanish, French, Chinese
Comb Filter 3D De-interlace Technology 3D Auto Dynamic Contrast Mode Yes Noise Reduction Yes Surround Sound Mode Yes Sound Equalizer Settings Yes Auto Volume Level Control Yes Wall Mountable Yes Energy Guide Yes Audio Features Video Features Speakers 2 × 10w/8Ω Video Features Video Features White Balance Available Inputs & Amp; Outputs Inputs & Percentage HDMI (# of Ports & Version) 3 × HDMI Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Cable / Antenna Input 1 × EC-Connector 75 ohm 3.5mm Auxillary Input Jack 1 × PC Audio in terminal (black) Supported HDTV Signals 1080p, 1080i, 720p, 480p, 480i SPDIF Audio Output 1 × SPDIF (optical, Black) VGA (# of Ports) 1920 × 1080 (Native & Max), 1360 × 768, 1280 × 1024, 1024 × 768, 800 × 600 Suported HDTV Signals 1 × Component (Audio input share with composite) 3.5mm Headphone Jack (Out	Weak Signal Enhancement	Yes
De-interface Technology 3D Auto Dynamic Contrast Mode Yes Noise Reduction Yes Surround Sound Mode Yes Sound Equalizer Settings Yes Auto Volume Level Control Yes Wall Mountable Yes Energy Guide Yes Audio Features *** Properties** Properties** Speakers 2 × 10W/8Ω Video Features *** White Balance Available Inputs & Samp; Outputs *** Properties** Properties	Built-in DVD Player	Yes
Auto Dynamic Contrast Mode Yes Noise Reduction Yes Surround Sound Mode Yes Sound Equalizer Settings Yes Sound Equalizer Settings Yes Wall Mountable Yes Energy Guide Yes Audio Features Video Features White Balance Available Inputs & Samp; Outputs Available HDMI (# of Ports & Version) 3 x HDMI Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Cable / Antenna Input 1 x IEC-Connector 75 ohm 3.5mm Auxiliary Input Jack 1 x PC Audio in terminal (black) Supported HDTV Signals 1080p, 1080i, 720p, 480p, 480i SPDIF Audio Output 1 x SPDIF (Optical, Black) VGA (# of Ports) 1920 x 1080 (Native & Max), 1360 x 768, 1280 x 1024, 1024 x 768, 800 x 600 Component (YPBPr) Input 1 x Component (Audio input share with composite) 3.5mm Headphone Jack (Output) 1 x Earphone terminal (black) USB 1 x USB 2.0 Composite Video 1 x Composite (Audio input share with component) Analog Audio Output (L + R)	Comb Filter	3D
Noise Reduction Yes Surround Sound Mode Yes Sound Equalizer Settings Yes Auto Volume Level Control Yes Wall Mountable Yes Energy Guide Yes Audio Features Speakers 2 × 10W/80 Video Features White Balance Available Inputs & Amp; Outputs HDMI (# of Ports & Version) 3 × HDMI Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Cable / Antenna Input 1 × IEC-Connector 75 ohm 3.5mm Auxiliary Input Jack 1 × PC Audio in terminal (black) Supported HDTV Signals 1080p, 1080i, 720p, 480p, 480i SPDIF Audio Output 1 × SPDIF (Optical, Black) VGA (# of Ports) 1920 × 1080 (Native & Max), 1360 × 768, 1280 × 1024, 1024 × 768, 800 × 600 Component (YPbPr) Input 1 × Component (Audio input share with composite) 3.5mm Headphone Jack (Output) 1 × Earphone terminal (black) USB 1 × USB 2.0	De-interlace Technology	3D
Surround Sound Mode Yes Sound Equalizer Settings Yes Auto Volume Level Control Yes Wall Mountable Yes Wall Mountable Yes Energy Guide Yes Audio Features Speakers 2 × 10W/8Ω Video Features White Balance Available Inputs & Samp: Outputs HDMI (# of Ports & Version) 3 × HDMI Supported HDMI Signals 1800/24p, 1080/60p, 1080i, 720p, 480p, 480i Cable / Antenna Input 1 × 1EC-Connector 75 ohm Supported HDTV Signals 1080p, 1080i, 720p, 480p, 480i Supported HDTV Signals 1080p, 1080i, 720p, 480p, 480i SPDIF Audio Output 1 × SPDIF (Optical, Black) VGA (# of Ports) 1920 × 1080 (Native & Max), 1360 x 768, 1280 x 1024, 1024, 1024 x 768, 1280 x 1024, 1024 x 768, 1280 x 1024, 1024 x 768, 1280 x 1024, 1024 x 768, 1024 x 1080 x 1024, 1024 x 768, 1024 x 1024, 1024 x 102	Auto Dynamic Contrast Mode	Yes
Sound Equalizer Settings Yes Auto Volume Level Control Yes Wall Mountable Yes Energy Guide Yes Audio Features Speakers 2 × 10W/8Ω White Balance Available Inputs & Bamp; Outputs HDMI (# of Ports & Version) 3 × HDMI Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Cable / Antenna Input 1 × IEC-Connector 75 ohm 3.5mm Auxiliary Input Jack 1 × PC Audio in terminal (black) Supported HDTV Signals 1080p, 1080i, 720p, 480p, 480i SPDIF Audio Output 1 × SPDIF (Optical, Black) VGA (# of Ports) 1920 × 1080 (Native & Max), 1360 × 768, 800 × 768, 800 × 768, 800 × 600 Component (YPbPr) Input 1 × Component (Audio input share with composite) 3.5mm Headphone Jack (Output) 1 × Earphone terminal (black) USB 1 × USB 2.0 Composite Video 1 × Composite (Audio input share with Component) Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Meck Stand Swivel Angle 25° (Left & Right) Neck	Noise Reduction	Yes
Auto Volume Level Control Yes Wall Mountable Yes Energy Guide Yes Audio Features Video Features Speakers 2 × 10W/8Ω Video Features White Balance Available Inputs & Empty County Available Inputs & Empty County Memory County Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Cable / Antenna Input 1 × IEC-Connector 75 ohm 3.5mm Auxiliary Input Jack 1 × PC Audio in terminal (black) Supported HDTV Signals 1080p, 1080i, 720p, 480p, 480i SPDIF Audio Output 1 × SPDIF (Optical, Black) VGA (# of Ports) 1920 × 1080 (Native & Max), 1360 × 768, 1280 × 1024, 1024 × 768, 800 × 600 Component (YPbPr) Input 1 × Component (Audio input share with composite) 3.5mm Headphone Jack (Output) 1 × Earphone terminal (black) USB 1 × USB 2.0 Composite Video 1 × Composite (Audio input share with Component) Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Mechanical Features 25° (Left & Right) Neck Stand Swivel Angle <t< td=""><td>Surround Sound Mode</td><td>Yes</td></t<>	Surround Sound Mode	Yes
Wall Mountable Yes Energy Guide Yes Audio Features Video Features Speakers 2 × 10W/8Ω Video Features White Balance Available Inputs & Samp: Outputs HDMI (# of Ports & Version) 3 × HDMI Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Cable / Antenna Input 1 × IEC-Connector 75 ohm 3.5mm Auxiliary Input Jack 1 × PC Audio in terminal (black) Supported HDTV Signals 1080p, 1080i, 720p, 480p, 480i SPDIF Audio Output 1 × SPDIF (Optical, Black) VGA (# of Ports) 1920 x 1080 (Native & Max), 1360 x 768, 1280 x 1024, 1024 x 768, 800 x 600 Component (YPbPr) Input 1 × Component (Audio input share with composite) 3.5mm Headphone Jack (Output) 1 × Earphone terminal (black) USB 1 × USB 2.0 Composite Video 1 × Composite (Audio input share with Component) Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Meck Stand Swivel Angle 25° (Left & Right) Neck Stand Swivel Angle 25° (Left & Right)	Sound Equalizer Settings	Yes
Energy Guide Yes Audio Features Speakers 2 × 10W/8Ω Video Features White Balance Available Inputs & 8amp: Outputs HDMI (# of Ports & Version) 3 × HDMI Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Cable / Antenna Input 1 × IEC-Connector 75 ohm 3.5mm Auxiliary Input Jack 1 × PC Audio in terminal (black) Supported HDTV Signals 1080p,1080i, 720p, 480p, 480i SPDIF Audio Output 1 × SPDIF (Optical, Black) VGA (# of Ports) 1920 x 1080 (Native & Max), 1360 x 768, 1280 x 1024, 1024 x 768, 800 x 600 800 x 60	Auto Volume Level Control	Yes
Speakers 2 x 10W/8Ω	Wall Mountable	Yes
Speakers 2 × 10W/8Ω Video Features White Balance Available Inputs & amp; Outputs HDMI (# of Ports & Version) 3 × HDMI Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Cable / Antenna Input 1 × IEC-Connector 75 ohm 3.5mm Auxiliary Input Jack 1 × PC Audio in terminal (black) Supported HDTV Signals 1080p, 1080i, 720p, 480p, 480i SPDIF Audio Output 1 × SPDIF (Optical, Black) VGA (# of Ports) 1920 x 1080 (Native & Max), 1360 x 768, 1280 x 1024, 1024 x 768, 800 x 600 Component (YPbPr) Input 1 × Component (Audio input share with composite) 3.5mm Headphone Jack (Output) 1 × Earphone terminal (black) USB 1 × USB 2.0 Composite Video 1 × Composite (Audio input share with Component) Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Mechanical Features Neck Stand Swivel Angle 25° (Left & Right) Neck Detachable Yes VESA Mount Pattern (mm) 200mm x 200mm	Energy Guide	Yes
Video Features Available Inputs & Eamp; Outputs Available HDMI (# of Ports & Version) 3 × HDMI Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Cable / Antenna Input 1 × IEC-Connector 75 ohm 3.5mm Auxiliary Input Jack 1 × PC Audio in terminal (black) Supported HDTV Signals 1080p,1080i, 720p, 480p, 480i SPDIF Audio Output 1 × SPDIF (Optical, Black) VGA (# of Ports) 1920 x 1080 (Native & Max), 1360 x 768, 1280 x 1024, 1024 x 768, 800 x 600 Component (YPbPr) Input 1 × Component (Audio input share with composite) 3.5mm Headphone Jack (Output) 1 × Earphone terminal (black) USB 1 × USB 2.0 Composite Video 1 × Composite (Audio input share with Component) Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Meck Stand Swivel Angle 25° (Left & Right) Neck Stand Swivel Angle 25° (Left & Right) Neck Detachable Yes VESA Mount Pattern (mm) 200mm x 200mm	Audio Features	
White Balance Available Inputs & Eamp; Outputs HDMI (# of Ports & Version) 3 × HDMI Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Cable / Antenna Input 1 × IEC-Connector 75 ohm 3.5mm Auxiliary Input Jack 1 × PC Audio in terminal (black) Supported HDTV Signals 1080p,1080i, 720p, 480p, 480i SPDIF Audio Output 1 × SPDIF (Optical, Black) VGA (# of Ports) 1920 × 1080 (Native & Max), 1360 × 768, 1280 × 1024, 1024 × 768, 800 × 600 Component (YPbPr) Input 1 × Component (Audio input share with composite) 3.5mm Headphone Jack (Output) 1 × Earphone terminal (black) USB 1 × USB 2.0 Composite Video 1 × Composite (Audio input share with Component) Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Mechanical Features Neck Stand Swivel Angle 25° (Left & Right) Neck Detachable Yes VESA Mount Pattern (mm) 200mm × 200mm	Speakers	$2 \times 10W/8\Omega$
Inputs & Amp; Outputs	Video Features	
HDMI (# of Ports & Version) 3 × HDMI	White Balance	Available
Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Cable / Antenna Input 1 × IEC-Connector 75 ohm 3.5mm Auxiliary Input Jack 1 × PC Audio in terminal (black) Supported HDTV Signals 1080p, 1080i, 720p, 480p, 480i SPDIF Audio Output 1 × SPDIF (Optical, Black) VGA (# of Ports) 1920 x 1080 (Native & Max), 1360 x 768, 1280 x 1024, 1024 x 768, 800 x 600 Component (YPbPr) Input 1 × Component (Audio input share with composite) 3.5mm Headphone Jack (Output) 1 × Earphone terminal (black) USB 1 × USB 2.0 Composite Video 1 × Composite (Audio input share with Component) Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Meck Stand Swivel Angle 25° (Left & Right) Neck Detachable Yes VESA Mount Pattern (mm) 200mm x 200mm	Inputs & Outputs	
Cable / Antenna Input 1 × IEC-Connector 75 ohm 3.5mm Auxiliary Input Jack 1 × PC Audio in terminal (black) Supported HDTV Signals 1080p.1080i, 720p, 480p, 480i SPDIF Audio Output 1 × SPDIF (Optical, Black) VGA (# of Ports) 1920 × 1080 (Native & Max), 1360 × 768, 1280 × 1024, 1024 × 768, 800 × 600 Component (YPbPr) Input 1 × Component (Audio input share with composite) 3.5mm Headphone Jack (Output) 1 × Earphone terminal (black) USB 1 × USB 2.0 Composite Video 1 × Composite (Audio input share with Component) Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Meck Stand Swivel Angle 25° (Left & Right) Neck Detachable Yes VESA Mount Pattern (mm) 200mm x 200mm	HDMI (# of Ports & Version)	3 × HDMI
Cable / Antenna Input 1 × IEC-Connector 75 ohm 3.5mm Auxiliary Input Jack 1 × PC Audio in terminal (black) Supported HDTV Signals 1080p,1080i, 720p, 480p, 480i SPDIF Audio Output 1 × SPDIF (Optical, Black) VGA (# of Ports) 1920 × 1080 (Native & Max), 1360 × 768, 1280 × 1024, 1024 × 768, 800 × 600 Component (YPbPr) Input 1 × Component (Audio input share with composite) 3.5mm Headphone Jack (Output) 1 × Earphone terminal (black) USB 1 × USB 2.0 Composite Video 1 × Composite (Audio input share with Component) Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Mechanical Features Neck Stand Swivel Angle 25° (Left & Right) Neck Detachable Yes VESA Mount Pattern (mm) 200mm x 200mm	Supported HDMI Signals	1080/24p, 1080/60p, 1080i, 720p, 480p, 480i
Supported HDTV Signals 1080p,1080i, 720p, 480p, 480i SPDIF Audio Output 1 × SPDIF (Optical, Black) VGA (# of Ports) 1920 x 1080 (Native & Max), 1360 x 768, 1280 x 1024, 1024 x 768, 800 x 600 Component (YPbPr) Input 1 × Component (Audio input share with composite) 3.5mm Headphone Jack (Output) 1 × Earphone terminal (black) USB 1 × USB 2.0 Composite Video 1 × Composite (Audio input share with Component) Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Mechanical Features Neck Stand Swivel Angle 25º (Left & Right) Neck Detachable Yes VESA Mount Pattern (mm) 200mm x 200mm		1 × IEC-Connector 75 ohm
SPDIF Audio Output 1 × SPDIF (Optical, Black) VGA (# of Ports) 1920 × 1080 (Native & Max), 1360 × 768, 1280 × 1024, 1024 × 768, 800 × 600 Component (YPbPr) Input 1 × Component (Audio input share with composite) 3.5mm Headphone Jack (Output) 1 × Earphone terminal (black) USB 1 × USB 2.0 Composite Video 1 × Composite (Audio input share with Component) Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Mechanical Features Neck Stand Swivel Angle 25° (Left & Right) Neck Detachable Yes VESA Mount Pattern (mm) 200mm × 200mm	3.5mm Auxiliary Input Jack	1 × PC Audio in terminal (black)
VGA (# of Ports) 1920 x 1080 (Native & Max), 1360 x 768, 1280 x 1024, 1024 x 768, 800 x 600 Component (YPbPr) Input 1 x Component (Audio input share with composite) 3.5mm Headphone Jack (Output) 1 x Earphone terminal (black) USB 1 x USB 2.0 Composite Video 1 x Composite (Audio input share with Component) Analog Audio Output (L + R) 1 (2 x RCA terminals (white, red)) Mechanical Features Neck Stand Swivel Angle 25° (Left & Right) Neck Detachable Yes VESA Mount Pattern (mm) 200mm x 200mm	Supported HDTV Signals	1080p,1080i, 720p, 480p, 480i
1360 x 768, 1280 x 1024, 1024 x 768, 800 x 600 Component (YPbPr) Input 1 x Component (Audio input share with composite) 3.5mm Headphone Jack (Output) 1 x Earphone terminal (black) USB 1 x USB 2.0 Composite Video 1 x Composite (Audio input share with Component) Analog Audio Output (L + R) 1 (2 x RCA terminals (white, red)) Mechanical Features Neck Stand Swivel Angle 25° (Left & Right) Neck Detachable Yes VESA Mount Pattern (mm) 200mm x 200mm	SPDIF Audio Output	1 × SPDIF (Optical, Black)
1280 x 1024, 1024 x 768, 800 x 600 Component (YPbPr) Input 1 x Component (Audio input share with composite) 3.5mm Headphone Jack (Output) 1 x Earphone terminal (black) USB 1 x USB 2.0 Composite Video 1 x Composite (Audio input share with Component) Analog Audio Output (L + R) 1 (2 x RCA terminals (white, red)) Mechanical Features Neck Stand Swivel Angle 25º (Left & Right) Neck Detachable Yes VESA Mount Pattern (mm) 200mm x 200mm	•	1920 x 1080 (Native & Max),
1024 x 768, 800 x 600 Component (YPbPr) Input 1 x Component (Audio input share with composite) 3.5mm Headphone Jack (Output) 1 x Earphone terminal (black) USB 1 x USB 2.0 Composite Video 1 x Composite (Audio input share with Component) Analog Audio Output (L + R) 1 (2 x RCA terminals (white, red)) Mechanical Features Neck Stand Swivel Angle 25° (Left & Right) Neck Detachable Yes VESA Mount Pattern (mm) 200mm x 200mm		1360 x 768,
Component (YPbPr) Input 1 × Component (Audio input share with composite) 3.5mm Headphone Jack (Output) 1 × Earphone terminal (black) USB 1 × USB 2.0 Composite Video 1 × Composite (Audio input share with Component) Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Mechanical Features Neck Stand Swivel Angle 25° (Left & Right) Neck Detachable Yes VESA Mount Pattern (mm) 200mm x 200mm		1280 x 1024,
Component (YPbPr) Input 1 × Component (Audio input share with composite) 1 × Earphone terminal (black) USB 1 × USB 2.0 Composite Video 1 × Composite (Audio input share with Component) Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Mechanical Features Neck Stand Swivel Angle 25° (Left & Right) Neck Detachable Yes VESA Mount Pattern (mm) 200mm × 200mm		1024 x 768,
3.5mm Headphone Jack (Output) 1 × Earphone terminal (black) USB 1 × USB 2.0 Composite Video 1 × Composite (Audio input share with Component) Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Mechanical Features Neck Stand Swivel Angle 25º (Left & Right) Neck Detachable Yes VESA Mount Pattern (mm) 200mm x 200mm		800 x 600
USB 1 × USB 2.0 Composite Video 1 × Composite (Audio input share with Component) Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Mechanical Features Neck Stand Swivel Angle 25º (Left & Right) Neck Detachable Yes VESA Mount Pattern (mm) 200mm × 200mm	Component (YPbPr) Input	1 × Component (Audio input share with composite)
Composite Video 1 × Composite (Audio input share with Component) Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Mechanical Features Neck Stand Swivel Angle 25º (Left & Right) Neck Detachable Yes VESA Mount Pattern (mm) 200mm x 200mm	3.5mm Headphone Jack (Output)	1 × Earphone terminal (black)
Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Mechanical Features Neck Stand Swivel Angle 25° (Left & Right) Neck Detachable Yes VESA Mount Pattern (mm) 200mm x 200mm	USB	1 × USB 2.0
Mechanical Features Neck Stand Swivel Angle 25º (Left & Right) Neck Detachable Yes VESA Mount Pattern (mm) 200mm x 200mm	Composite Video	1 × Composite (Audio input share with Component)
Neck Stand Swivel Angle 25º (Left & Right) Neck Detachable Yes VESA Mount Pattern (mm) 200mm x 200mm	Analog Audio Output (L + R)	1 (2 × RCA terminals (white, red))
Neck Detachable Yes VESA Mount Pattern (mm) 200mm x 200mm	Mechanical Features	
Neck Detachable Yes VESA Mount Pattern (mm) 200mm x 200mm	Neck Stand Swivel Angle	25º (Left & Right)
		-
	VESA Mount Pattern (mm)	200mm x 200mm
	VESA Mount Screw Size (mm)	M5 x 6mm

SCEPTRE®		
Neck Screw Size & Quantity (mm)	M4 x 10mm (5pcs)	
Stand Screw Size & Quantity (mm)	ST4 x 14mm (4pcs)	
Dimensions		
With Stand (inches, W x H x D)	35.9" x 23.0" x 8.7"	
Without Stand (Inches, W x H x D)	35.9" x 20.9" x 3.8"	
Carton Box Dimension (inches, W x H x I)40.9" x 27.8" x 6.9"	
Weight		
Net Weight with Stand (lbs)	19.6 lbs	
Net Weight without Stand (lbs)	18.0 lbs	
Gross Weight (lbs)	27.3 lbs	
Power		
Power Consumption (Typical)	75W (Max),	
	36W (Typical),	
	≤0.5W (Standby)	
Regulations / Certifications		
Regulations	cTUVus, FCC, ISTA 3A, Red-One	
Certifications	Energy star, SRS TruSurround HD, HDMI	
Warranty		
Limited Parts and Labor	One Year	
What's in the Box?		
Remote Control Model No	<a< td=""></a<>	
	href="https://www.sceptre.com/Accessories/Remote-Control/TV-Remote-Control-142022	
	370015C-product749category19category69.html" target="_blank"	
	>142022370015C	



Key Features







LED

With sharper contrasts of light and darks, LED display delivers a vast array of rich colors, ensuring that moving images have never been so pleasing to the eyes.

Built-in DVD Player

Built-in DVD Player allows you to enjoy your favorite DVDs without needing to purchase a separate DVD player. A single remote control commands all functions of the TV and the built-in DVD player.

HDMI

HDMI not only delivers superior digital video and audio, but also, connects both to the TV with only one cable.







USB

Let's you view your pictures as a slideshow or listen to your favorite music via the USB port. Just insert your flash drive into the USB port for the ultimate entertainment.

DTS SRS TruSurround HD

DTS SRS TruSurround HD delivers an enveloping combination of smooth treble and maximum bass response. The broad sound capability produces dialog that is crisp and audible.

Customer Service

Our customer service representatives are, and have always been, based in the USA, guaranteeing that our customers' needs are met as efficiently as possible.



Key Features



30+ Years of Experience

Founded in City of Industry, CA over 30 years ago, Sceptre Inc. made a promise to create & deliver superior products for remarkably affordable prices, a rare tradition that continues today.