

## E246BV-FMQC 24" LED TV



# Specification


Display	
Active Screen Size	23.6" Diagonal Viewable
Panel Type	VA (Vertical Alignment)
Native Resolution	1920 x 1080
Refresh Rate	Up to 60Hz Refresh Rate
Aspect Ratio	16:9
Response Time	8ms (G-toG)
Pixel Pitch	0.2715mm (H) x 0.2715mm (V)
Dynamic Contrast Ratio	1,000,000 : 1
Color Gamut	sRGB: 94% DCI-P3: 75%
Color Depth	16.7M
Contrast Ratio	3,000:1
Brightness (Typ.)	250 cd/m²
Viewing Angle	178°(Horizontal) / 178° (Vertical)
Backlight Life	30,000+ Hours
Surface Treatment	Antiglare (Haze 25%), Hard coating (3H)
Features	

SCEPTRE®	
On Screen Display Control (OSD)	Picture, Sound, Channel, Parental, Setup, Others
Color Temperature	Warm, Normal, Cool, Standards
Built-in Tuner	ATSC / NTSC
OSD Supported Languages	English (Default), French, Spanish
Weak Signal Enhancement	Yes
Comb Filter	3D
De-interlace Technology	3D
Auto Dynamic Contrast Mode	Yes
Noise Reduction	Yes
MPEG Noise Reduction	Yes
Sound Equalizer Settings	Yes (5-band)
Auto Volume Level Control	Yes
Wall Mountable	Yes
Neck & Base Detachable	Yes
Energy Guide	Yes
Audio Features	
Speakers	$2 \times 3W/4\Omega$
Signal Compatibility	
VGA Input Signal Support	1920 x 1080@ 60Hz (Native & Max),
Volv input signal support	1360 x 768 @ 60Hz,
	1280 x 1024 @ 60Hz,
	1024 x 768 @ 60Hz,
	800 x 600 @ 60Hz
Inputs & Outputs	
HDMI (# of Ports & Version)	1 × HDMI
Supported HDMI Signals	1080/24p, 1080/60p, 1080i, 720p, 480p, 480i
Cable / Antenna Input	1 × IEC-Connector 75 ohm
3.5mm Auxiliary Input Jack	1 × Audio in terminal (black)
Supported HDTV Signals	1080P,1080i, 720p, 480p, 480i
SPDIF Audio Output	1 x Coaxial (Orange)
VGA (# of Ports)	1 × D-SUB terminal (blue, 15 pin)
Component (YPbPr) Input	1 × Component (Audio input share with composite)
3.5mm Headphone Jack (Output)	1 × Earphone terminal (black)
USB	1 × USB 2.0
Composite Video	1 × Composite
Mechanical Features	
VESA Mount Pattern (mm)	200mm x 100mm
VESA Mount Screw Size (mm)	M4 x 5mm
	PIT A SHILL
Dimensions	21.0% 14.7% 5.7%
With Stand (inches, W x H x D)	21.8" x 14.7" x 5.7"
Without Stand (Inches, W x H x D)	21.8" x 12.8" x 2.8"
Carton Box Dimension (inches, W x H	ΣΧ U   Σ3.81" X 5.31" X 15.55"
Weight	

SCEPTRE®	
Net Weight with Stand (lbs)	5.38 lbs
Net Weight without Stand (lbs)	4.89 lbs
Gross Weight (lbs)	7.66 lbs
Power	
Power Range (V, A, Hz)	100 - 240 VAC, 50/60 Hz, 1.0A (Max.)
Power Consumption (Typical)	40W (Max),
	19W (Typical),
	≤0.5W (Standby)
Regulations / Certifications	
Certificates	FCC, cETLus, Energy Star, ISTA 3A
Warranty	
Limited Parts and Labor	One Year
What's in the Box?	
Remote Control Model No	<a< td=""></a<>
	href="https://www.sceptre.com/Accessories/Remote-Control/TV-Remote-Control-142021
	270010C-product745category19category69.html" >142021270010C



### **Key Features**



#### LED

With sharper contrasts of light and darks, LED display delivers a vast array of rich colors, ensuring that moving images have never been so pleasing to the eyes.



#### **HDMI**

HDMI not only delivers superior digital video and audio, but also, connects both to the TV with only one cable.



#### **Coaxial Digital Out**

Offering superior backwards compatibility for stereo receivers. This Sceptre TV is equipped with a Coaxial Digial audio output which will enrich your TV audio experience with the coaxial supported soundbar, soundbase or audio equipment.



#### **USB**

Let's you view your pictures as a slideshow or listen to your favorite music via the USB port. Just insert your flash drive into the USB port for the ultimate entertainment.



#### **Customer Service**

Our customer service representatives are, and have always been, based in the USA, guaranteeing that our customers' needs are met as efficiently as possible.



#### 30+ Years of Experience

Founded in City of Industry, CA over 30 years ago, Sceptre Inc. made a promise to create & deliver superior products for remarkably affordable prices, a rare tradition that continues today.