

E325BD-FMQR 32" LED TV DVD Combo



Specification

Display	
Active Screen Size	31.5" Diagonal Viewable
Panel Type	VA (Vertical Alignment)
Native Resolution	1920 x 1080
Refresh Rate	60Hz
Aspect Ratio	16:9
Response Time	8 ms (G-to-G)
Pixel Pitch	0.45735mm (H) x 0.4494mm (V)
Dynamic Contrast Ratio	1,000,000:1
Color Gamut	sRGB: 88% DCI-P3: 72%
Color Depth	16.7M (8-bit)
Contrast Ratio	3,000:1
Brightness (Typ.)	250 cd/m²
Viewing Angle	178º (Horizontal) / 178º (Vertical)
Backlight Life	50,000 Hours
Surface Treatment	Antiglare (Haze 1%)
Features	

On Screen Display Control (OSD) Picture, Sound, Channel, Setup Color Temperature Warm, Normal, Cool, Standards Adjustable Picture Control* Brightness, Controst, Backlight, Color, Tint, Sharp Picture Presets Normal, Wide, Cinema, Zoom Built-in Tuner ATSC / NTSC SDS Supported Languages English (Default), Spanish, French, Chinese Weak Signal Enhancement Yes Built-in DVD Player Yes Comb Filter 3D Obe-interlace Technology 3D Auto Dynamic Contrast Mode Yes Noise Reduction Yes Surround Sound Mode Yes Surround Sound Mode Yes Surround Sound Mode Yes Surround Sound Mode Yes Wall Mountable Yes Suivel Angles 30° (Left & Right) Neck & Base Detachable Yes Vesolure Level Control Yes White Baiance Available Inputs Yes White Baiance Available Inputs Yes Uppo	SCEPTRE®		
Adjustable Picture Control* Picture Presets Normal, Wide, Cinema, Zoom Bult-in Tuner ATSC / NTSC SUBJURI-IN TUNER Weak Signal Enhancement Yes Built-in DVD Player Yes Comb Filter 3D Built-in DVD Player Yes Comb Filter 3D Built-in DVD Player Yes Comb Filter 3D Buthance Contrast Mode Yes Noise Reduction Yes Surround Sound Mode Yes Sound Equalizer Settings Yes (3-band) Auto Dynamic Contrast Mode Yes Sound Equalizer Settings Yes (3-band) Auto Volume Level Control Yes Wall Mountable Yes Sowel Angles 30° (Left & Right) Neck & Base Detachable Yes Audio Features White Balance Available Inputs & Ampro Outputs HDMI (a of Ports & Version) 3 × HDMI Supported HDM Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Cable / Antenna Input Jack Yes Supported HDM Signals 10800/180i, 720p, 480p, 480i Cable / Antenna Input Jack Yes Supported HDM Signals 10800/180i, 720p, 480p, 480i Cable / Antenna Input Jack Yes Supported HDM Signals 10800/180i, 720p, 480p, 480i Cable / Antenna Input Jack Yes Supported HDM Signals 10800/180i, 720p, 480p, 480i Cable / Antenna Input Jack Yes Supported HDM Signals 10800/180i, 720p, 480p, 480i Cable / Antenna Input Jack Yes Supported HDM Signals 10800/180i, 720p, 480p, 480i Cable / Antenna Input Jack Yes Supported HDM Signals 10800/180i, 720p, 480p, 480i Cable / Antenna Input Jack Yes Supported HDM Signals 10800/180i, 720p, 480p, 480i Cable / Antenna Input Jack Yes Supported HDM Signals 10800/180i, 720p, 480p, 480i Cable / Antenna Input Jack Yes Supported HDM Signals 10800/180i, 720p, 480p, 480i Cable / Antenna Input Jack Yes Supported HDM Signals 10800/180i, 720p, 480p, 480i Cable / Antenna Input Jack Yes Supported HDM Signals 10800/180i, 720p, 480p, 480i Cable / Antenna Input Jack Yes Supported HDM Signals 10800/180i, 720p, 480p, 480i Cable / Antenna Input Jack Yes Supported HDM Signals 10800/180i, 720p, 480p, 480i Cable / Antenna Input Jack Yes Supported HDM Signals 10800/180i, 720p, 480p, 480i Cable /	On Screen Display Control (OSD)	Picture, Sound, Channel, Setup	
Picture Presets Normal, Wide, Cinema, Zoom Built-in Tuner ATSC / NTSC OSD Supported Languages English (Default), Spanish, French, Chinese Weak Signal Enhancement Yes Built-in DVD Player Yes Comb Filter 3D De-interlace Technology 3D Auto Dynamic Contrast Mode Yes Surround Sound Mode Yes Surround Sound Mode Yes Sund Equalizer Settings Yes (S-band) Auto Volume Level Control Yes Wall Mountable Yes Swikel Angles 30° (Left & Right) Neck & Base Detachable Yes Vactor Features 2 × 10W/8Ω Video Features 2 × 10W/8Ω Video Foatures Video Foatures White Balance Available Inputs & Outputs Video Foatures White Foatures 3 × HDMI Supported HDMI Signals 1080/24p, 1080/60p, 1080, 720p, 480p, 480p Supported HDMI Signals 1080/24p, 1080/60p, 120p, 480p, 480p Supported HDMI Signals 1080/24p, 108	Color Temperature	Warm, Normal, Cool, Standards	
Built-in Tuner ATSC / NTSC OSD Supported Languages English (Default), Spanish, French, Chinese Weak Signal Enhancement Yes Built-in DVD Player Yes Comb Filter 3D De-interlace Technology 3D Auto Dynamic Contrast Mode Yes Noise Reduction Yes Surround Sound Mode Yes Swid Angles 30° (Left & Right) Neck & Base Detachable Y	Adjustable Picture Control*	Brightness, Contrast, Backlight, Color, Tint, Sharp	
OSD Supported Languages English (Default), Spanish, French, Chinese Weak Signal Enhancement Yes Built-in DVD Player Yes Comb Filter 3D De-interface Technology 3D Auto Dynamic Contrast Mode Yes Noise Reduction Yes Surround Sound Mode Yes Wall Mountable Yes Wall Mountable Yes Wall Mountable Yes Wall Angles Neck Regard Vide Technolic Yes Audio Features Yes Speakers 2 x 10W/80 Vide Features Vide Features White Balance Available Inputs & Amprovated Available	Picture Presets	Normal, Wide, Cinema, Zoom	
Weak Signal Enhancement Yes Built-in DVD Player Yes Comb Filter 3D De-interlace Technology 3D Auto Dynamic Contrast Mode Yes Noise Reduction Yes Surround Sound Mode Yes Sound Equalizer Settings Yes (5-band) Auto Volume Level Control Yes Wall Mountable Yes Swivel Angles 30° (Left & Right) Neck & Base Detachable Yes Audio Features 2 x 10W/80 Video Features Video Features White Balance Available Inputs & Sampr, Outputs Yes HDMI (# of Ports & Version) 3 x HDMI Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Cable / Antenna Input 1 x IEC-Connector 750 3.5mm Auxiliary Input Jack Yes Supported HDTV Signals 1080p, 1080i, 720p, 480p, 480i SPDIF Audio Output 1 x SPDIF (Optical, Black) VGA (# of Ports) 1 x Component (Audio input share with composite) 3.5mm Headphone jack (Output)	Built-in Tuner	ATSC / NTSC	
Built-in DVD Player Yes	OSD Supported Languages	English (Default), Spanish, French, Chinese	
Comb Filter 3D De-interlace Technology 3D Auto Dynamic Contrast Mode Yes Noise Reduction Yes Surround Sound Mode Yes Sound Equalizer Settings Yes (5-band) Auto Volume Level Control Yes Wall Mountable Yes Swivel Angles 30° (Left & Right) Neck & Base Detachable Yes Audio Features 2 × 10W/8Ω Video Features Video Features White Balance Available Inputs & Version 3 × HDMI Supported HDMI Signals 1860/24p, 1080/60p, 1080; 720p, 480p, 480i Cable / Antenna Input 1 × IEC-Connector 75Ω 3.5mm Auxiliary Input Jack Yes Supported HDTV Signals 1080/24p, 1080/60p, 1480p, 480i SPDIF Audio Output 1 × SPDIF (Optical, Black) VGA (# of Ports) 1 × SPDIF (Optical, Black) VGA (# of Ports) 1 × Component (Audio input share with composite) 3.5mm Headphone Jack (Output) Yes Supported VGA Signals 1920 × 1080 (Native & Max), <	Weak Signal Enhancement	Yes	
De-interface Technology	Built-in DVD Player	Yes	
Auto Dynamic Contrast Mode Noise Reduction Yes Surround Sound Mode Yes Sound Equalizer Settings Yes (5-band) Auto Volume Level Control Yes Swivel Angles Noise Reacutable Yes Swivel Angles Neck & Base Detachable Yes Audio Features Speakers 2 × 10W/80 Video Features White Balance Inputs & Amp; Outputs HDMI (# of Ports & Version) 3 × HDMI Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Cable / Antenna Input 1 × IEC-Connector 750 3.5mm Auxiliary Input Jack Yes VGA (# of Ports) 1 × SPDIF (Optical, Black) VGA (# of Ports) 1 × Component (YPPP') Input 1 × Component (Audio input share with composite) 3.5mm Headphone Jack (Output) Yes Supported VGA Signals 1920 × 1080 (Native & Max), 1360 × 768, 1280 × 1024, 1024 × 768, 800 × 600 USB Composite Video 1 × Composite Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Mechanical Features VESA Mount Pattern (mm) 200mm × 100mm	Comb Filter	3D	
Noise Reduction Yes Surround Sound Mode Yes Sund Equalizer Settings Auto Volume Level Control Yes Wall Mountable Yes Swivel Angles Neck & Base Detachable Yes Audio Features Speakers 2 x 10W/8\(\Omega) Video Features White Balance Inputs & Amp; Outputs HDMI (# of Ports & Version) 3 x HDMI Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Cable / Antenna Input 3.5mm Auxiliary Input Jack Yes Supported HDTV Signals 1080p, 1080i, 720p, 480p, 480i SPDIF Audio Output 1 x SPDIF (Optical, Black) VGA (of Ports) 1 x D-SUB terminal (Blue, 15 pin) Component (YPPP) Input 1 x Composite Video 1 x USB 2.0 Composite Video 1 x USB 2.0 Composite Video 1 x Composite Analog Audio Output (L + R) 1 (2 x RCA terminals (white, red)) Mechanical Features VESA Mount Pattern (mm) 200mm x 100mm	De-interlace Technology	3D	
Surround Sound Mode Yes Sound Equalizer Settings Yes (5-band) Auto Volume Level Control Yes Wall Mountable Yes Swivel Angles Neck & Base Detachable Yes Audio Features Speakers 2 × 10W/8\Omega Video Features White Balance Available Inputs & Amp; Outputs HDMI (# of Ports & Version) 3 × HDMI Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i 2.5mm Audio Input Jack Yes Supported HDTV Signals 1080p,1080i, 720p, 480p, 480i SPDIF Audio Output 1 × SPDIF (Optical, Black) VGA (# of Ports) 1 × D-SUB terminal (Blue, 15 pin) Component (YPbPr) Input 1 × Component (Audio input share with composite) 3.5mm Headphone Jack (Output) Yes Supported VGA Signals 1920 x 1080 (Native & Max.), 1360 x 768, 1280 x 1024, 1024 x 768, 800 x 600 USB Composite Video 1 × Composite Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Mechanical Features VESA Mount Pattern (mm) 200mm x 100mm	Auto Dynamic Contrast Mode	Yes	
Sound Equalizer Settings Auto Volume Level Control Yes Wall Mountable Yes Swivel Angles Swivel Angles Speakers Speakers Syeakers Video Features White Balance Inputs & Wallable Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Supported HDTV Signals 1080p,1080i, 720p, 480p, 480i SPDIF Audio Output 1 x SPDIF (Optical, Black) VGA (# of Ports) 1 x SPDIF (Optical, Black) VGA (# of Ports) 1 x Component (Audio input share with composite) 3.5mm Headphone Jack (Output) Yes Supported VGA Signals 1920 x 1080 (Native & Max), 1360 x 768, 1280 x 1024, 1024 x 768, 800 x 600 USB 1 x USB 2.0 Composite Video 1 x Composite Analog Audio Output (L + R) 1 (2 x RCA terminals (white, red)) Mechanical Features VESA Mount Pattern (mm) 200mm x 100mm	Noise Reduction	Yes	
Auto Volume Level Control Yes Wall Mountable Yes Swivel Angles 30° (Left & Right) Neck & Base Detachable Yes Audio Features Speakers 2 × 10W/8Ω White Balance Available Imputs & Amp; Outputs HDMI (# of Ports & Version) 3 × HDMI Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Cable / Antenna Input 1 × IEC-Connector 75Ω 3.5mm Auxiliary Input Jack Yes Supported HDTV Signals 1080p,1080i, 720p, 480p, 480i SPDIF Audio Output 1 × SPDIF (Optical, Black) VGA (# of Ports) 1 × SPDIF (Optical, Black) Component (YPDP) Input 1 × Component (Audio input share with composite) 3.5mm Headphone Jack (Output) Yes Supported VGA Signals 1920 × 1080 (Native & Max), 1360 × 768, 1280 × 1024, 1024 × 768, 800 × 600. USB 1 × USB 2.0 Composite Video 1 × Composite Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Mechanical Fea	Surround Sound Mode	Yes	
Wall Mountable Yes Swivel Angles 30° (Left & Right) Neck & Base Detachable Yes Audio Features Speakers 2 × 10W/8Ω Video Features White Balance Inputs & Amp; Outputs HDMI (# of Ports & Version) 3 × HDMI Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Cable / Antenna Input 1 × IEC-Connector 75Ω 3.5mm Auxiliary Input Jack Yes Supported HDTV Signals 1080p,1080i, 720p, 480p, 480i SPDIF Audio Output 1 × SPDIF (Optical, Black) VGA (# of Ports) 1 × D-SUB terminal (Blue, 15 pin) Component (YPbPr) Input 1 × Component (Audio input share with composite) 3.5mm Headphone Jack (Output) Yes Supported VGA Signals 1920 x 1080 (Native & Max), 1360 x 768, 1280 x 1024, 1024 x 768, 800 x 600 USB 1 × USB 2.0 Composite Video 1 × Composite Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) <td co<="" td=""><td>Sound Equalizer Settings</td><td>Yes (5-band)</td></td>	<td>Sound Equalizer Settings</td> <td>Yes (5-band)</td>	Sound Equalizer Settings	Yes (5-band)
Swivel Angles 30° (Left & Right) Neck & Base Detachable Yes Audio Features Video Features Speakers 2 ×10W/8Ω Video Features White Balance Inputs & Samp: Outputs HDMI (# of Ports & Version) 3 × HDMI Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Cable / Antenna Input 1 × IEC-Connector 75Ω 3.5mm Auxiliary Input Jack Yes Supported HDTV Signals 1080p,1080i, 720p, 480p, 480i SPDIF Audio Output 1 × SPDIF (Optical, Black) VGA (# of Ports) 1 × D-SUB terminal (Blue, 15 pin) Component (YPbPr) Input 1 × Component (Audio input share with composite) 3.5mm Headphone Jack (Output) Yes Supported VGA Signals 1920 × 1080 (Native & Max), 1360 × 768, 1280 × 1024, 1024 × 768, 800 × 600 USB 1 × USB 2.0 Composite Video 1 × Composite Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Mechanical Features VESA Mount Pattern (mm) 200mm x 100mm	Auto Volume Level Control	Yes	
Neck & Base Detachable Yes Audio Features 2 ×10W/8Ω Video Features White Balance Available Inputs & Outputs HDMI (# of Ports & Version) 3 × HDMI Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Cable / Antenna Input 1 × IEC-Connector 75Ω 3.5mm Auxiliary Input Jack Yes Supported HDTV Signals 1080p,1080i, 720p, 480p, 480i SPDIF Audio Output 1 × SPDIF (Optical, Black) Yes SUPDIF Audio Output 1 × D-SUB terminal (Blue, 15 pin) Component (YPbPr) Input 1 × Component (Audio input share with composite) 3.5mm Headphone Jack (Output) Yes Supported VGA Signals 1920 × 1080 (Native & Max), 1360 × 768, 1280 × 1024, 1024 × 768, 800 × 600 USB 1 × USB 2.0 Composite Video 1 × Composite Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Mechanical Features VESA Mount Pattern (mm)	Wall Mountable	Yes	
Speakers 2 x 10W/8Ω	Swivel Angles	30º (Left & Right)	
Speakers 2 ×10W/8Ω Video Features White Balance Available Inputs & Outputs HDMI (# of Ports & Version) 3 × HDMI Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Cable / Antenna Input 1 × IEC-Connector 75Ω 3.5mm Auxiliary Input Jack Yes Supported HDTV Signals 1080p,1080i, 720p, 480p, 480i SPDIF Audio Output 1 × SPDIF (Optical, Black) VGA (# of Ports) 1 × D-SUB terminal (Blue, 15 pin) Component (YPbPr) Input 1 × Component (Audio input share with composite) 3.5mm Headphone Jack (Output) Yes Supported VGA Signals 1920 x 1080 (Native & Max), 1360 x 768, 1280 x 1024, 1024 x 768, 800 x 600 USB 1 × USB 2.0 Composite Video 1 × Composite Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Mechanical Features VESA Mount Pattern (mm) 200mm x 100mm	Neck & Base Detachable	Yes	
Video Features White Balance Available Inputs & amp; Outputs HDMI (# of Ports & Version) 3 × HDMI Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Cable / Antenna Input 1 × IEC-Connector 75Ω 3.5mm Auxiliary Input Jack Yes Supported HDTV Signals 1080p,1080i, 720p, 480p, 480i SPDIF Audio Output 1 × SPDIF (Optical, Black) VGA (# of Ports) 1 × D-SUB terminal (Blue, 15 pin) Component (YPbPr) Input 1 × Component (Audio input share with composite) 3.5mm Headphone Jack (Output) Yes Supported VGA Signals 1920 × 1080 (Native & Max), 1360 × 768, 1280 × 1024, 1024 × 768, 800 × 600 USB 1 × USB 2.0 Composite Video 1 × Composite Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Mechanical Features VESA Mount Pattern (mm) 200mm × 100mm	Audio Features		
White Balance Available Inputs & Amp; Outputs HDMI (# of Ports & Version) 3 × HDMI Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Cable / Antenna Input 1 × IEC-Connector 75Ω 3.5mm Auxiliary Input Jack Yes Supported HDTV Signals 1080p,1080i, 720p, 480p, 480i SPDIF Audio Output 1 × SPDIF (Optical, Black) VGA (# of Ports) 1 × D-SUB terminal (Blue, 15 pin) Component (YPbPr) Input 1 × Component (Audio input share with composite) 3.5mm Headphone Jack (Output) Yes Supported VGA Signals 1920 × 1080 (Native & Max), 1360 × 768, 1280 × 1024, 1024 × 768, 800 × 600 USB 1 × USB 2.0 Composite Video 1 × Composite Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Mechanical Features VESA Mount Pattern (mm) 200mm × 100mm	Speakers	2 ×10W/8Ω	
Inputs & Amp; Outputs	Video Features		
HDMI (# of Ports & Version) 3 × HDMI Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Cable / Antenna Input 1 × IEC-Connector 75Ω 3.5mm Auxiliary Input Jack Yes Supported HDTV Signals 1080p,1080i, 720p, 480p, 480i SPDIF Audio Output 1 × SPDIF (Optical, Black) VGA (# of Ports) 1 × D-SUB terminal (Blue, 15 pin) Component (YPbPr) Input 1 × Component (Audio input share with composite) 3.5mm Headphone Jack (Output) Yes Supported VGA Signals 1920 × 1080 (Native & Max), 1360 × 768, 1280 × 1024, 1024 × 768, 800 × 600 USB 1 × USB 2.0 Composite Video 1 × Composite Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Mechanical Features VESA Mount Pattern (mm) 200mm x 100mm	White Balance	Available	
Supported HDMI Signals 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i Cable / Antenna Input 1 × IEC-Connector 75Ω 3.5mm Auxiliary Input Jack Yes Supported HDTV Signals 1080p,1080i, 720p, 480p, 480i SPDIF Audio Output 1 × SPDIF (Optical, Black) VGA (# of Ports) 1 × D-SUB terminal (Blue, 15 pin) Component (YPbPr) Input 1 × Component (Audio input share with composite) 3.5mm Headphone Jack (Output) Yes Supported VGA Signals 1920 × 1080 (Native & Max), 1360 × 768, 1280 × 1024, 1024 × 768, 800 × 600 USB 1 × USB 2.0 Composite Video 1 × Composite Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Mechanical Features VESA Mount Pattern (mm) 200mm × 100mm	Inputs & Outputs		
Cable / Antenna Input 1 × IEC-Connector 75Ω 3.5mm Auxiliary Input Jack Yes Supported HDTV Signals 1080p,1080i, 720p, 480p, 480i SPDIF Audio Output 1 × SPDIF (Optical, Black) VGA (# of Ports) 1 × D-SUB terminal (Blue, 15 pin) Component (YPbPr) Input 1 × Component (Audio input share with composite) 3.5mm Headphone Jack (Output) Yes Supported VGA Signals 1920 × 1080 (Native & Max), 1360 × 768, 1280 × 1024, 1024 × 768, 800 × 600 USB 1 × USB 2.0 Composite Video 1 × Composite Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Mechanical Features VESA Mount Pattern (mm) 200mm × 100mm	HDMI (# of Ports & Version)	3 × HDMI	
3.5mm Auxiliary Input Jack Yes	Supported HDMI Signals	1080/24p, 1080/60p, 1080i, 720p, 480p, 480i	
Supported HDTV Signals 1080p,1080i, 720p, 480p, 480i SPDIF Audio Output 1 × SPDIF (Optical, Black) VGA (# of Ports) 1 × D-SUB terminal (Blue, 15 pin) Component (YPbPr) Input 1 × Component (Audio input share with composite) 3.5mm Headphone Jack (Output) Yes Supported VGA Signals 1920 × 1080 (Native & Max), 1360 × 768, 1280 × 1024, 1024 × 768, 800 × 600 USB 1 × USB 2.0 Composite Video 1 × Composite Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Mechanical Features VESA Mount Pattern (mm) 200mm x 100mm	Cable / Antenna Input	$1 \times IEC$ -Connector 75Ω	
SPDIF Audio Output 1 × SPDIF (Optical, Black) VGA (# of Ports) 1 × D-SUB terminal (Blue, 15 pin) Component (YPbPr) Input 1 × Component (Audio input share with composite) 3.5mm Headphone Jack (Output) Yes Supported VGA Signals 1920 × 1080 (Native & Max), 1360 × 768, 1280 × 1024, 1024 × 768, 800 × 600 USB 1 × USB 2.0 Composite Video 1 × Composite Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Mechanical Features VESA Mount Pattern (mm) 200mm × 100mm	3.5mm Auxiliary Input Jack	Yes	
VGA (# of Ports) 1 × D-SUB terminal (Blue, 15 pin) Component (YPbPr) Input 1 × Component (Audio input share with composite) 3.5mm Headphone Jack (Output) Yes Supported VGA Signals 1920 × 1080 (Native & Max), 1360 × 768, 1280 × 1024, 1024 × 768, 800 × 600 USB 1 × USB 2.0 Composite Video 1 × Composite Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Mechanical Features VESA Mount Pattern (mm) 200mm x 100mm	Supported HDTV Signals	1080p,1080i, 720p, 480p, 480i	
Component (YPbPr) Input 1 × Component (Audio input share with composite) 3.5mm Headphone Jack (Output) Yes Supported VGA Signals 1920 x 1080 (Native & Max), 1360 x 768, 1280 x 1024, 1024 x 768, 800 x 600 USB 1 × USB 2.0 Composite Video 1 × Composite Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Mechanical Features VESA Mount Pattern (mm) 200mm x 100mm	SPDIF Audio Output	1 × SPDIF (Optical, Black)	
3.5mm Headphone Jack (Output) Supported VGA Signals 1920 x 1080 (Native & Max), 1360 x 768, 1280 x 1024, 1024 x 768, 800 x 600 USB 1 x USB 2.0 Composite Video 1 x Composite Analog Audio Output (L + R) 1 (2 x RCA terminals (white, red)) Mechanical Features VESA Mount Pattern (mm) 200mm x 100mm	VGA (# of Ports)	1 × D-SUB terminal (Blue, 15 pin)	
Supported VGA Signals 1920 x 1080 (Native & Max), 1360 x 768, 1280 x 1024, 1024 x 768, 800 x 600 USB 1 x USB 2.0 Composite Video 1 x Composite Analog Audio Output (L + R) 1 (2 x RCA terminals (white, red)) Mechanical Features VESA Mount Pattern (mm) 200mm x 100mm	Component (YPbPr) Input	1 × Component (Audio input share with composite)	
1360 x 768, 1280 x 1024, 1024 x 768, 800 x 600 USB 1 x USB 2.0 Composite Video 1 x Composite Analog Audio Output (L + R) 1 (2 x RCA terminals (white, red)) Mechanical Features VESA Mount Pattern (mm) 200mm x 100mm	3.5mm Headphone Jack (Output)	Yes	
$1280 \times 1024,$ $1024 \times 768,$ 800×600 USB $1 \times \text{USB } 2.0$ Composite Video $1 \times \text{Composite}$ Analog Audio Output (L + R) $1 (2 \times \text{RCA terminals (white, red)})$ Mechanical Features $VESA \text{ Mount Pattern (mm)}$ $200 \text{mm} \times 100 \text{mm}$	Supported VGA Signals	1920 x 1080 (Native & Max),	
1024 x 768, 800 x 600 USB		1360 x 768,	
800 x 600		1280 x 1024,	
USB 1 × USB 2.0 Composite Video 1 × Composite Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Mechanical Features VESA Mount Pattern (mm) 200mm × 100mm		1024 x 768,	
Composite Video 1 × Composite Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Mechanical Features VESA Mount Pattern (mm) 200mm × 100mm		800 x 600	
Analog Audio Output (L + R) 1 (2 × RCA terminals (white, red)) Mechanical Features VESA Mount Pattern (mm) 200mm x 100mm	USB	1 × USB 2.0	
Mechanical Features VESA Mount Pattern (mm) 200mm x 100mm	Composite Video	1 × Composite	
VESA Mount Pattern (mm) 200mm x 100mm	Analog Audio Output (L + R)	1 (2 × RCA terminals (white, red))	
	Mechanical Features		
VESA Mount Screw Size (mm) M4 x 8mm	VESA Mount Pattern (mm)	200mm x 100mm	
	VESA Mount Screw Size (mm)	M4 x 8mm	


SCEPTRE®		
Dimensions		
With Stand (inches, W x H x D)	29.1" x 19.3" x 8.1"	
Without Stand (Inches, W x H x D)	29.1" x 17.3" x 3.5"	
Carton Box Dimension (inches, W x H x D)33.07" x 21.85" x 6.69"	
Weight		
Net Weight with Stand (lbs)	13.20 lbs	
Net Weight without Stand (lbs)	12.32 lbs	
Gross Weight (lbs)	18.26 lbs	
Power		
Power Range (V, A, Hz)	100 - 240VAC, 50/60Hz, 1A (Max)	
Power Consumption (Typical)	65 W (Max)	
	28 W (Typical)	
	≤0.5 W (Standby)	
Regulations / Certifications		
Regulations	cETLus, FCC, ISTA 3A	
Certifications	Energy Star, HDMI,	
Warranty		
Limited Parts and Labor	One Year	
What's in the Box?		
Remote Control Model No	<a accessories="" href="mail</td></tr><tr><td></td><td>href=" https:="" remote-control="" td="" tv-remote-control-814202<="" www.sceptre.com="">	

>8142026670002C

6670002C-product1053category19category69.html" target="_blank"



Key Features







LED

With sharper contrasts of light and darks, LED display delivers a vast array of rich colors, ensuring that moving images have never been so pleasing to the eyes.

Built-in DVD Player

Built-in DVD Player allows you to enjoy your favorite DVDs without needing to purchase a separate DVD player. A single remote control commands all functions of the TV and the built-in DVD player.

HDMI

HDMI not only delivers superior digital video and audio, but also, connects both to the TV with only one cable.



Coaxial Digital Out

Offering superior backwards compatibility for stereo receivers. This Sceptre TV is equipped with a Coaxial Digial audio output which will enrich your TV audio experience with the coaxial supported soundbar, soundbase or audio equipment.



USB

Let's you view your pictures as a slideshow or listen to your favorite music via the USB port. Just insert your flash drive into the USB port for the ultimate entertainment.



Customer Service

Our customer service representatives are, and have always been, based in the USA, guaranteeing that our customers' needs are met as efficiently as possible.



Key Features



30+ Years of Experience

Founded in City of Industry, CA over 30 years ago, Sceptre Inc. made a promise to create & deliver superior products for remarkably affordable prices, a rare tradition that continues today.