

E165W-1600HC





 III-	1.4	Le 1	
 115	101	6	L'1
	al tal		РЛ

Display	
Active Screen Size	15.6" Diagonal Viewable
Panel Type	TN (Twisted Nematic)
Native Resolution	1366 x 768
Refresh Rate	Up to 60Hz Refresh Rate
Aspect Ratio	16:9
Response Time	8 ms (G-to-G)
Pixel Pitch	0.252mm(H) x 0.252mm(H)
Dynamic Contrast Ratio	1,000,000 : 1
Color Depth	262k
Contrast Ratio	3,000 : 1
Brightness (Typ.)	220 cd/m ²
Viewing Angle	Vertical: 50° / Horizontal: 90°
Backlight Life	50,000+ Hours
Anti-Flicker	Yes
Surface Treatment	Glare (Haze 0%), Hard coating (3H)
Features	

SCEPTRE®				
On Screen Display Control (OSD)	Quick Start, Picture, Color, System			
Color Temperature	Warm, Normal (Default), Cool, User			
Picture Presets	Standard, User, Movie, Eco, FPS, RTS			
Game Presets	FPS and RTS			
OSD Supported Languages	English (Default), French, Spanish , Chinese			
Blue Light Shift	Available			
Auto Dynamic Contrast Mode	Available			
Wall Mountable	Yes			
Neck & Base Detachable	Yes			
Energy Guide	Yes			
Gamma	Adjustable			
Inputs & Outputs				
Supported Digital Signals	30 – 80 kHz (Horizontal) / 60 – 75 kHz (Vertical)			
HDMI (# of Ports & Version)	1 x HDMI			
Supported HDMI Signals	Up to 1366 x 768 @ 60Hz; 1080/60p, 1080/60i, 720p, 480p, 480i			
VGA (# of Ports)	1 x VGA			
3.5mm Headphone Jack (Output)	3.5mm Mini-Jack for External Speaker / Headphone			
Supported VGA Signals	Up to 1366 x 768 @ 60Hz; 1080/60p, 1080/60i, 720p, 480p, 480i			
Mechanical Features				
Chassis Colors	Black			
Tilt	Forward: 5°,Backward: 15°			
VESA Mount Pattern (mm)	75mm x 75mm			
VESA Mount Screw Size (mm)	M3 x 5mm			
Neck Screw Size & Quantity (mm)	ST4 x 8mm (2pcs)			
Stand Screw Size & Quantity (mm)	M3 x 7mm (2pcs)			
Dimensions				
With Stand (inches, $W \times H \times D$)	14.8" x 11.9" x 5.1"			
Without Stand (Inches, W x H x D)	14.8" x 9.3" x 1.5"			
Carton Box Dimension (inches, W x H x D)16.85" x 4.25" x 13.58"				
Weight				
Net Weight with Stand (lbs)	2.16 lbs			
Net Weight without Stand (lbs)	1.66 lbs			
Gross Weight (lbs)	3.61 lbs			
Power				
Power Range (V, A, Hz)	AC Adapter			
	Input: 100 - 240V~ 50/60Hz, 0.8A			
	Output: 12V DC, 1.5A			
Power Consumption (Typical)	< 26 W			
Standby	< 0.5W			
Regulations / Certifications				
Regulations	FCC, cETLus, ISTA 3A			
Certifications	Energy Star V7.0, WHQL (Windows 10)			
Warranty				

SCEPTRE®		
Limited Parts and Labor	One Year	
What's in the Box?		
Power Cable	AC Adapter x 1 (12V/1.5A)	
Display Cable	VGA Cable x 1	
Accessories	Monitor Display x 1, Base x 1, Base Screws x 2, Screwdriver x1, User Manual x 1	





LED

With sharper contrasts of light and darks, LED display delivers a vast array of rich colors, ensuring that moving images have never been so pleasing to the eyes.



HDMI (Monitor)

HDMI delivers superior high-definition to the monitor screen.



VGA

With the ability to connect your computer, laptop, monitor, or TV to all your favorite variety of input options, VGA inputs deliver superb analog video.



VESA Wall Mountable

The VESA wall mount pattern gives you the freedom to select the optimum viewing position for your monitor, eliminate cable clutter, and save valuable space for your gaming and work station.



Customer Service

Our customer service representatives are, and have always been, based in the USA, guaranteeing that our customers' needs are met as efficiently as possible.



30+ Years of Experience

Founded in City of Industry, CA over 30 years ago, Sceptre Inc. made a promise to create & deliver superior products for remarkably affordable prices, a rare tradition that continues today.