

## U550CV-UM08R 55" 4K UHD TV



## Specification

Display	
Active Screen Size	54.6" Diagonal Viewable
Panel Type	IPS (In-Plane Switching)
Native Resolution	Ultra HD - 3840 x 2160
Refresh Rate	60Hz
Aspect Ratio	Wide Screen 16:9
Display Colors	1.07G (8-bit + FRC)
Response Time	6 ms (G-to-G)
Pixel Pitch	0.315mm (H) x 0.315mm (V)
Dynamic Contrast Ratio	1,000,000 : 1
Color Gamut	sRGB: 100% DCI-P3: 82%
Contrast Ratio	3,000 : 1
Brightness (Typ.)	250 cd/m <sup>2</sup>
Viewing Angle	Vertical: 178&deg; / Horizontal: 178&deg;
Backlight Type	LED
Backlight Life	30,000+ Hours
Surface Treatment	Antiglare (Haze 1%), Hard coating (2H)

**Highlight Features**

True Ultra High Definition 4k x 2k Display	3840 x 2160
HDCP Version	2.2 (Specifically design for 4k video)
HDMI 2.0	Support HDMI 2.0 Standard for 4k x 2k video at 60Hz input signal.
CEC & ARC	Available

**Audio Features**

Auto Volume Level Control	AVL available
Audio Adjustable Control	Treble, Bass, Balance, Volume, Mute control, Preset EQ
Speakers	2 x 10W/8Ω
Equalizer Settings	5-band
Surround Sound Mode	Available

**Video Features**

OSD (On Screen Display Control)	Standard / Mild / Dynamic / User
Picture Mode	Normal / Wide / Cinema / Zoom
Picture Control	Brightness, Contrast, Backlight, Color, Tint, Sharpness
Temperature (color)	Warm / Normal / Cool / Standards
White Balance	Adjustable. Multiple Preset Options available.
OSD Supported Languages / Subtitles	English / Spanish / French

**Other Features**

Show/Hide Channel	Available
Built-in Tuner	ATSC / NTSC
Weak Signal Enhancement	Equipped
Energy Guide	Available
Comb Filter	3D
De-interlace Technology	3D
Noise Reduction	Equipped
MPEG Noise Reduction	Equipped
Second Audio Program (SAP)	Available
User Define Channel Label	Available
Closed Captioning (CC)	Available
Program Guide	Available
Parental Control (V-Chip)	USA & Canada
Digital Clock	Equipped
Sleep Timer	Available
Channel Block (with passcode)	Analog & Digital
Power Saving Mode	Available
Users Define Source Name	Available

**Inputs & Outputs**

HDMI (# of Ports & Version)	4 x HDMI (HDMI1: HDMI2.0, HDCP 2.2, MHL, CEC; HDMI 2: HDMI2.0, HDCP 2.2, CEC; HDMI 3: HDMI2.0, HDCP 2.2, CEC;
-----------------------------	--

	HDMI 4: HDMI2.0, HDCP 2.2, ARC, CEC)
Supported HDMI Signals	Up to 3840 x 2160 @ 120Hz; 4K, 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i
Cable / Antenna Input	1 x IEC-connector 75 Ohm
Supported HDTV Signals	1080p, 1080i, 720p, 480p, 480i
SPDIF Audio Output	1 x SPDIF (Optical, Black)
Component (YPbPr) Input	1080p, 1080i, 720p, 480p, 480i
USB	1 x USB 2.0
Audio Out	1 x 3.5mm Audio Terminal (black)
Composite Video	1 x Composite (Video and Audio ports share with Component)

### Mechanical Features

Chassis Colors	Black Housing
Stand Type	Matted-Finished Metal
Wall Mountable	Capable
Wall Mount Screw Size (mm)	Top two: M6 x 16mm; Bottom two: M6 x 12mm
Stand Detachable	Available
Bezel Width	Top, Left and Right: 0.63" ; Bottom: 1.10"
Slim Design	Ultra Slim
VESA Mount Pattern (mm)	400mm x 200mm
Stand Screw Size & Quantity (mm)	M4 x 15mm (2pcs)

### Dimensions

With Stand (inches, W x H x D)	49.13" x 31.25" x 10.23"
Without Stand (Inches, W x H x D)	49.13" x 28.72" x 3.01"
Carton Box Dimension (inches, W x H x D)	55.3" x 34.5" x 7.1"
Stand Separation Dimension (Inches, W x D)	35" (W) x 11" (D)

### Weight

Net Weight with Stand (lbs)	29.9 lbs
Net Weight without Stand (lbs)	27.4 lbs
Gross Weight (lbs)	40.5 lbs

### Power

Power Range (V, A, Hz)	100 - 240VAC, 60/50Hz, 3A (Max.)
Power Consumption (Typical)	84.7 W
Maximum	≤ 130W
Standby	≤ 0.5W

### Regulations / Certifications

Regulations	cTUVus, FCC, ISTA 6A,
Certifications	HDMI, MHL

### Warranty

Limited Parts and Labor	1 Year
-------------------------	--------

### What's in the Box?


Power Cable	AC Power Cable x 1
Accessories	Display, Stand (Left & Right),

User Guide,  
Warranty Card,  
Screws for Stand,  
Screwdriver,  
Remote Control,

Remote Control Model No

<a  
href="https://www.sceptre.com/Accessories/Remote-Control/TV-Remote-Control-814202  
6670003C-product1054category19category69.html">8142026670003C</a>

# Key Features



## LED

With sharper contrasts of light and darks, LED display delivers a vast array of rich colors, ensuring that moving images have never been so pleasing to the eyes.



## UHD Upscaling

Breathing new life into the colors of older movies and shows, UHD Upscaling upgrades SD, HD, FHD resolution nearly to the level of the masterful 4K picture quality the UHD display has to offer.



## Multiple Ports

4 HDMI ports deliver sharply crafted images during fast-paced action scenes. Component & Composite ports provide analog video. Audio In, a headphone jack, & optical out enhance audio.



## HDMI 2.0

HDMI 2.0 connects all your favorite devices- game consoles, blu-ray devices, laptops- and delivers the best version of the visual and audio content on the 4K display.



## HDCP 2.2

HDCP 2.2 ensures that all the 4K content that is transferred from a source (Blu-Ray player, DVD player, etc.) to the display (the TV) is secured with copyright protection.



## USB Port

Let's you view your pictures as a slideshow or listen to your favorite music via the USB port. Just insert your flash drive into the USB port for the ultimate entertainment.

## Key Features



### ARC

ARC (Audio Return Channel) uses a single HDMI connection to send audio from a TV to a sound bar or AV receiver.



### CEC

The CEC (Consumer Electronics Control) feature effortlessly allows users to control HDMI connected devices with only one remote.



### VESA Wall Mountable

The VESA wall mount provides the ideal position to view your TV and eliminates cable clutter, contributing a stylishly modern addition to your decor.



### Customer Service

Our customer service representatives are, and have always been, based in the USA, guaranteeing that our customers' needs are met as efficiently as possible.



### 30+ Years of Experience

Founded in City of Industry, CA over 30 years ago, Sceptre Inc. made a promise to create & deliver superior products for remarkably affordable prices, a rare tradition that continues today.