

U275W-4000R 27" 4K UHD Monitor



Specification

| Display | |
|------------------------|-----------------------------------|
| Active Screen Size | 26.93" Diagonal Viewable |
| Panel Type | IPS (In-Plane Switching) |
| Native Resolution | 3840 x 2160 |
| Refresh Rate | Up to 70Hz Refresh Rate |
| Aspect Ratio | 16:9 |
| Response Time | 5 ms (G-to-G) |
| Pixel Pitch | 0.15525mm(H) x 0.15525mm(V) |
| Dynamic Contrast Ratio | 1,000,000:1 |
| Color Gamut | sRGB:100% DCI-P3:80% |
| Color Depth | 16.7M |
| Contrast Ratio | 3,000:1 |
| Brightness (Typ.) | 250 cd/m² |
| Viewing Angle | Vertical: 178° / Horizontal: 178° |
| Backlight Life | 50,000+ Hours |
| Anti-Flicker | Yes |
| Surface Treatment | Antiglare, Hard coating (3H) |


| - / | |
|---------------------------------------|--|
| Features | |
| On Screen Display Control (OSD) | Quick Start, Picture, Color, System |
| Color Temperature | Warm, Normal (Default), Cool, User |
| Picture Presets | Standard, User, Movie, Eco, FPS, RTS |
| Game Presets | FPS and RTS |
| OSD Supported Languages | English (Default), French, Spanish , Chinese |
| Blue Light Shift | Available |
| Auto Dynamic Contrast Mode | Available |
| Wall Mountable | Yes |
| Energy Guide | Yes |
| Gamma | Adjustable |
| Audio Features | |
| Speakers | 2 ×3W/4Ω |
| Inputs & Outputs | |
| HDMI (# of Ports & Version) | 2 x HDMI; (HDMI 1: HDMI 2.0, HDCP2.2; |
| | HDMI 2: HDMI 1.4, HDCP1.4); |
| Supported HDMI Signals | HDMI 1: Up to 3840 x 2160 @ 65Hz; 480i, 480p, 720p, 1080i, 1080p, 4k2k / HDMI 2: U |
| | to Up to 3840 x 2160 @ 30Hz; 480i, 480p, 720p, 1080i, 1080p, 4k2k |
| DP (# of Ports & Version) | 1 |
| Supported DP Signals | Up to 3840 x 2160 @ 70Hz; 480i, 480p, 720p, 1080i, 1080p, 4k2k |
| DVI (# of Ports) | 1 |
| Supported DVI Signals | Up to 1920 x 1080 @ 65Hz |
| 3.5mm Headphone Jack (Output) | 3.5mm Mini-Jack for External Speaker / Headphone |
| Mechanical Features | |
| Tilt | Backward: 20° Forward: 5° |
| Neck / Stand Detachable | Yes |
| VESA Mount Pattern (mm) | 100mm x 100mm |
| VESA Mount Screw Size (mm) | M4 x 8mm |
| Neck Screw Size & Quantity (mm) | M4 x 8mm (2 Pcs) |
| Stand Screw Size & Quantity (mm) | M4 x 12mm (2Pcs) |
| Dimensions | |
| With Stand (inches, W x H x D) | 24.51" x 17.46" x 8.06" |
| Without Stand (Inches, W x H x D) | 24.51" x 14.35" x 1.55" |
| Carton Box Dimension (inches, W x H x | |
| Stand Separation Dimension W x D | 10.7" x 7.8" |
| (inches) | |
| Weight | |
| Net Weight with Stand (lbs) | 9.06 lbs |
| Net Weight without Stand (lbs) | 8.13 lbs |
| MEL WEIGH WITHOUT STAND UNCL | 0.13 JUS |

| Power | |
|-----------------------------|----------------------------|
| Power Range (V, A, Hz) | 100 - 240V~, 50/60Hz, 3.0A |
| Power Consumption (Typical) | < 33 W |

| SCEPTRE® | | |
|------------------------------|--|--|
| Standby | < 0.5W | |
| Regulations / Certifications | | |
| Regulations | FCC, cTUVus, ISTA 6A | |
| Certifications | НДМІ | |
| Warranty | | |
| Limited Parts and Labor | One Year | |
| What's in the Box? | | |
| Power Cable | AC Power Cable x 1 | |
| Display Cable | HDMI Cable (1.4) x 1 | |
| Accessories | Monitor Display x 1, Base x 1, Neck x 1, Base Screws x 2, Neck Screws x 2, Screwdriver | |
| | x1, User Manual x 1 | |



Key Features







LED

With sharper contrasts of light and darks, LED display delivers a vast array of rich colors, ensuring that moving images have never been so pleasing to the eyes.

Fast Response Time

Fast response times reduce ghosting & blurring while transitioning pixels, always keeping the enemy & terrain precisely in focus during chaotic moments.

AMD FreeSync ™

With AMD FreeSync, gamers enjoy smooth video & seamless on the spot movement in fast-paced games. The graphic card and monitor refresh rates are synchronized to eliminate tearing and stuttering.







Multiple Ports

The DisplayPort accelerates refresh rate up to 70Hz, providing the visual edge you need to defeat the competition during all of your gaming exploits. HDMI 1 delivers sharp 4K images at 60Hz while HDMI 2 and DVI deliver this remarkable resolution at 30Hz. Connect your favorite audio devices with Audio Out.

Blue Light Shift

Reduce your monitors blue light to protect you from eye fatigue, irritation and strains. This enables you to work on your documents, watch movies, or play games more comfortably for extended periods.


Anti-Flicker

Provides a crisper picture by preventing the backlight from flickering periodically.



Key Features







FPS-RTS Game Modes

FPS and RTS are Sceptre's custom set display settings built for an enhanced gaming experience. FPS (First Person Shooter), RTS (Real-Time Strategy).

Tiltable Display

A display that tilts 20° backward and 5° forward allows you to find a sweet spot that bridges clarity and comfort.

VESA Wall Mountable

The VESA wall mount pattern gives you the freedom to select the optimum viewing position for your monitor, eliminate cable clutter, and save valuable space for your gaming and work station.





Customer Service

Our customer service representatives are, and have always been, based in the USA, guaranteeing that our customers' needs are met as efficiently as possible.



30+ Years of Experience

Founded in City of Industry, CA over 30 years ago, Sceptre Inc. made a promise to create & deliver superior products for remarkably affordable prices, a rare tradition that continues today.