

X320BV-ECO



Specification

Display				
Active Screen Size	32" (31.5" Diagonal corner to corner)			
Native Resolution	1366 x 768			
Contrast Ratio	3,000 : 1			
LCD Panel				
Aspect Ratio	Wide Screen 16:9			
Refresh Rate	60 Hz			
Brightness	450 cd/m2			
Response Time	6ms (G-to-G)			
Colors	16.7M			
Lamp Life	50,000+ Hour			
Viewing Angle	178º (Horizontal) / 178º (Vertical)			
On Screen Display (OSD) Controls	Contrast / Brightness / Sharpness / Saturation / Hue / RGB			
	Color temp. adjust : Cool / Normal / Warm			
	Picture Enhancement : APL (Dynamic Average			
	Picture Level), Dynamic Sharpness Adjustment,			
	Enhanced Color Management			



	9			

Features					
Built-in Tuner	ATSC / NTSC				
Comb Filter	3D				
De-interlace Technology	3D, SRC (Scan Rate convesrion) Improvements				
Auto Dynamic Contrast Mode	Yes				
Noise Reduction	Yes				
Built-in Speakers	7 watts per Channel				
Auto Volume Level Control	Yes				
Energy Guide	X320BV-ECO				
Signal Compatibility					
VGA Input Signal Support	1360 × 768 @ 60Hz (Native & Max)				
	1280 × 720 @ 60Hz				
	1280 × 600 @ 60Hz				
	1024 × 768 @ 60Hz				
	800 × 600 @ 60Hz				
Inputs					
S-Video	1 x S-Video Input				
PC Audio In	1 × Audio In terminal (black)				
Inputs & Outputs					
HDMI (# of Ports & Version)	3 x HDMI				
Supported HDMI Signals	HDCP up to 1080P				
Cable / Antenna Input	1 × IEC-Connector 75 Ohm				
Supported HDTV Signals	1080P, 1080i, 720P, 480P, 480i				
SPDIF Audio Output	1 x SPDIF (Optical, black)				
VGA (# of Ports)	$1 \times D$ -SUB terminal (blue, 15 pin)				
Component (YPbPr) Input	2 x Component				
Composite Video	2 x Composite				
Mechanical Features					
VESA Mount Pattern (mm)	200mm x 200mm				
VESA Mount Screw Size (mm)	M4 x 12mm				
Dimensions					
With Stand (inches, $W \times H \times D$)	30.6" x 21.1" x 9.0"				
Without Stand (Inches, $W \times H \times D$)	30.6" x19.1" x3.7"				
Carton Box Dimension (inches, W x H x I)33.5" x 27.8" x 7.1"				
Weight					
Net Weight with Stand (lbs)	22.4 lb				
Net Weight without Stand (lbs)	20.5 lb				
Gross Weight (lbs)	28.2 lb				
Power					
Power Range (V, A, Hz)	90-264AVC, 50/60Hz, 2.0A max				
Power Consumption (Typical)	<100W				
Regulations / Certifications					

SCEPTRE			
Certifications	FCC		
Warranty			
Limited Parts and Labor	One Year		





Swivel Base

The swivel base allows you to rotate your HDTV up to +/- 15 degrees so you can obtain the best view of the screen in all its brilliant clarity.



HDMI

HDMI not only delivers superior digital video and audio, but also, connects both to the TV with only one cable.



Parental Control

Limits TV and movie viewing based on movie & TV rating as you select each rating. V-chip provides parents with the ability to determine their children's viewing options based on the movie and television content rating system.



USB

Let's you view your pictures as a slideshow or listen to your favorite music via the USB port. Just insert your flash drive into the USB port for the ultimate entertainment.



Analog Audio Out

Offering superior backwards compatibility for stereo receivers, Sceptre TVs are built with a pair of analog RCA audio outputs which will enrich your audio experience without the necessity of purchasing new digital audio equipment.



Customer Service

Our customer service representatives are, and have always been, based in the USA, guaranteeing that our customers' needs are met as efficiently as possible.





30+ Years of Experience

Founded in City of Industry, CA over 30 years ago, Sceptre Inc. made a promise to create & deliver superior products for remarkably affordable prices, a rare tradition that continues today.