

## X405BV-FHD3 40" LCD TV



## Specification

LCD Panel	
Aspect Ratio	Wide Screen 16:9
Refresh Rate	60 Hz
Brightness	450 cd/m <sup>2</sup>
Response Time	6 ms (G-to-G)
Colors	8bit + FRC - 1.07 Billion
Lamp Life	50,000+ Hour
Viewing Angle	178° (Horizontal) / 178° (Vertical)
Display	
Active Screen Size	Class 40 (40" Diagonal corner to corner)
Native Resolution	1920 x 1080
Dynamic Contrast Ratio	50,000:1
Contrast Ratio	5,000 :1 (Typical)
Features	
On Screen Display Control (OSD)	Picture, Sound, Channel, Parental, Setup, Others
Built-in Tuner	ATSC / NTSC / Clear QAM
OSD Supported Languages	English (Default), French, Spanish

Weak Signal Enhancement	Yes
Comb Filter	3D
De-interlace Technology	3D
Auto Dynamic Contrast Mode	Yes
Noise Reduction	Yes
MPEG Noise Reduction	Yes
Built-in Speakers	2 x 10W 8 Ohm
Surround Sound Mode	Yes (SRS TruSurround HD)
Sound Equalizer Settings	Yes (5-band)
Auto Volume Level Control	Yes
Wall Mountable	Yes
Swivel Angles	+/- 30°
Neck & Base Detachable	Yes
Energy Guide	X405BV-FHD3
<b>Outputs</b>	
Analog Audio Output ( L + R)	1 (2 × RCA terminals (white, red))
Headphone Output	1 × Earphone terminal (black)
<b>Inputs</b>	
PC Audio In	1 × Audio In terminal (black)
<b>HDTV Signal Compatibility</b>	
VGA Input Support	1920 x 1080 @ 60Hz (Native & Max) 1680 x 1050 @ 60Hz 1360 x 768 @ 60Hz 1280 x 1024 @ 60Hz 1024x768 @ 60Hz 800x600 @ 60Hz
<b>Inputs &amp; Outputs</b>	
HDMI (# of Ports & Version)	3 x HDMI
Supported HDMI Signals	1080/24p, 1080/60p, 1080i, 720p, 480p, 480i
Cable / Antenna Input	1 × IEC-Connector 75 Ohm
Supported HDTV Signals	1080P, 1080i, 1080i, 720P, 480P, 480i
SPDIF Audio Output	1 × SPDIF (Coaxial, Orange)
VGA (# of Ports)	1 × D-SUB terminal (blue, 15 pin)
Component (YPbPr) Input	1 × Component (Audio input share with composite)
USB	1 × USB 2.0
Composite Video	1 × Composite
<b>Mechanical Features</b>	
VESA Mount Pattern (mm)	400mm x 200mm
VESA Mount Screw Size (mm)	M6 x 14mm
<b>Dimensions</b>	
With Stand (inches, W x H x D)	38.86" x 26.54" x 10.24"
Without Stand (Inches, W x H x D)	38.86" x 24.09" x 4.25"
Carton Box Dimension (inches, W x H x D)	43.4" x 30.1" x 7.7"
<b>Weight</b>	
Net Weight with Stand (lbs)	35.88 lb
Net Weight without Stand (lbs)	31.11 lb
Gross Weight (lbs)	41.5 lb

Power	
Power Range (V, A, Hz)	100-240 VAC, 60/50Hz, 3.0A (Max.)
Power Consumption (Typical)	110 W (Maximum) 75 W (Typical) <1 W (Standby)
Regulations / Certifications	
Certificates	FCC, cTUVus, Energy Star V 5.3, SRS TruSurround HD, ISTA 3A
Warranty	
Limited Parts and Labor	One Year

## Key Features



### Swivel Base

The swivel base allows you to rotate your HDTV up to +/- 15 degrees so you can obtain the best view of the screen in all its brilliant clarity.



### HDMI

HDMI not only delivers superior digital video and audio, but also, connects both to the TV with only one cable.



### Parental Control

Limits TV and movie viewing based on movie & TV rating as you select each rating. V-chip provides parents with the ability to determine their children's viewing options based on the movie and television content rating system.



### USB

Let's you view your pictures as a slideshow or listen to your favorite music via the USB port. Just insert your flash drive into the USB port for the ultimate entertainment.



### Analog Audio Out

Offering superior backwards compatibility for stereo receivers, Sceptre TVs are built with a pair of analog RCA audio outputs which will enrich your audio experience without the necessity of purchasing new digital audio equipment.



### Customer Service

Our customer service representatives are, and have always been, based in the USA, guaranteeing that our customers' needs are met as efficiently as possible.

## Key Features

---



### **30+ Years of Experience**

Founded in City of Industry, CA over 30 years ago, Sceptre Inc. made a promise to create & deliver superior products for remarkably affordable prices, a rare tradition that continues today.