

# **U750CV-UMRR 75" 4K UHD TV**



# Specification

Display		
Active Screen Size	74.5" Diagonal Viewable	
Panel Type	VA (Vertical Alignment)	
Native Resolution	3840 x 2160	
Refresh Rate	60Hz	
Aspect Ratio	16:9	
Display Colors	16.7M	
Response Time	6.5 ms (G-to-G)	
Pixel Pitch	0.315mm (H) x 0.315mm (V)	
Dynamic Contrast Ratio	1,000,000 : 1	
Color Gamut	sRGB: 94% DCI-P3: 80%	
Contrast Ratio	5,000 : 1	
Brightness (Typ.)	320 cd/m²	
Viewing Angle	Vertical: 178° / Horizontal: 178°	
Backlight Type	LED	
Backlight Life	50,000+ Hours	
Surface Treatment	Antiglare (Haze 1%)	


Auto Volume Level Control AVI. available Audio Adjustable Control Treble, Bass, Balance, Volume, Mute control, Preset EQ Equalizer Settings 5-band Available  Highlight Foatures  HDCP Version 2.2 (Specifically design for 4k video)  HDMI 2.0 Support latest Standard for 4k x 2k video at 60Hz input signal.  ECG & ARC Available  HOCP Version  2.2 (Specifically design for 4k video)  HDMI 2.0 Support latest Standard for 4k x 2k video at 60Hz input signal.  ECG & ARC Available  Normal / Wide / Cinema / Zoon Picture Mode Normal / Wide / Cinema / Zoon  Picture Mode Normal / Wide / Cinema / Zoon  Picture Control Brightness, Contrast, Backlight, Color, Tint, Sharpness  Premperature (color) Warm / Normal / Cool / Standards  White Balance Adjustable. Multiple Preset Options available.  Explish / Spanish / French  Dither Features  Show/Hide Channel Available  Built-in Tuner ATSC / NTSC / QAM  Weak Signal Enhancement Equipped Built-in Tuner ATSC / NTSC / QAM  Weak Signal Enhancement Equipped Built-in Stereo Speakers 2 x 10W/BQ  Desinteriace Technology 3D  Ovices Reduction Equipped  Available  Desinteriace Technology 3D  Available  Desinteriace Technology 3D  Available  Desinteriace Technology Available  Descend Audio Program (SAP) Available  Descend Audio Program (SAP) Available  Descend Audio Program (GAP) Available  Descend Audio Program (GAP) Available  Descend Audio Program (GAP) Available  Descend Filter Available  Descend Filter Available  Descend Audio Program (SAP) Available  Descend Audio Program (SAP) Available  Descend Filter Available  Descend Audio Program (SAP) Available  Descend Audio Progra	SCEPTRE®	
Treble, Bass, Balance, Volume, Mute control, Preset EQ  Squalter Settings  S-band  Sourround Sound Mode  Available  Highlight Features  HDCP Version  2.2 (Specifically design for 4k video)  Support latest Standard for 4k x 2k video at 60Hz input signal.  Available  HDMI 2.0  Support latest Standard for 4k x 2k video at 60Hz input signal.  Available  HDMI 2.0  Support latest Standard for 4k x 2k video at 60Hz input signal.  Available  HDCP Version  Standard / Mild / Dynamic / User  HDCP Version  Standard / Mild / Dynamic / User  HDCP Version  Standard / Mild / Dynamic / User  HDCP Version  Standard / Mild / Dynamic / User  HDCP Version  Standard / Mild / Dynamic / User  HDCP Version  Standard / Mild / Dynamic / User  HDCP Version  Standard / Mild / Dynamic / User  HDCP Version  Standard / Mild / Dynamic / User  HDCP Version  Standard / Mild / Dynamic / User  HDCP Version  Standard / Mild / Dynamic / User  HDCP Version  Standard / Mild / Dynamic / User  HDCP Version  Standard / Mild / Dynamic / User  HDCP Version  Standard / Mild / Dynamic / User  HDCP Version  Standard / Mild / Dynamic / User  HDCP Version  Standard / Mild / Dynamic / User  HDCP Version  Standard / Mild / Dynamic / User  HDCP Version  Standard / Mild / Dynamic / User  HDCP Version  Standard / Mild / Dynamic / User  HDCP Version  TDCP Version  TD	Audio Features	
Equalizer Settings  S-band  Surround Sound Mode  Available  Highlight Features  Available  Availabl	Auto Volume Level Control	AVL available
Available  Highlight Features  HOCP Version  1.2.2 (Specifically design for 4k v ideo)  HOMI 2.0  Support latest Standard for 4k x 2k video at 60Hz input signal.  EC. 6. ARC  Available  Video Features  DSD (On Screen Display Control)  Standard / Mild / Dynamic / User  Nicture Mode  Normal / Wide / Cinema / Zoom  Picture Control  Brightness, Contrast, Backlight, Color, Tint, Sharpness  Perperature (color)  Warm / Normal / Cool / Standards  White Balance  Adjustable. Multiple Preset Options available.  DSD Supported Languages / Subtitles  Dther Features  Show/Hide Channel  Available  De-interlace Technology  3D  Volse Reduction  Equipped  Available  Joser Define Channel Label  Available  Available	Audio Adjustable Control	Treble, Bass, Balance, Volume, Mute control, Preset EQ
Highlight Foatures HDCP Version 2.2 (Specifically design for 4k video)  Support latest Standard for 4k x 2k video at 60Hz input signal.  ECE & ARC Available  Video Foatures  DSD (On Screen Display Control) Standard / Mild / Dynamic / User  Picture Control Brightness, Contrast, Backlight, Color, Tint, Sharpness Picture Control Brightness, Contrast, Backlight, Color, Tint, Sharpness Pemperature (color) Warm / Normal / Cool / Standards White Balance Adjustable. Multiple Preset Options available.  DSD Supported Languages / Subtitles English / Spanish / French  Dther Features  Showl-Hide Channel Available Suilt-in Tuner ATSC / NTSC / QAM Weak Signal Enhancement Equipped Suilt-in Stereo Speakers 2 x 10W/80 De-interface Technology 3D Do-interface Technology 3D Noise Reduction Equipped Second Audio Program (SAP) Available Diser Define Channel Label Available Diser Outlong CC) Available Diser Define Channel Label Available Diser Define Source Mare Available Diser Define Source Name Available Disers Define So	Equalizer Settings	5-band
Available  Available  Determine Speakers  Available  Available  Available  Standard / Mild / Dynamic / User  Normal / Wide / Cinema / Zoom  Brightness, Contrast, Backlight, Color, Tint, Sharpness  Brightness, Color, Tint, Sharpness  Brightness, Contrast, Backlight, Color, Tint, Sharpness  Brightness, Color, Tint, Sharpness  Brightness, Contrast, Backlight, Color, Tint, Sharpness  Brightness, Colo	Surround Sound Mode	Available
Application of the support latest Standard for 4k x 2k video at 60Hz input signal.  Available  Available  Available  Standard / Mild / Dynamic / User  Normal / Wide / Cinema / Zoom  Brightness, Contrast, Backlight, Color, Tint, Sharpness  Benghard (Color)  Warm / Normal / Cool / Standards  Adjustable, Multiple Preset Options available.  English / Spanish / French  Standards  Showl/Hide Channel  Available  Built-in Tuner  ATSC / NTSC / QAM  Weak Signal Enhancement  Equipped  Built-in Tuner  ATSC / NTSC / QAM  Weak Signal Enhancement  Equipped  Built-in Stereo Speakers  2 x 10W/8Q  Channel Available  Comb Filter  3D  De-interlace Technology  3D  Voise Reduction  Equipped  MeBC Noise Reduction  Equipped  MeBC Noise Reduction  Econd Audio Program (SAP)  Available  Digital Clock  Equipped  Silep Timer  Available  Available  Dower Saving Mode  Available  Dower Saving Mode  Available  Available  Dower Saving Mode  Available  Available  Available  Available  Dower Saving Mode  Available  Available  Available  Available  Available  Available  Digital Clock  Equipped  Available	Highlight Features	
CEC & ARC Available  Video Features  DSD (On Screen Display Control)  Standard / Mild / Dynamic / User  Dicture Mode Normal / Wide / Cinema / Zoom  Picture Control Brightness, Contrast, Backlight, Color, Tint, Sharpness  Femperature (color)  Warm / Normal / Cool / Standards  White Balance Adjustable. Multiple Preset Options available.  DSD Supported Languages / Subtities  English / Spanish / French  Dither Features  Schow/Hide Channel Available  Built-in Tuner ATSC / NTSC / QAM  Weak Signal Enhancement Equipped  Built-in Stereo Speakers 2 x 10W/80  Comb Filter 3D  De-interlace Technology 3D  Voise Reduction Equipped  MPEG Noise Reduction Equipped  MPEG Noise Reduction Equipped  Second Audio Program (SAP) Available  Diser Define Channel Label Available  Digital Clock Equipped  Available  Dever Saving Mode Available  Dever Saving Mode Available  Dever Saving Mode Available  Available  Dever Saving Mode Available  Available  Dever Saving Mode Available  Available  Audio Guidance Available  MUDHI : HDMI2.0, HDCP 2.2, MHL, CEC; HDMI : HDMI2.0, HDCP 2.2, CEC;	HDCP Version	2.2 (Specifically design for 4k video)
DSD (On Screen Display Control)  Standard / Mild / Dynamic / User  Normal / Wide / Cinema / Zoom  Picture Mode  Normal / Wide / Cinema / Zoom  Picture Control  Brightness, Contrast, Backlight, Color, Tint, Sharpness  Femperature (color)  Warm / Normal / Cool / Standards  White Balance  Adjustable. Multiple Preset Options available.  DSD Supported Languages / Subtitles  English / Spanish / French  Dthor Features  Show/Hide Channel  Available  Suilt-in Tuner  ATSC / NTSC / QAM  Weak Signal Enhancement  Equipped  Built-in Tuner  ATSC / William  Built-in Stereo Speakers  2 x 10W/80  Comb Filter  3D  De-interlace Technology  3D  Woise Reduction  Equipped  Second Audio Program (SAP)  Available  Losed Captioning (CC)  Available  Closed Captioning (CC)  Available  Closed Captioning (CC)  Available  Sidee Timer  Available  Available  Jogram Guide  Available  Available  Available  Jogram Guide  Available  Availa	HDMI 2.0	Support latest Standard for 4k x 2k video at 60Hz input signal.
SED (On Screen Display Control) Standard / Mild / Dynamic / User Picture Mode Normal / Wide / Cinema / Zoom Picture Control Brightness, Contrast, Backlight, Color, Tint, Sharpness Femperature (color) Warm / Normal / Cool / Standards Adjustable. Multiple Preset Options available. English / Spanish / French SDS Supported Languages / Subtitles Brother Foatures Show/Hide Channel Available Built-in Tuner ATSC / NTSC / QAM Weak Signal Enhancement Equipped Built-in Stereo Speakers 2 x 10W/8Ω Benergy Guide Available Comb Filter 3D De-interlace Technology 3D Volse Reduction Equipped Becond Audio Program (SAP) Available Second Audio Program (SAP) Available Closed Captioning (CC) Available Closed Captioning (CC) Available Closed Captioning (CC) Available Closed Selep Timer Available Closed Sieep Timer Available Available Sers Define Source Name Available Closed Timer Available Availa	CEC & ARC	Available
Picture Mode Normal / Wide / Cinema / Zoom Picture Control Brightness, Contrast, Backlight, Color, Tint, Sharpness  Temperature (color) Warm / Normal / Cool / Standards  Adjustable, Multiple Preset Options available,  Brigish / Spanish / French  Dither Features  Show/Hide Channel Available  Built-in Tuner ATSC / NTSC / QAM  Weak Signal Enhancement Equipped  Built-in Stereo Speakers 2 x 10W/βΩ  Built-in Stereo Speakers 2 x 10W/βΩ  Built-in Stereo Speakers 3D  Comb Filter 3D  Comb Filter 3D  Ole-interlace Technology 3D  Voise Reduction Equipped  Second Audio Program (SAP) Available  Diser Define Channel Label Available  Closed Captioning (CC) Available  Diser Define Channel Label Available  Channel Block (with passcode) Analog & Digital  Power Saving Mode Available  Channel Block (with passcode) Analog & Digital  Power Saving Mode Available  Channel Block (with passcode) Analog & Digital  Power Saving Mode Available  Available  Available  Channel Block (with passcode) Analog & Digital  Power Saving Mode Available  Channel Block (with passcode) Analog & Digital  Power Saving Mode Available  Channel Block (with passcode) Analog & Digital  Power Saving Mode Available  Available Available  Channel Block (with passcode) Analog & Digital  Power Saving Mode Available  Channel Block (with passcode) Analog & Digital  Power Saving Mode Available  Available Available  Channel Block (with passcode) Analog & Digital  Power Saving Mode Available  Available Available  Channel Block (with passcode) Analog & Digital  Power Saving Mode Available  Channel Block (with passcode) Analog & Digital  Power Saving Mode Available  Channel Block (with passcode) Analog & Digital  Power Saving Mode Available  Channel Block (with passcode) Analog & Digital  Power Saving Mode Available  Channel Block (with passcode) Analog & Digital  Power Saving Mode Available  Channel Block (with passcode) Analog & Digital  Power Saving Mode Available  Channel Block (with passcode) Analog & Digital  Channel Block (with passcode) Analog & Digital  Channel Blo	Video Features	
Picture Control Brightness, Contrast, Backlight, Color, Tint, Sharpness Femperature (color) Warm / Normal / Cool / Standards Adjustable. Multiple Preset Options available. DSD Supported Languages / Subtitles DSD Subtitles DS	OSD (On Screen Display Control)	Standard / Mild / Dynamic / User
Temperature (color) Warm / Normal / Cool / Standards White Balance Adjustable. Multiple Preset Options available.  DSD Supported Languages / Subtitles English / Spanish / French  Dther Features  Show/Hide Channel Available Built-in Tuner ATSC / NTSC / QAM  Weak Signal Enhancement Equipped Built-in Stereo Speakers 2 x 10W/8Ω Benergy Guide Available Comb Filter 3D De-interlace Technology 3D Noise Reduction Equipped  Weak Osiose Reduction Equipped  Second Audio Program (SAP) Available  Joser Define Channel Label Available  Drogram Guide Available  Digital Clock Equipped  Sleep Timer Available  Channel Block (with passcode) Analog & Digital  Power Saving Mode Available  Digital Clock Saving Mode Available  Available  Available  Deser Define Source Name Available  Available  Available  Available  Available  Available  Available  Channel Block (with passcode) Analog & Digital  Available  Availa	Picture Mode	Normal / Wide / Cinema / Zoom
Temperature (color) Warm / Normal / Cool / Standards  White Balance Adjustable. Multiple Preset Options available.  DSD Supported Languages / Subtitles  English / Spanish / French  Dther Features  Show/Hide Channel Available Built-in Tuner ATSC / NTSC / QAM  Weak Signal Enhancement Equipped Built-in Stereo Speakers 2 x 10W/8Ω  Chemery Guide Available  Comb Filter 3D  De-interlace Technology 3D  Noise Reduction Equipped  Web (Noise Reduction Equipped  Second Audio Program (SAP) Available  Closed Captioning (CC) Available  Closed Captioning (CC) Available  Digital Clock Equipped  Sleep Timer Available  Channel Block (with passcode) Analog & Digital  Power Saving Mode Available  Available  Channel Block (with passcode) Analog & Digital  Power Saving Mode Available  Available  Audio Guidance Available  Multiple Preset Options  Available	Picture Control	Brightness, Contrast, Backlight, Color, Tint, Sharpness
SDS Supported Languages / Subtitles  Chemical English / Spanish / French  Chemical English / Spanish / French  Channel Available  Built-in Tuner ATSC / NTSC / QAM  Weak Signal Enhancement Equipped  Built-in Stereo Speakers 2 x 10W/8Ω  Chemical English / Spanish / French  Comb Filter 3D  Chemical Endlish English / Spanish / French  Comb Filter 3D  Chemical English / Spanish / French  Comb Filter 3D  Chemical English / Spanish / French  Comb Filter 3D  Chemical English / Spanish / French  Comb Filter 3D  Chemical English / Spanish / French  Comb Filter Available  Comb Filter 3D  Chemical English / Spanish / French  Comb Filter  Apolish / Spanish / French  English / Spanish  English	Temperature (color)	<u> </u>
Show/Hide Channel Suitt-in Tuner ATSC / NTSC / QAM Weak Signal Enhancement Equipped Built-in Stereo Speakers 2 x 10W/8Ω Energy Guide Available Comb Filter 3D De-interlace Technology 3D Voise Reduction Equipped Weak Signal Enhancement Equipped Available Comb Filter 3D De-interlace Technology 3D Voise Reduction Equipped Web Roise Reduction Equipped Available Diser Define Channel Label Closed Captioning (CC) Available Program Guide Available Digital Clock Equipped Sileep Timer Available Channel Block (with passcode) Analog & Digital Prower Saving Mode Available Available Disers Define Source Name Available Available Available Disers Define Source Name Available Available Available Available Disers Define Source Name Available Av	White Balance	Adjustable. Multiple Preset Options available.
Available Built-in Tuner ATSC / NTSC / QAM Weak Signal Enhancement Equipped Built-in Stereo Speakers 2 x 10W/8Ω Energy Guide Available Comb Filter 3D De-interlace Technology 3D Noise Reduction Equipped MPEG Noise Reduction Equipped Available Closed Audio Program (SAP) Available Closed Captioning (CC) Available Program Guide Available Closed Captioning (CC) Available Closed Captioning (CC) Available Program Guide Available Closed Siep Timer Available Channel Block (with passcode) Analog & Digital Channel Block (with passcode) Available Program Gouide Available Closer Saving Mode Available Available Program Gouide Available Channel Block (with passcode) Analog & Digital Available Available Closer Saving Mode Available	OSD Supported Languages / Subtitles	English / Spanish / French
ATSC / NTSC / QAM  Weak Signal Enhancement Equipped  3uilt-in Stereo Speakers 2 x 10W/8Ω  Energy Guide Available Comb Filter 3D De-interlace Technology 3D Noise Reduction Equipped  MPEG Noise Reduction Equipped Second Audio Program (SAP) Available Closed Captioning (CC) Available Closed Captioning (CC) Available Program Guide Available Closed Siep Timer Available Channel Block (with passcode) Analog & Digital Power Saving Mode Available Available Digital Clock Equipped Sterp Define Source Name Available Available Available Digital Clock Sterp Timer Available Channel Block (with passcode) Analog & Digital Power Saving Mode Available Available Audio Guidance Available Audio Guidance Available Available Available Audio Guidance Available Available Audio Guidance Available Available Audio Guidance Available Available Available Audio Guidance Available Available Available Audio Guidance Available Available Available Available Audio Guidance Available	Other Features	
Weak Signal Enhancement  Built-in Stereo Speakers  2 x 10W/8Ω  Available  Comb Filter  3D  De-interlace Technology  3D  Noise Reduction  Equipped  MPEG Noise Reduction  Equipped  Second Audio Program (SAP)  Available  Closed Captioning (CC)  Available  Program Guide  Available  Digital Clock  Equipped  Channel Block (with passcode)  Analog & Digital  Power Saving Mode  Juster Define Source Name  Available  Available  Available  Available  Channel Block (with passcode)  Analog & Digital  Power Saving Mode  Available  Available  Audio Guidance  Available  HDMI (# of Ports & Version)  4 x HDMI  (HDMI1: HDMI2.0, HDCP 2.2, MHL, CEC; HDMI 2: HDMI2.0, HDCP 2.2, CEC; HDMI 3: HDMI2.0, HDCP 2.2, CEC; HDMI 3: HDMI2.0, HDCP 2.2, CEC; HDMI 3: HDMI2.0, HDCP 2.2, CEC; HDMI 4: HDMI2.0, HDCP 2.2, CEC;	Show/Hide Channel	Available
Built-in Stereo Speakers  2 x 10W/8Q Energy Guide Available Comb Filter 3D De-interlace Technology 3D Noise Reduction Equipped MPEG Noise Reduction Equipped Second Audio Program (SAP) Available User Define Channel Label Available Closed Captioning (CC) Available Program Guide Available Digital Clock Equipped Sleep Timer Available Channel Block (with passcode) Analog & Digital Power Saving Mode Available Available Users Define Source Name Available Available Users Define Source Name Available Available Audio Guidance Available HDMI (# of Ports & Version)  4 x HDMI (HDMI1: HDMI2.0, HDCP 2.2, MHL, CEC; HDMI 2: HDMI2.0, HDCP 2.2, CEC; HDMI 3: HDMI2.0, HDCP 2.2, CEC; HDMI 4: HDMI2.0, HDCP 2.2, CEC;	Built-in Tuner	ATSC / NTSC / QAM
Energy Guide  Available  De-interlace Technology  3D  Noise Reduction  Equipped  MPEG Noise Reduction  Equipped  Second Audio Program (SAP)  Available  User Define Channel Label  Available  Closed Captioning (CC)  Available  Program Guide  Available  Digital Clock  Equipped  Sleep Timer  Available  Channel Block (with passcode)  Analog & Digital  Prower Saving Mode  Available  Available  Available  Available  Digital Clock  Homi a: HDMI (HDMI1: HDMI2.0, HDCP 2.2, MHL, CEC; HDMI 3: HDMI2.0, HDCP 2.2, CEC; HDMI 4: HDMI2.0, HDCP 2.2, CEC;	Weak Signal Enhancement	Equipped
De-interlace Technology 3D Noise Reduction Equipped MPEG Noise Reduction Equipped Second Audio Program (SAP) Available User Define Channel Label Available Closed Captioning (CC) Available Available Program Guide Available Channel Block (with passcode) Analog & Digital Channel Block (with passcode) Available Audio Guidance Available Audio Guidan	Built-in Stereo Speakers	2 x 10W/8Ω
De-interlace Technology  3D  Noise Reduction  Equipped  MPEG Noise Reduction  Equipped  Available  Describer Channel Label  Closed Captioning (CC)  Available  Program Guide  Available  Channel Block (with passcode)  Available  Channel Block (with passcode)  Available  Available  Available  Channel Block (with passcode)  Analog & Digital  Available  Available  Available  Describer Source Name  Available  Available  Audio Guidance  Available  Inputs & Amp; Outputs  HDMI (# of Ports & Version)  4 x HDMI  (HDMI1: HDMI2.0, HDCP 2.2, MHL, CEC; HDMI 2: HDMI2.0, HDCP 2.2, CEC; HDMI 3: HDMI2.0, HDCP 2.2, CEC; HDMI 3: HDMI2.0, HDCP 2.2, CEC; HDMI 4: HDMI2.0, HDCP 2.2, CEC; HDMI 4: HDMI2.0, HDCP 2.2, CEC; HDMI 4: HDMI2.0, HDCP 2.2, CEC;	Energy Guide	Available
Noise Reduction Equipped  MPEG Noise Reduction Equipped  Second Audio Program (SAP) Available  User Define Channel Label Available  Closed Captioning (CC) Available  Program Guide Available  Digital Clock Equipped  Sleep Timer Available  Channel Block (with passcode) Analog & Digital  Power Saving Mode Available  Users Define Source Name Available  Audio Guidance Available  HDMI (# of Ports & Version) 4 x HDMI  (HDMI1: HDMI2.0, HDCP 2.2, MHL, CEC; HDMI 3: HDMI2.0, HDCP 2.2, CEC; HDMI 4: HDMI2.0, HDCP 2.2, CEC;	Comb Filter	3D
MPEG Noise Reduction  Equipped  Available  Available  Closed Captioning (CC)  Available  Program Guide  Digital Clock  Equipped  Available  Channel Block (with passcode)  Available  Available  Available  Channel Block (with passcode)  Available  Available  Available  Available  Channel Block (with passcode)  Available  Audio Guidance  Available  Available  Available  Available  Audio Forts & Version)  A x HDMI  (HDMI1: HDMI2.0, HDCP 2.2, MHL, CEC; HDMI 2: HDMI2.0, HDCP 2.2, CEC; HDMI 3: HDMI2.0, HDCP 2.2, CEC; HDMI 3: HDMI2.0, HDCP 2.2, CEC; HDMI 4: HDMI2.0, HDCP 2.2, CEC;	De-interlace Technology	3D
Available  Jser Define Channel Label  Closed Captioning (CC)  Available  Program Guide  Digital Clock  Equipped  Available  Channel Block (with passcode)  Available  Power Saving Mode  Jsers Define Source Name  Available  Audio Guidance  Available  HDMI (# of Ports & Version)  4 x HDMI  (HDMI1: HDMI2.0, HDCP 2.2, MHL, CEC; HDMI 3: HDMI2.0, HDCP 2.2, CEC; HDMI 3: HDMI2.0, HDCP 2.2, CEC; HDMI 4: HDMI2.0, HDCP 2.2, CEC; HDMI 4: HDMI2.0, HDCP 2.2, CEC;	Noise Reduction	Equipped
Digital Closed Captioning (CC) Available Program Guide Digital Clock Equipped Sleep Timer Available Channel Block (with passcode) Analog & Digital Power Saving Mode Available Available Available Available Digital Clock Sleep Timer Available Channel Block (with passcode) Analog & Digital Available Apply & Available Available Available Apply & Available Av	MPEG Noise Reduction	Equipped
Closed Captioning (CC)  Available  Program Guide  Available  Equipped  Sleep Timer  Available  Channel Block (with passcode)  Analog & Digital  Power Saving Mode  Available  Available  Audio Guidance  Available  HDMI (# of Ports & Version)  A x HDMI  (HDMI1: HDMI2.0, HDCP 2.2, MHL, CEC; HDMI 3: HDMI2.0, HDCP 2.2, CEC; HDMI 4: HDMI2.0, HDCP 2.2, CEC; HDMI 4: HDMI2.0, HDCP 2.2, CEC; HDMI 4: HDMI2.0, HDCP 2.2, ARC, CEC)	Second Audio Program (SAP)	Available
Program Guide Available Digital Clock Equipped Available Channel Block (with passcode) Analog & Digital Power Saving Mode Available Available Available Audio Guidance Available Available Apply Available Available Available Available Available Available Available Available Apply Available Availab	User Define Channel Label	Available
Digital Clock Equipped Sleep Timer Available Channel Block (with passcode) Analog & Digital Power Saving Mode Available Audio Guidance Audio Guidance Available HDMI (# of Ports & Version)  4 x HDMI (HDMI1: HDMI2.0, HDCP 2.2, MHL, CEC; HDMI 2: HDMI2.0, HDCP 2.2, CEC; HDMI 3: HDMI2.0, HDCP 2.2, CEC; HDMI 4: HDMI2.0, HDCP 2.2, ARC, CEC)	Closed Captioning (CC)	Available
Channel Block (with passcode) Analog & Digital  Power Saving Mode Available  Users Define Source Name Available  Audio Guidance Available  Inputs & Define Source Name Available  Available  Available  Available  Inputs & Available  Inputs & Available  Inputs & Available  Inputs & Inputs & Inputs  Available  Inputs & Inputs  Inputs & Inpu	Program Guide	Available
Channel Block (with passcode)  Analog & Digital  Available  Available  Audio Guidance  Audio Guidance  Available  Audio Forts & Version)  A x HDMI  (HDMI1: HDMI2.0, HDCP 2.2, MHL, CEC; HDMI 2: HDMI2.0, HDCP 2.2, CEC; HDMI 3: HDMI2.0, HDCP 2.2, CEC; HDMI 4: HDMI2.0, HDCP 2.2, ARC, CEC)	Digital Clock	Equipped
Available	Sleep Timer	Available
Available Audio Guidance Available April & Avail	Channel Block (with passcode)	Analog & Digital
Audio Guidance  Available  Available  HDMI (# of Ports & Version)  4 x HDMI  (HDMI1: HDMI2.0, HDCP 2.2, MHL, CEC; HDMI 2: HDMI2.0, HDCP 2.2, CEC; HDMI 3: HDMI2.0, HDCP 2.2, CEC; HDMI 4: HDMI2.0, HDCP2.2, ARC, CEC)	Power Saving Mode	Available
Inputs & Samp; Outputs  HDMI (# of Ports & Version)  4 x HDMI (HDMI1: HDMI2.0, HDCP 2.2, MHL, CEC; HDMI 2: HDMI2.0, HDCP 2.2, CEC; HDMI 3: HDMI2.0, HDCP 2.2, CEC; HDMI 4: HDMI2.0, HDCP2.2, ARC, CEC)	Users Define Source Name	Available
HDMI (# of Ports & Version)  4 x HDMI  (HDMI1: HDMI2.0, HDCP 2.2, MHL, CEC;  HDMI 2: HDMI2.0, HDCP 2.2, CEC;  HDMI 3: HDMI2.0, HDCP 2.2, CEC;  HDMI 4: HDMI2.0, HDCP2.2, ARC, CEC)	Audio Guidance	Available
(HDMI1: HDMI2.0, HDCP 2.2, MHL, CEC; HDMI 2: HDMI2.0, HDCP 2.2, CEC; HDMI 3: HDMI2.0, HDCP 2.2, CEC; HDMI 4: HDMI2.0, HDCP2.2, ARC, CEC)	Inputs & Outputs	
HDMI 2: HDMI2.0, HDCP 2.2, CEC; HDMI 3: HDMI2.0, HDCP 2.2, CEC; HDMI 4: HDMI2.0, HDCP2.2, ARC, CEC)	HDMI (# of Ports & Version)	4 x HDMI
HDMI 3: HDMI2.0, HDCP 2.2, CEC; HDMI 4: HDMI2.0, HDCP2.2, ARC, CEC)		(HDMI1: HDMI2.0, HDCP 2.2, MHL, CEC;
HDMI 4: HDMI2.0, HDCP2.2, ARC, CEC)		HDMI 2: HDMI2.0, HDCP 2.2, CEC;
		HDMI 3: HDMI2.0, HDCP 2.2, CEC;
(MHL Port shares with HDMI 1)		HDMI 4: HDMI2.0, HDCP2.2, ARC, CEC)
, , , , , , , , , , , , , , , , , , , ,		(MHL Port shares with HDMI 1)

SCEPTRE®	
Supported HDMI Signals	2160p, 1080/24p, 1080/60p, 1080i, 720p, 480p, 480i
Cable / Antenna Input	1 x IEC-connector 75 Ohm
Supported HDTV Signals	1080p, 1080i, 720p, 480p, 480i
SPDIF Audio Output	Yes
Component (YPbPr) Input	1 x Component
USB	1 x USB 2.0
Supported Component Signals	1080p, 1080i, 720p, 480p, 480i
Composite Video	1 x Composite (Video and Audio ports share with Component)
Mechanical Features	
Chassis Colors	Black Housing
Stand Type	Matted-Finished Metal
Wall Mountable	Capable
Wall Mount Screw Size (mm)	M8 x 16mm
Stand Detachable	Capable
Bezel Width	Top, Left and Right: 0.52"; Bottom: 0.76"
Slim Design	Ultra Slim
VESA Mount Pattern (mm)	400mm x 200mm
Stand Screw Size & Quantity (mm)	M6 x 26mm (4pcs)
Dimensions	
With Stand (inches, W x H x D)	66.10" x 40.47" x 14.29"
Without Stand (Inches, W x H x D)	66.10" x 37.91" x 2.66"
Carton Box Dimension (inches, W x H x	x D)74.02" x 45.67" x 8.46"
Stand Separation Dimension W x D	64" x 15"
(inches)	
Weight	
Net Weight with Stand (lbs)	74.36 lbs
Net Weight without Stand (lbs)	71.56 lbs
Gross Weight (lbs)	99.00 lbs
Power	
Power Range (V, A, Hz)	100 - 240VAC, 60/50Hz, 3A (Max.)
Power Consumption (Typical)	118 W
Maximum	≤ 300W
Standby	≤ 0.5W
Regulations / Certifications	
Regulations	cETLus, FCC, ISTA 3A
Certifications	HDMI, MHL
Warranty	
Limited Parts and Labor	1 Year
What's in the Box?	
Power Cable	AC Power Cable x 1
Accessories	Display,
	Stand (Left & Right),
	User Guide,

SCEPTRE®	
	Warranty Card,
	Screws for Stand, Screw Driver,
	Remote Control
Remote Control Model No	<a href="mailto:automates"></a>
	href="https://www.sceptre.com/Accessories/Remote-Control/TV-Remote-Control-814202
	6670003C-product1054category19category69.html">8142026670003C



# **Key Features**







#### **LED**

With sharper contrasts of light and darks, LED display delivers a vast array of rich colors, ensuring that moving images have never been so pleasing to the eyes.

# **UHD Upscaling**

Breathing new life into the colors of older movies and shows, UHD Upscaling upgrades SD, HD, FHD resolution nearly to the level of the masterful 4K picture quality the UHD display has to offer.

# **Multiple Ports**

For this 4K UHD TV, connectivity is key. Four HDMI ports ensure that images are sharply visible even during fast-paced action scenes.

Component ports will support resolutions up to 1080P

FHD. Connect to your favorite audio devices with the Optical and LineOut Audio outputs.



# **HDMI 2.0**

HDMI 2.0 connects all your favorite devices- game consoles, blu-ray devices, laptops- and delivers the best version of the visual and audio content on the 4K display.



## **HDCP 2.2**

HDCP 2.2 ensures that all the 4K content that is transferred from a source (Blu-Ray player, DVD player, etc.) to the display (the TV) is secured with copyright protection.



# **USB Port**

Let's you view your pictures as a slideshow or listen to your favorite music via the USB port. Just insert your flash drive into the USB port for the ultimate entertainment.



# **Key Features**







## **ARC**

ARC (Audio Return Channel) uses a single HDMI connection to send audio from a TV to a sound bar or AV receiver.

# CEC

The CEC (Consumer Electronics Control) feature effortlessly allows users to control HDMI connected devices with only one remote.

## **VESA Wall Mountable**

The VESA wall mount provides the ideal position to view your TV and eliminates cable clutter, contributing a stylishly modern addition to your decor.



## **Customer Service**

Our customer service representatives are, and have always been, based in the USA, guaranteeing that our customers' needs are met as efficiently as possible.



## 30+ Years of Experience

Founded in City of Industry, CA over 30 years ago, Sceptre Inc. made a promise to create & deliver superior products for remarkably affordable prices, a rare tradition that continues today.