

# C650CV-UMR 65" 4K UHD TV



# Specification

I III I I			En 1	
	<b>⊳</b> 1	<b>W</b> J	60	L'/

Display		
Active Screen Size	64.5" Diagonal Viewable	
Panel Type	VA (Vertical Alignment)	
Curvature	4000R	
Native Resolution	3840 x 2160	
Refresh Rate	60Hz	
Aspect Ratio	16:9	
Display Colors	16.7M	
Response Time	8ms (G-to-G)	
Pixel Pitch	0.372mm (H) x 0.372mm (V)	
Dynamic Contrast Ratio	1,000,000:1	
Color Gamut	sRGB: 83% DCI-P3: 69%	
Contrast Ratio	5,000:1	
Brightness (Typ.)	403 cd/m <sup>2</sup>	
Viewing Angle	Vertical: 178° / Horizontal: 178°	
Backlight Type	LED	
Backlight Life	50.000+ Hours	

Surface Treatment	Glare (Haze 0%), Hard coating (2H), Antireflection		
Features			
Support MHL & ROKU	Yes		
On Screen Display Control (OSD)	Standard/Mild/Dynamic/User		
Color Temperature	Warm, Normal, Cool, Standards		
Adjustable Picture Control*	Brightness, Contrast, Backlight, Color, Tint, Sharpness		
Built-in Tuner	ATSC / NTSC /		
OSD Supported Languages	English / Spanish / French		
Weak Signal Enhancement	Yes		
Comb Filter	3D		
De-interlace Technology	3D		
Auto Dynamic Contrast Mode	Yes		
Noise Reduction	Yes		
MPEG Noise Reduction	Yes		
Surround Sound Mode	Yes		
Sound Equalizer Settings	Yes		
Auto Volume Level Control	No		
Wall Mountable	Yes		
Energy Guide	Yes		
Audio Features			
Speakers	2 ×10W/8Ω		
Video Features			
Picture Mode	Normal, Wide, Cinema, Zoom		
Inputs & Outputs			
HDMI (# of Ports & Version)	x 4		
Supported HDMI Signals	2160P,1080/24p, 1080/60p, 1080i, 720p, 480p, 480i		
Cable / Antenna Input	x 1		
	XI		
3.5mm Auxiliary Input Jack	x 1 x 1		
Supported HDTV Signals	x 1		
Supported HDTV Signals SPDIF Audio Output	x 1 1080p,1080i, 720p, 480p, 480i		
Supported HDTV Signals SPDIF Audio Output Component (YPbPr) Input	x 1 1080p,1080i, 720p, 480p, 480i x 1 (Optical)		
Supported HDTV Signals SPDIF Audio Output Component (YPbPr) Input 3.5mm Headphone Jack (Output)	x 1   1080p,1080i, 720p, 480p, 480i   x 1 (Optical)   x 1 Component		
Supported HDTV Signals SPDIF Audio Output Component (YPbPr) Input 3.5mm Headphone Jack (Output) JSB	x 1   1080p,1080i, 720p, 480p, 480i   x 1 (Optical)   x 1 Component   x 1		
Supported HDTV Signals SPDIF Audio Output Component (YPbPr) Input 3.5mm Headphone Jack (Output) JSB Composite Video	x 1   1080p,1080i, 720p, 480p, 480i   x 1 (Optical)   x 1 Component   x 1   x 1   x 1   x 1   x 1		
Supported HDTV Signals SPDIF Audio Output Component (YPbPr) Input 3.5mm Headphone Jack (Output) JSB Composite Video Analog Audio Output (L + R)	x 1   1080p,1080i, 720p, 480p, 480i   x 1 (Optical)   x 1 Component   x 1   x 1 USB 2.0   x 1 Composite		
Supported HDTV Signals SPDIF Audio Output Component (YPbPr) Input 3.5mm Headphone Jack (Output) USB Composite Video Analog Audio Output (L + R) Mechanical Features	x 1   1080p,1080i, 720p, 480p, 480i   x 1 (Optical)   x 1 Component   x 1   x 1 USB 2.0   x 1 Composite		
Supported HDTV Signals SPDIF Audio Output Component (YPbPr) Input 3.5mm Headphone Jack (Output) USB Composite Video Analog Audio Output (L + R) Mechanical Features VESA Mount Pattern (mm)	x 1   1080p,1080i, 720p, 480p, 480i   x 1 (Optical)   x 1 Component   x 1   x 1 USB 2.0   x 1 Composite   x 1		
Supported HDTV Signals SPDIF Audio Output Component (YPbPr) Input 3.5mm Headphone Jack (Output) USB Composite Video Analog Audio Output (L + R) Mechanical Features VESA Mount Pattern (mm) VESA Mount Screw Size (mm)	x 1   1080p,1080i, 720p, 480p, 480i   x 1 (Optical)   x 1 Component   x 1   x 1   x 1   x 1 USB 2.0   x 1 Composite   x 1   400 x 200		
3.5mm Auxiliary Input Jack Supported HDTV Signals SPDIF Audio Output Component (YPbPr) Input 3.5mm Headphone Jack (Output) USB Composite Video Analog Audio Output (L + R) Mechanical Features VESA Mount Pattern (mm) VESA Mount Screw Size (mm) Stand Screw Size & Quantity (mm) Dimensions	x 1   1080p,1080i, 720p, 480p, 480i   x 1 (Optical)   x 1 Component   x 1   x 1 USB 2.0   x 1 Composite   x 1   400 x 200   M8 x 16		
Supported HDTV Signals SPDIF Audio Output Component (YPbPr) Input 3.5mm Headphone Jack (Output) USB Composite Video Analog Audio Output (L + R) Mechanical Features VESA Mount Pattern (mm) VESA Mount Screw Size (mm) Stand Screw Size & Quantity (mm)	x 1   1080p,1080i, 720p, 480p, 480i   x 1 (Optical)   x 1 Component   x 1   x 1 USB 2.0   x 1 Composite   x 1   400 x 200   M8 x 16		

SCEPTRE®		
Weight		
Net Weight with Stand (lbs)	49.55 lbs	
Net Weight without Stand (lbs)	48.11 lbs	
Gross Weight (lbs)	84.26 lbs	
Power		
Power Range (V, A, Hz)	100~240V 60Hz	
Power Consumption (Typical)	131.2w	
Maximum	220w	
Standby	≤0.5W	
Regulations / Certifications		
Regulations	cTUVus FCC, RoHS	
Certifications	HDMI	
Warranty		
Limited Parts and Labor	One Year	
What's in the Box?		
Power Cable	AC Power Cable x 1	
Accessories	Display, Stand (Left & Right), User Guide, Warranty Card, Screws for Stand, Remote	
	Control	
Remote Control Model No	<a< td=""></a<>	
	href="http://www.sceptre.com/Accessories/Remote-Control/TV-Remote-Control-8142026	
	670003C-product1054category19category69.html">8142026670003C	





# **Curved TV**

The 4000R degree curved design immerses you into all of the action no matter where you choose to sit in the room.





#### LED

With sharper contrasts of light and darks, LED display delivers a vast array of rich colors, ensuring that moving images have never been so pleasing to the eyes.

# **UHD Upscaling**

Breathing new life into the colors of older movies and shows, UHD Upscaling upgrades SD, HD, FHD resolution nearly to the level of the masterful 4K picture quality the UHD display has to offer.



#### **Multiple Ports**

4 HDMI ports deliver sharply crafted images during fast-paced action scenes. Component & Composite ports provide analog video. Audio In, a headphone jack, & optical out enhance audio.



HDMI 2.0

Connect all your favorite devicesgame consoles, blu-ray devices, laptops. HDMI 2.0 ensures you get the best picture and audio quality from your 4K display.



# HDCP 2.2

HDCP 2.2 ensures that all the 4K content that is transferred from a source (Blu-Ray player, DVD player, etc.) to the display (the TV) is secured with copyright protection.





## USB

Let's you view your pictures as a slideshow or listen to your favorite music via the USB port. Just insert your flash drive into the USB port for the ultimate entertainment.



**Audio Return Channel (ARC)** 

a single HDMI connection to send

Audio Return Channel, or ARC, uses

audio from a TV to the SoundBar or

AV Receiver. Using one HDMI cable,

video is send to the TV with an HDMI cable, and that same HDMI cable sends audio from the TV back down

the same cable.



# CEC

The CEC (Consumer Electronics Control) feature effortlessly allows users to control HDMI connected devices with only one remote.



### **VESA Wall Mountable**

The VESA wall mount provides the ideal position to view your TV and eliminates cable clutter, contributing a stylishly modern addition to your decor.



#### **Customer Service**

Our customer service representatives are, and have always been, based in the USA, guaranteeing that our customers' needs are met as efficiently as possible.



#### 30+ Years of Experience

Founded in City of Industry, CA over 30 years ago, Sceptre Inc. made a promise to create & deliver superior products for remarkably affordable prices, a rare tradition that continues today.