

## X409BV-FHD 40" LCD TV



## Specification

LCD Panel	
Aspect Ratio	Wide Screen 16:9
Refresh Rate	60 Hz
Brightness	350 cd/m <sup>2</sup>
Response Time	8.5 ms (G-to-G)
Colors	16.7M (8-bit)
Lamp Life	50,000+ Hour
Viewing Angle	178° (Horizontal) / 178° (Vertical)
Display	
Active Screen Size	39" (38.5" Diagonal corner to corner)
Native Resolution	1920 x 1080
Dynamic Contrast Ratio	90,000 : 1
Contrast Ratio	5000 :1 (Typical)
Features	
On Screen Display Control (OSD)	Picture, Sound, Channel, Parental, Setup, Others
Built-in Tuner	ATSC / NTSC / Clear QAM
OSD Supported Languages	English (Default), French, Spanish

Weak Signal Enhancement	Yes
Comb Filter	3D
De-interlace Technology	3D
Auto Dynamic Contrast Mode	Yes
Noise Reduction	Yes
MPEG Noise Reduction	Yes
Built-in Speakers	10 watts per channel x 2
Surround Sound Mode	Yes
Sound Equalizer Settings	Yes (7-band)
Auto Volume Level Control	Yes
Wall Mountable	Yes
Swivel Angles	+/- 30 degree
Neck & Base Detachable	Yes
Energy Guide	X409BV-FHD

#### Inputs

PC Audio In	1 x Audio In terminal (black)
-------------	-------------------------------

#### Outputs

Analog Audio Output ( L + R)	1 (2 x RCA terminals (white, red))
Headphone Output	1 x Earphone terminal (black)

#### HDTV Signal Compatibility

VGA Input Support	1920 x 1080 @ 60Hz (Native & Max) 1680 x 1050 @ 60Hz 1360 x 768 @ 60Hz 1280 x 1024 @ 60Hz 1024x768 @ 60Hz 800x600 @ 60Hz
-------------------	---

#### Inputs & Outputs

HDMI (# of Ports & Version)	3 x HDMI
Supported HDMI Signals	1080/24P, 1080/60P, 1080i, 720P, 480P, 480i
Cable / Antenna Input	1 x IEC-Connector 75 Ohm
Supported HDTV Signals	1080P, 1080i, 720P, 480P, 480i
SPDIF Audio Output	1 x SPDIF (Coaxial, Orange)
VGA (# of Ports)	1 x D-SUB terminal (blue, 15 pin)
Component (YPbPr) Input	1 x Component (Audio input share with composite)
USB	1 x USB 2.0
Composite Video	1 x Composite

#### Mechanical Features

VESA Mount Pattern (mm)	200mm x 200mm
VESA Mount Screw Size (mm)	M5 x 11mm

#### Dimensions

With Stand (inches, W x H x D)	36.5" x 25.2" x 11.1"
Without Stand (Inches, W x H x D)	36.5" x 22.8" x 4.5"
Carton Box Dimension (inches, W x H x D)	40.9" x 28.0" x 9.8"

#### Weight

Net Weight with Stand (lbs)	26.01 lb
Net Weight without Stand (lbs)	23.78 lb
Gross Weight (lbs)	33 lb

Power	
Power Range (V, A, Hz)	100 VAC - 240 VAC, 60/50 Hz, 3A (Max.)
Power Consumption (Typical)	160 W (Maximum) 70 W (Typical) ≤ 1 W (Standby)
Regulations / Certifications	
Certificates	FCC, cTUVus, Energy Star V5.3, ISTA 3A
Warranty	
Limited Parts and Labor	One Year

## Key Features



### Swivel Base

The swivel base allows you to rotate your HDTV up to +/- 15 degrees so you can obtain the best view of the screen in all its brilliant clarity.



### HDMI

HDMI not only delivers superior digital video and audio, but also, connects both to the TV with only one cable.



### Parental Control

Limits TV and movie viewing based on movie & TV rating as you select each rating. V-chip provides parents with the ability to determine their children's viewing options based on the movie and television content rating system.



### USB

Let's you view your pictures as a slideshow or listen to your favorite music via the USB port. Just insert your flash drive into the USB port for the ultimate entertainment.



### Analog Audio Out

Offering superior backwards compatibility for stereo receivers, Sceptre TVs are built with a pair of analog RCA audio outputs which will enrich your audio experience without the necessity of purchasing new digital audio equipment.



### Customer Service

Our customer service representatives are, and have always been, based in the USA, guaranteeing that our customers' needs are met as efficiently as possible.

## Key Features

---



### **30+ Years of Experience**

Founded in City of Industry, CA over 30 years ago, Sceptre Inc. made a promise to create & deliver superior products for remarkably affordable prices, a rare tradition that continues today.