

## C305B-200UN 30" Curved Monitor



## Specification

## Display

| Display                |                                   |
|------------------------|-----------------------------------|
| Active Screen Size     | 30" Diagonal Viewable             |
| Panel Type             | VA (Vertical Alignment)           |
| Curvature              | 1800R                             |
| Native Resolution      | 2560 x 1080 Wide Full HD          |
| Refresh Rate           | Up to 200Hz Refresh Rate          |
| Aspect Ratio           | 21:9                              |
| Response Time          | 5ms GTG                           |
| Pixel Pitch            | 0.2697mm (H) x 0.2697mm (V)       |
| Dynamic Contrast Ratio | 1,000,000:1                       |
| Color Gamut            | sRGB:90%                          |
| Color Depth            | 16.7M                             |
| Contrast Ratio         | 3,000:1                           |
| Brightness (Typ.)      | 270 cd/m2                         |
| Viewing Angle          | Vertical: 160° / Horizontal: 170° |
| Backlight Type         | Edge-Lit LED                      |
| Backlight Life         | 50,000+ Hours                     |
|                        |                                   |

| SCEPTRE®  |   |  |
|---|---|--|
| Anti-Flicker  | Yes   |  |
| Surface Treatment   | Anti-glare, 3H  |  |
| Features  |   |  |
| On Screen Display Control (OSD)                                 | Quick Start, Picture, Color, System                       |  |
| Color Temperature   | Warm, Normal (Default), Cool, User                        |  |
| Picture Presets   | Standard, User, Movie, Eco, FPS, RTS                      |  |
| Game Presets  | FPS and RTS   |  |
| OSD Supported Languages   | English (Default), French, Spanish , Chinese              |  |
| Type of Sync  | AMD FreeSync  |  |
| Backcover LED Lights  | Red   |  |
| Blue Light Shift  | Available   |  |
| Overdrive   | Yes   |  |
| Auto Dynamic Contrast Mode                                      | Available   |  |
| Auto Standby  | Available   |  |
| Wall Mountable  | Yes   |  |
| Gamma   | Adjustable  |  |
| Audio Features  |   |  |
| Speakers  | 2 ×3W/4Ω  |  |
| Inputs & Outputs  |   |  |
| HDMI (# of Ports & Version)                                     | 1 x HDMI 2.0 (165Hz) & 2 x HDMI 1.4 (75Hz)                |  |
| Supported HDMI Signals  | Up to 2560 x 1080 @ 165Hz, 1080/60p, 1080/60i, 720p, 480p |  |
| DP (# of Ports & Version)                                       | 1 x DisplayPort (200Hz)                                   |  |
| Supported DP Signals  | Up to 2560 x 1080 @ 200Hz, 1080/60p, 1080/60i, 720p, 480p |  |
| 3.5mm Headphone Jack (Output)                                   | Yes   |  |
| Mechanical Features   |   |  |
| Chassis Colors  | Black   |  |
| Tilt  | Backward: 10°, Forward: 3°                                |  |
| Neck / Stand Detachable   | Yes   |  |
| Slim Design   | Ultra Slim  |  |
| VESA Mount Pattern (mm)   | 75mm x 75mm   |  |
| VESA Mount Screw Size (mm)                                      | M4 x 10mm   |  |
| Neck Screw Size & Quantity (mm)                                 | M4 x 12mm (1 pcs)   |  |
| Stand Screw Size & Quantity (mm)                                | M4 x 12mm (2 pcs)   |  |
| Monitor Neck Height (inches)                                    | 12.1"   |  |
| Dimensions  |   |  |
| With Stand (inches, $W \times H \times D$ )                     | 27.8" x 16.1" x 7.4"                                      |  |
| Without Stand (Inches, $W \times H \times D$ )                  | 27.8" x 12.6" x 4.3"                                      |  |
| Carton Box Dimension (inches, W x H x D)31.97" x 16.46" x 6.38" |   |  |
| Stand Separation Dimension W ${\sf x}$ D                        | 18.30" x 7.42"  |  |
| (inches)  |   |  |
| Weight  |   |  |
| Net Weight with Stand (lbs)                                     | 12.15 lbs   |  |
| Net Weight without Stand (lbs)                                  | 11.025 lbs  |  |

| SCEPTRE®                     |   |
|------------------------------|---|
| Gross Weight (lbs)           | 15.45 lbs   |
| Power                        |   |
| Power Range (V, A, Hz)       | Input: DC 12V, 4A   |
| Power Consumption (Typical)  | ≤ 39W   |
| Maximum                      | ≤ 52W   |
| Standby                      | ≤ 0.5W  |
| Sleep                        | ≤ 0.5W  |
| Off                          | ≤ 0.5W  |
| Regulations / Certifications |   |
| Regulations                  | FCC, cTUVus, ISTA, RoHS, AMD, UL  |
| Warranty                     |   |
| Limited Parts and Labor      | One Year  |
| What's in the Box?           |   |
| Power Cable                  | AC Power Cable x 1  |
| Display Cable                | DisplayPort x 1   |
| Accessories                  | Monitor Display x 1, Base x 1, Neck x 1, Screw Driver x 1, Base Screws x 2, Neck Screws |
|                              | x 1, User Manual x 1, VESA Mount Adapter x 1  |

