

C248B-144RK 24" Curved Monitor



Specification


Display	
Active Screen Size	24" Diagonal Viewable
Panel Type	VA (Vertical Alignment)
Curvature	1800R
Native Resolution	1920 x 1080
Refresh Rate	Up to 144Hz Refresh Rate
Aspect Ratio	16:9
Response Time	3 ms (G-to-G)
Pixel Pitch	0.3114mm (H) x 0.3114mm (V)
Dynamic Contrast Ratio	1,000,000 : 1
Color Gamut	sRGB:85% DCI-P3:70%
Color Depth	16.7M
Contrast Ratio	3,000:1
Brightness (Typ.)	250 cd/m²
Viewing Angle	Vertical: 178° / Horizontal: 178°
Backlight Type	Edge-Lit LED
Backlight Life	30,000+ Hours

Anti-Ficker Yes Surface Treatment Antiglare Features On Screen Display Control (OSD) Quick Start, Picture, Color, System Color Temperature Warm, Normal (Default), Cool, User Picture Presets Standard, User, Movie, Eco, FPS, RTS Game Presets (FPS and RTS) OSD Supported Languages English (Default), French, Spanish , Chinese Type of Sync AMD FreeSync™ Blue Light Shift Available Auto Standby Available Auto Standby Available Auto Standby Available Autifice Features Speakers 2 x 3W/4Ω Inputs & Amp; Outputs Inputs & Amp; Outputs Inputs & Amp; Outputs Inputs & Amp; Outputs Inputs & Out	SCEPTRE®	
Peatures On Screen Display Control (OSD) Quick Start, Picture, Color, System Color Temperature Warm, Normal (Default), Cool, User Picture Presets Standard, User, Movie, Eco, FPS, RTS Game Presets FPS and RTS OSD Supported Languages English (Default), French, Spanish , Chinese Type of Sync AMD FreeSync™ Blue Light Shift Available Auto Standby Available Auto Standby Available Auto Standby Available Autio Foatures Speakers 2 x 3W/AQ Inputs & Amp; Outputs WHDMI (# of Ports & Version) 1 x HDMI (# 144Hz) Supported HDMI Signals 1920 x 1080 ⊕ 144Hz; 480p, 576p,720p,1080p DP (# of Ports & Version) 1 x DisplayPort (144Hz) Supported OP Signals 1920 x 1080 ⊕ 144Hz; 480p, 576p,720p,1080p DVI (# of Ports) 1 x DVI (144Hz) 3.5mm Auxiliary Input Jack Supported DVI Signals 1920 x 1080 ⊕ 144Hz; 480p, 576p,720p,1080p DVI (# of Ports) 1 x DVI (144Hz) 3.5mm Auxiliary Input Jack Yes Supported DVI Signals 1920 x 1080 ⊕ 144Hz; 480p, 576p,720p,1080p Tilt Forward: 5° Backward 15° Neck / Stand Detachable Yes WESA Mount Pattern (mm) 100mm x 100mm VESA Mount Screw Size & Quantity (mm) M4 x 10mm Neck Screw Size & Quantity (mm) M4 x 10mm Neck Screw Size & Quantity (mm) M4 x 10mm 2 pcs. Stand Screw Size & Quantity (mm) M4 x 10mm 2 pcs. Stand Screw Size & Quantity (mm) Dimensions With Stand (Inches, W x H x D) 21.5° x 12.6° x 2.4° Without Stand (Inches, W x H x D) 22.91° x 15.31° x 4.48° Widoight Net Weight without Stand (Ibs) 5, 73 lbs	Anti-Flicker	Yes
On Screen Display Control (OSD) Quick Start, Picture, Color, System Color Temperature Warm, Normal (Default), Cool, User Picture Presets Standard, User, Movie, Eco, FPS, RTS Game Presets FPS and RTS SDS Dyoproted Languages English (Default), French, Spanish , Chinese Type of Sync AMD FreeSync" Blue Light Shift Available Auto Dynamic Contrast Mode Available Auto Standby Available Garma Adjustable Audio Features Speakers Speakers 2 x 3W/4Q Inputs & Samp: Outputs Inputs & Goversion HDMI (# of Ports & Version) 1 x HDMI (144Hz) Supported HDMI Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p DP (# of Ports & Version) 1 x DVI (144Hz) Supported DP Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p DVI (# of Ports) 1 x DVI (144Hz) 3.5mm Auxiliary Input Jack Yes Supported DVI Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p 3.5mm Headphone Jack (Output) Yes Mechanical Features	Surface Treatment	Antiglare
Color Temperature Warm, Normal (Default), Cool, User Picture Presets Standard, User, Movie, Eco, FPS, RTS Game Presets FPS and RTS OSD Supported Languages English (Default), French, Spanish , Chinese Type of Sync AMD FreeSync." Blue Light Shift Available Auto Dynamic Contrast Mode Available Auto Dynamic Contrast Mode Available Auto Breatures 2 x 3W/40 Inputs & Standby Available Auto Freatures Speakers 2 x 3W/40 Inputs & Samp; Outputs HDMI (# of Ports & Version) 1 x HDMI (144Hz) Supported HDMI Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p DP (# of Ports & Version) 1 x DisplayPort (144Hz) Supported DP Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p DVI (# of Ports & Version) 1 x DVI (144Hz) 3.5mm Auxiliary Input Jack Yes Supported DVI Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p 3.5mm Headphone Jack (Output) Yes Mechanical Features Chassis Colors black Till Forward: 5° Backward 15° Neck / Stand Detachable Yes VESA Mount Pattern (mm) 100mm x 100mm VESA Mount Pattern (mm) 100mm x 100mm VESA Mount Screw Size & Quantity (mm) M4 x 10mm 2 pcs. Stand Screw Size & Quantity (mm) M4 x 10mm 2 pcs. Stand Screw Size & Quantity (mm) M4 x 10mm 2 pcs. Version Version Version Version Version Version Version	Features	
Picture Presets Standard, User, Movie, Eco, FPS, RTS	On Screen Display Control (OSD)	Quick Start, Picture, Color, System
Game Presets FPS and RTS	Color Temperature	Warm, Normal (Default), Cool, User
OSD Supported Languages English (Default), French, Spanish , Chinese Type of Sync AMD FreeSync™ Blue Light Shift Available Auto Dynamic Contrast Mode Available Auto Standby Available Auto Standby Available Audio Features Speakers 2 x 3W/4Ω Inputs & Amp; Outputs HDMI (# of Ports & Version) 1 x HDMI (144Hz) Supported HDMI Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p DP (# of Ports & Version) 1 x DisplayPort (144Hz) Supported DP Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p DV (# of Ports) 1 x DVI (144Hz) 3.5mm Auxiliary Input Jack Yes Supported DVI Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p DV (# of Ports) 1 x DVI (144Hz) 3.5mm Headphone Jack (Output) Yes Mechanical Features Chassis Colors black Tilt Forward: 5° Backward 15° Neck / Stand Detachable Yes VESA Mount Pattern (mm) 100mm x 100mm VESA Mount Screw Size & Quantity (mm) M4 x 10mm Neck Screw Size & Quantity (mm) M4 x 10mm Neck Screw Size & Quantity (mm) M4 x 10mm Neck Screw Size & Quantity (mm) M4 x 10mm Neck Screw Size & Quantity (mm) M4 x 12mm 2 pcs. Dimensions With Stand (Inches, W x H x D) 21.5" x 12.8" x 2.8" Carton Box Dimension (inches, W x H x D) 22.91" x 15.31" x 4.48" Veight Net Weight with Stand (lbs) 6.32 lbs Net Weight with Stand (lbs) 5.73 lbs	Picture Presets	Standard, User, Movie, Eco, FPS, RTS
Type of Sync AMD FreeSync™ Blue Light Shift Available Auto Dynamic Contrast Mode Available Auto Standby Available Audio Features Speakers 2 x 3W/4Ω Inputs & Amp; Outputs HDMI (# of Ports & Version) 1 x HDMI (144Hz) Supported HDMI Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p DP (# of Ports & Version) 1 x DisplayPort (144Hz) Supported DP Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p DV (# of Ports & Version) 1 x DisplayPort (144Hz) 3.5mm Auxiliary Input Jack Yes Supported DVI Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p DVI (# of Ports) 1 x DVI (144Hz) 3.5mm Auxiliary Input Jack Yes Supported DVI Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p DVI (# of Ports) 1 x DVI (144Hz) 3.5mm Headphone Jack (Output) Yes Mechanical Features Chassis Colors black Tilt Forward: 5° Backward 15° Neck / Stand Detachable Yes VESA Mount Pattern (mm) 100mm x 100mm VESA Mount Screw Size & Quantity (mm) M4 x 10mm Neck Screw Size & Quantity (mm) M4 x 10mm Neck Screw Size & Quantity (mm) M4 x 10mm 2 pcs. Stand Screw Size & Quantity (mm) M4 x 12mm 2 pcs. Dimensions With Stand (linches, W x H x D) 21.5" x 15.6" x 5.4" Without Stand (linches, W x H x D) 21.5" x 15.31" x 4.48" Weight Net Weight with Stand (lbs) 6.32 lbs Net Weight with Stand (lbs) 5.73 lbs	Game Presets	FPS and RTS
Blue Light Shift Available Auto Dynamic Contrast Mode Available Auto Standby Available Gamma Adjustable Audio Features Speakers 2 x 3W/4Q Inputs & Samp: Outputs HDMI (# of Ports & Version) 1 x HDMI (144Hz) Supported HDMI Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p DP (# of Ports & Version) 1 x DisplayPort (144Hz) Supported DP Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p DVI (# of Ports & Version) 1 x DVI (144Hz) Supported DVI Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p DVI (# of Ports) 1 x DVI (144Hz) 3.5mm Auxiliary Input Jack Yes Supported DVI Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p 3.5mm Headphone Jack (Output) Yes Mechanical Features Chassis Colors black Tilt Forward: 5° Backward 15° Neck / Stand Detachable Yes VESA Mount Pattern (mm) 100mm x 100mm VESA Mount Screw Size & Quantity (mm) M4 x 10mm Neck Screw Size & Quantity (mm) M4 x 10mm Neck Screw Size & Quantity (mm) M4 x 10mm 2 pcs. Stand Screw Size & Quantity (mm) M4 x 12mm 2 pcs. Dimensions With Stand (inches, W x H x D) 21.5° x 12.8° x 2.8° Carton Box Dimension (inches, W x H x D) 22.91" x 15.31" x 4.48" Weight Net Weight with Stand (lbs) 6.32 lbs Net Weight with Stand (lbs) 5.73 lbs	OSD Supported Languages	English (Default), French, Spanish , Chinese
Auto Dynamic Contrast Mode Available Auto Standby Available Audio Features Speakers 2 x 3W/4Q Inputs & Amp; Outputs HDMI (# of Ports & Version) 1 x HDMI (144Hz) Supported HDMI Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p DP (# of Ports & Version) 1 x DVI (144Hz) Supported PS Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p DVI (# of Ports & Version) 1 x DVI (144Hz) 3.5mm Auxiliary Input Jack Ves Supported DVI Signals 3.5mm Auxiliary Input Jack Ves Supported DVI Signals 3.5mm Headphone Jack (Output) Yes Mechanical Features Chassis Colors black Tilt Forward: 5° Backward 15° Neck / Stand Detachable Yes VESA Mount Pattern (mm) 100mm x 100mm VESA Mount Screw Size & Quantity (mm) Mx x 10mm Neck Screw Size & Quantity (mm) M4 x 10mm Neck Screw Size & Quantity (mm) M4 x 12mm 2 pcs. Dimensions With Stand (Inches, W x H x D) 21.5" x 12.8" x 2.8" Carton Box Dimension (inches, W x H x D) 22.5" x 12.8" x 2.8" Vesight Net Weight with Stand (lbs) 6.32 lbs Net Weight with Stand (lbs) 5.73 lbs	Type of Sync	AMD FreeSync™
Auto Standby Adjustable Audio Features Speakers 2 x 3W/4Ω Inputs & Amp; Outputs HDMI (# of Ports & Version) 1 x HDMI (144Hz) Supported HDMI Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p DP (# of Ports & Version) 1 x DisplayPort (144Hz) Supported DP Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p DVI (# of Ports) 1 x DVI (144Hz) 3.5mm Auxiliary Input Jack Yes Supported DVI Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p DVI (# of Ports) 1 x DVI (144Hz) 3.5mm Auxiliary Input Jack Yes Supported DVI Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p 3.5mm Headphone Jack (Output) Yes Mechanical Features Chassis Colors black Tilt Forward: 5° Backward 15° Neck / Stand Detachable Yes VESA Mount Pattern (mm) 100mm x 100mm VESA Mount Pattern (mm) 4 x 10mm Neck Screw Size & Quantity (mm) M4 x 10mm 2 pcs. Stand Screw Size & Quantity (mm) M4 x 10mm 2 pcs. Dimensions With Stand (inches, W x H x D) 21.5" x 12.8" x 2.8" Carton Box Dimension (inches, W x H x D) 22.5" x 12.8" x 2.8" Carton Box Dimension (inches, W x H x D) 22.91" x 15.31" x 4.48" Weight Net Weight with Stand (lbs) 5.73 lbs	Blue Light Shift	Available
Gamma Adjustable Audio Features Speakers 2 x 3W/4Ω Inputs & Outputs Inputs & Outputs HDMI (# of Ports & Version) 1 x HDMI (144Hz) Supported HDMI Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p DP (# of Ports & Version) 1 x DSVI (144Hz) Supported DP Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p DVI (# of Ports) 1 x DVI (144Hz) 3.5mm Auxiliary Input Jack Yes Supported DVI Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p 3.5mm Headphone Jack (Output) Yes Mechanical Features Indicate the second of t	Auto Dynamic Contrast Mode	Available
Speakers 2 x 3W/4Ω Inputs & Amp; Outputs	Auto Standby	Available
Inputs & Amp; Outputs	Gamma	Adjustable
Inputs & Bamp; Outputs HDMI (# of Ports & Version) 1 x HDMI (144Hz) Supported HDMI Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p DP (# of Ports & Version) 1 x DisplayPort (144Hz) Supported DP Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p DVI (# of Ports) 1 x DVI (144Hz) 3.5mm Auxiliary Input Jack Yes Supported DVI Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p 3.5mm Headphone Jack (Output) Yes Mechanical Features Chassis Colors black Tilt Forward: 5° Backward 15° Neck / Stand Detachable Yes VESA Mount Pattern (mm) 100mm x 100mm VESA Mount Screw Size (mm) M4 x 10mm Neck Screw Size & Quantity (mm) M4 x 10mm 2 pcs. Stand Screw Size & Quantity (mm) M4 x 12mm 2 pcs. Dimensions With Stand (Inches, W x H x D) 21.5" x 15.6" x 5.4" Without Stand (Inches, W x H x D) 21.5" x 12.8" x 2.8" Carton Box Dimension (inches, W x H x D) Carton Box Dimension (inches, W x H x D) Weight Net Weight without Stand (lbs) 5.73 lbs	Audio Features	
## HDMI (# of Ports & Version) 1 x HDMI (144Hz) Supported HDMI Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p DP (# of Ports & Version) 1 x DisplayPort (144Hz) Supported DP Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p DVI (# of Ports) 1 x DVI (144Hz) 3.5mm Auxiliary Input Jack Yes Supported DVI Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p 3.5mm Headphone Jack (Output) Yes Mechanical Features Chassis Colors black Tilt Forward: 5° Backward 15° Neck / Stand Detachable Yes VESA Mount Pattern (mm) 100mm x 100mm VESA Mount Screw Size (mm) M4 x 10mm Neck Screw Size & Quantity (mm) M4 x 10mm 2 pcs. Stand Screw Size & Quantity (mm) M4 x 12mm 2 pcs. Dimensions With Stand (inches, W x H x D) 21.5" x 15.6" x 5.4" Without Stand (Inches, W x H x D) Carton Box Dimension (inches, W x H x D) Carton Box Dimension (inches, W x H x D) Veight Net Weight without Stand (lbs) 6.32 lbs Net Weight without Stand (lbs) 5.73 lbs	Speakers	2 x 3W/4Ω
Supported HDMI Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p DP (# of Ports & Version) 1 x DisplayPort (144Hz) Supported DP Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p DVI (# of Ports) 1 x DVI (144Hz) 3.5mm Auxiliary Input Jack Yes Supported DVI Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p 3.5mm Headphone Jack (Output) Yes Mechanical Features Chassis Colors black Tilt Forward: 5° Backward 15° Neck / Stand Detachable Yes VESA Mount Pattern (mm) 100mm x 100mm VESA Mount Screw Size (mm) M4 x 10mm Neck Screw Size & Quantity (mm) M4 x 10mm 2 pcs. Stand Screw Size & Quantity (mm) M4 x 12mm 2 pcs. Dimensions 21.5" x 15.6" x 5.4" Without Stand (Inches, W x H x D) 21.5" x 12.8" x 2.8" Carton Box Dimension (inches, W x H x D) 22.91" x 15.31" x 4.48" Weight Net Weight without Stand (lbs) 5.73 lbs	Inputs & Outputs	
DP (# of Ports & Version) 1 x DisplayPort (144Hz) Supported DP Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p DVI (# of Ports) 1 x DVI (144Hz) 3.5mm Auxiliary Input Jack Yes Supported DVI Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p 3.5mm Headphone Jack (Output) Yes Machanical Features Chassis Colors black Tilt Neck / Stand Detachable Yes VESA Mount Pattern (mm) 100mm x 100mm VESA Mount Screw Size (mm) M4 x 10mm Neck Screw Size & Quantity (mm) M4 x 10mm 2 pcs. Stand Screw Size & Quantity (mm) M4 x 12mm 2 pcs. Dimensions With Stand (inches, W x H x D) 21.5" x 15.6" x 5.4" Without Stand (Inches, W x H x D) 21.5" x 12.8" x 2.8" Carton Box Dimension (inches, W x H x D) 22.91" x 15.31" x 4.48" Weight Net Weight with Stand (lbs) 6.32 lbs Net Weight without Stand (lbs) 5.73 lbs	HDMI (# of Ports & Version)	1 x HDMI (144Hz)
Supported DP Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p DVI (# of Ports) 1 x DVI (144Hz) 3.5mm Auxiliary Input Jack Yes Supported DVI Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p 3.5mm Headphone Jack (Output) Yes Mechanical Features Chassis Colors black Tilt Forward: 5° Backward 15° Neck / Stand Detachable Yes VESA Mount Pattern (mm) 100mm x 100mm VESA Mount Screw Size (mm) M4 x 10mm Neck Screw Size & Quantity (mm) M4 x 10mm 2 pcs. Stand Screw Size & Quantity (mm) M4 x 12mm 2 pcs. Dimensions With Stand (Inches, W x H x D) 21.5" x 15.6" x 5.4" Without Stand (Inches, W x H x D) 21.5" x 12.8" x 2.8" Carton Box Dimension (inches, W x H x D) Weight Net Weight with Stand (lbs) 6.32 lbs Net Weight without Stand (lbs) 5.73 lbs	Supported HDMI Signals	1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p
DVI (# of Ports) 1 x DVI (144Hz) 3.5mm Auxiliary Input Jack Yes Supported DVI Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p 3.5mm Headphone Jack (Output) Yes Mechanical Features Chassis Colors black Tilt Forward: 5° Backward 15° Neck / Stand Detachable Yes VESA Mount Pattern (mm) 100mm x 100mm VESA Mount Screw Size (mm) M4 x 10mm Neck Screw Size & Quantity (mm) M4 x 10mm 2 pcs. Stand Screw Size & Quantity (mm) M4 x 12mm 2 pcs. Dimensions With Stand (inches, W x H x D) 21.5" x 15.6" x 5.4" Without Stand (Inches, W x H x D) 21.5" x 12.8" x 2.8" Carton Box Dimension (inches, W x H x D) 21.5" x 15.31" x 4.48" Weight Weight with Stand (lbs) 6.32 lbs Net Weight without Stand (lbs) 5.73 lbs	DP (# of Ports & Version)	1 x DisplayPort (144Hz)
3.5mm Auxiliary Input Jack Supported DVI Signals 1920 x 1080 ⊕ 144Hz; 480p, 576p,720p,1080p 3.5mm Headphone Jack (Output) Yes Mechanical Features Chassis Colors black Tilt Forward: 5° Backward 15° Neck / Stand Detachable Yes VESA Mount Pattern (mm) 100mm x 100mm VESA Mount Screw Size (mm) M4 x 10mm Neck Screw Size & Quantity (mm) M4 x 10mm 2 pcs. Stand Screw Size & Quantity (mm) M4 x 12mm 2 pcs. Dimensions With Stand (inches, W x H x D) 21.5" x 15.6" x 5.4" Without Stand (Inches, W x H x D) Carton Box Dimension (inches, W x H x D) Weight Net Weight with Stand (lbs) 6.32 lbs Net Weight without Stand (lbs) 5.73 lbs	Supported DP Signals	1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p
Supported DVI Signals 1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p 3.5mm Headphone Jack (Output) Yes Mechanical Features Chassis Colors black Tilt Forward: 5° Backward 15° Neck / Stand Detachable Yes VESA Mount Pattern (mm) 100mm x 100mm VESA Mount Screw Size (mm) M4 x 10mm Neck Screw Size & Quantity (mm) M4 x 10mm 2 pcs. Stand Screw Size & Quantity (mm) M4 x 12mm 2 pcs. Dimensions With Stand (inches, W x H x D) 21.5" x 15.6" x 5.4" Without Stand (Inches, W x H x D) Carton Box Dimension (inches, W x H x D) Veight Net Weight with Stand (lbs) 6.32 lbs Net Weight without Stand (lbs) 5.73 lbs	DVI (# of Ports)	1 x DVI (144Hz)
3.5mm Headphone Jack (Output) Mechanical Features Chassis Colors black Tilt Forward: 5° Backward 15° Neck / Stand Detachable Yes VESA Mount Pattern (mm) VESA Mount Screw Size (mm) Neck Screw Size & Quantity (mm) M4 x 10mm Neck Screw Size & Quantity (mm) M4 x 12mm 2 pcs. Stand Screw Size & Quantity (mm) M4 x 12mm 2 pcs. Dimensions With Stand (inches, W x H x D) 21.5" x 15.6" x 5.4" Without Stand (Inches, W x H x D) Carton Box Dimension (inches, W x H x D) Veight Net Weight with Stand (lbs) 6.32 lbs Net Weight without Stand (lbs) 5.73 lbs	3.5mm Auxiliary Input Jack	Yes
Chassis Colors black Tilt Forward: 5° Backward 15° Neck / Stand Detachable Yes VESA Mount Pattern (mm) 100mm x 100mm VESA Mount Screw Size (mm) M4 x 10mm Neck Screw Size & Quantity (mm) M4 x 10mm 2 pcs. Stand Screw Size & Quantity (mm) M4 x 12mm 2 pcs. Dimensions With Stand (inches, W x H x D) 21.5" x 15.6" x 5.4" Without Stand (Inches, W x H x D) 21.5" x 12.8" x 2.8" Carton Box Dimension (inches, W x H x D) 22.91" x 15.31" x 4.48" Weight Net Weight with Stand (lbs) 6.32 lbs Net Weight without Stand (lbs) 5.73 lbs	Supported DVI Signals	1920 x 1080 @ 144Hz; 480p, 576p,720p,1080p
Chassis Colors Tilt Forward: 5° Backward 15° Neck / Stand Detachable Yes VESA Mount Pattern (mm) VESA Mount Screw Size (mm) Neck Screw Size & Quantity (mm) M4 x 10mm Neck Screw Size & Quantity (mm) M4 x 12mm 2 pcs. Stand Screw Size & Quantity (mm) M4 x 12mm 2 pcs. Dimensions With Stand (inches, W x H x D) 21.5" x 15.6" x 5.4" Without Stand (Inches, W x H x D) Carton Box Dimension (inches, W x H x D) Carton Box Dimension (inches, W x H x D) Net Weight with Stand (Ibs) 6.32 lbs Net Weight without Stand (Ibs) 5.73 lbs	3.5mm Headphone Jack (Output)	Yes
Tilt Forward: 5° Backward 15° Neck / Stand Detachable Yes VESA Mount Pattern (mm) 100mm x 100mm VESA Mount Screw Size (mm) M4 x 10mm Neck Screw Size & Quantity (mm) M4 x 10mm 2 pcs. Stand Screw Size & Quantity (mm) M4 x 12mm 2 pcs. Dimensions With Stand (inches, W x H x D) 21.5" x 15.6" x 5.4" Without Stand (Inches, W x H x D) 21.5" x 12.8" x 2.8" Carton Box Dimension (inches, W x H x D) 22.91" x 15.31" x 4.48" Weight Net Weight with Stand (lbs) 6.32 lbs Net Weight without Stand (lbs) 5.73 lbs	Mechanical Features	
Neck / Stand DetachableYesVESA Mount Pattern (mm)100mm x 100mmVESA Mount Screw Size (mm)M4 x 10mmNeck Screw Size & Quantity (mm)M4 x 10mm 2 pcs.Stand Screw Size & Quantity (mm)M4 x 12mm 2 pcs.DimensionsWith Stand (inches, W x H x D)21.5" x 15.6" x 5.4"Without Stand (Inches, W x H x D)21.5" x 12.8" x 2.8"Carton Box Dimension (inches, W x H x D)22.91" x 15.31" x 4.48"WeightNet Weight with Stand (lbs)6.32 lbsNet Weight without Stand (lbs)5.73 lbs	Chassis Colors	black
VESA Mount Pattern (mm) VESA Mount Screw Size (mm) Neck Screw Size & Quantity (mm) M4 x 10mm 2 pcs. Stand Screw Size & Quantity (mm) M4 x 12mm 2 pcs. Dimensions With Stand (inches, W x H x D) 21.5" x 15.6" x 5.4" Without Stand (Inches, W x H x D) 21.5" x 12.8" x 2.8" Carton Box Dimension (inches, W x H x D) Weight Net Weight with Stand (lbs) 6.32 lbs Net Weight without Stand (lbs) 5.73 lbs	Tilt	Forward: 5° Backward 15°
VESA Mount Screw Size (mm) Neck Screw Size & Quantity (mm) M4 x 10mm 2 pcs. Stand Screw Size & Quantity (mm) M4 x 12mm 2 pcs. Dimensions With Stand (inches, W x H x D) 21.5" x 15.6" x 5.4" Without Stand (Inches, W x H x D) 21.5" x 12.8" x 2.8" Carton Box Dimension (inches, W x H x D) Weight Net Weight with Stand (lbs) 6.32 lbs Net Weight without Stand (lbs) 5.73 lbs	Neck / Stand Detachable	Yes
Neck Screw Size & Quantity (mm) M4 x 10mm 2 pcs. Stand Screw Size & Quantity (mm) M4 x 12mm 2 pcs. Dimensions With Stand (inches, W x H x D) 21.5" x 15.6" x 5.4" Without Stand (Inches, W x H x D) 21.5" x 12.8" x 2.8" Carton Box Dimension (inches, W x H x D) Weight Net Weight with Stand (lbs) Net Weight without Stand (lbs) 5.73 lbs	VESA Mount Pattern (mm)	100mm x 100mm
Stand Screw Size & Quantity (mm) M4 x 12mm 2 pcs. Dimensions With Stand (inches, W x H x D) 21.5" x 15.6" x 5.4" Without Stand (Inches, W x H x D) 21.5" x 12.8" x 2.8" Carton Box Dimension (inches, W x H x D) 22.91" x 15.31" x 4.48" Weight Net Weight with Stand (lbs) 6.32 lbs Net Weight without Stand (lbs) 5.73 lbs	VESA Mount Screw Size (mm)	M4 x 10mm
With Stand (inches, W x H x D) Without Stand (Inches, W x H x D) Carton Box Dimension (inches, W x H x D) Weight Net Weight with Stand (lbs) Net Weight without Stand (lbs) 5.73 lbs	Neck Screw Size & Quantity (mm)	M4 x 10mm 2 pcs.
With Stand (inches, W x H x D) 21.5" x 15.6" x 5.4" Without Stand (Inches, W x H x D) 21.5" x 12.8" x 2.8" Carton Box Dimension (inches, W x H x D)22.91" x 15.31" x 4.48" Weight Net Weight with Stand (lbs) 6.32 lbs Net Weight without Stand (lbs) 5.73 lbs	Stand Screw Size & Quantity (mm)	M4 x 12mm 2 pcs.
Without Stand (Inches, W x H x D) Carton Box Dimension (inches, W x H x D)22.91" x 15.31" x 4.48" Weight Net Weight with Stand (lbs) 6.32 lbs Net Weight without Stand (lbs) 5.73 lbs	Dimensions	
Carton Box Dimension (inches, W x H x D)22.91" x 15.31" x 4.48" Weight Net Weight with Stand (lbs) 6.32 lbs Net Weight without Stand (lbs) 5.73 lbs	With Stand (inches, W x H x D)	21.5" x 15.6" x 5.4"
WeightNet Weight with Stand (lbs)6.32 lbsNet Weight without Stand (lbs)5.73 lbs		21.5" x 12.8" x 2.8"
Net Weight with Stand (lbs)6.32 lbsNet Weight without Stand (lbs)5.73 lbs	Carton Box Dimension (inches, W x H x	(D)22.91" x 15.31" x 4.48"
Net Weight without Stand (lbs) 5.73 lbs	Weight	
	Net Weight with Stand (lbs)	6.32 lbs
	<u>-</u>	5.73 lbs
	<u>-</u>	9.12 lbs
Power	Power	
Power Range (V, A, Hz) Input: 100 – 240V~ 50/60Hz, 1.1A (Max.)	Power Range (V, A, Hz)	Input: 100 - 240V~ 50/60Hz, 1.1A (Max.)
Power Consumption (Typical) < 30W	<u>-</u>	

SCEPTRE®	
Maximum	< 30W
Standby	≤0.5W
Sleep	≤0.5W
Off	≤0.5W
Regulations / Certifications	
Regulations	FCC,UL, RoHS
Warranty	
Limited Parts and Labor	One Year
What's in the Box?	
Power Cable	Adapter 12V, 4A
Display Cable	DisplayPort Cable x 1
Accessories	Monitor Display x 1, Stand x 1, Neck x 1, Stand Screws x 1, Neck Screws x 2, Screwdriver
	x1, User Manual x 1



Key Features







LED

With sharper contrasts of light and darks, LED display delivers a vast array of rich colors, ensuring that moving images have never been so pleasing to the eyes.

Curved Monitor

The curved display delivers a revolutionary visual experience with a leading 1800R screen curvature as the images appear to wrap around you for an in depth, immersive experience.

144Hz Refresh Rate

More than double the standard refresh rate, 144Hz gives gamers an edge in visibility as frames transition instantly, leaving behind no blurred images







Fast Response Time

Fast response times reduce ghosting & blurring while transitioning pixels, always keeping the enemy & terrain precisely in focus during chaotic moments.

AMD FreeSync ™

With AMD FreeSync, gamers enjoy smooth video & seamless on the spot movement in fast-paced games. The graphic card and monitor refresh rates are synchronized to eliminate tearing and stuttering.

HDMI, DisplayPort, and DVI

One HDMI port, one DisplayPort, and one DVI port provide up to 144Hz refresh rate, delivering a wider range of connectivity options for all action-packed gaming sequences.



Key Features







Built-in Speakers

With built-in speakers, the monitor delivers office level audio for conference calls and internet workshops. Similarly, enjoy engaging audio while listening to your favorite tunes.

Blue Light Shift

Blue Light Shift reduces blue light, allowing you to comfortably work, watch, or play applications without straining your eyes.

Anti-Flicker

Provides a crisper picture by preventing the backlight from flickering periodically.



FPS-RTS Game Modes

FPS and RTS are Sceptre's custom set display settings built for an enhanced gaming experience. FPS (First Person Shooter), RTS (Real-Time Strategy).



Security Lock

The monitor has a security slot, allowing you to securely fasten your monitor in place, effectively preventing theft. *Security Lock not included.



Tiltable Display

With the ability to tilt 15° backward and 5° forward, the added tilt feature will provide multiple options for finding the optimum angle to view the screen so that work and browsing can be performed with ease.



Key Features







VESA Wall Mountable

The VESA wall mount pattern gives you the freedom to select the optimum viewing position for your monitor, eliminate cable clutter, and save valuable space for your gaming and work station.

Customer Service

Our customer service representatives are, and have always been, based in the USA, guaranteeing that our customers' needs are met as efficiently as possible.

30+ Years of Experience

Founded in City of Industry, CA over 30 years ago, Sceptre Inc. made a promise to create & deliver superior products for remarkably affordable prices, a rare tradition that continues today.