

## **X505BV-FHD 50" LCD TV**



# Specification

Display		
Active Screen Size	50" (50" Diagonal corner to corner)	
Native Resolution	1920 x 1080	
Dynamic Contrast Ratio	50,000:1	
Contrast Ratio	4,000 :1	
LCD Panel		
Aspect Ratio	Wide Screen 16:9	
Refresh Rate	60 Hz	
Brightness	350cd/m2	
Response Time	8 ms (G-to-G)	
Colors	16.7M (8-bit)	
Lamp Life	50,000+ Hour	
Viewing Angle	176º (Horizontal) / 176º (Vertical)	
Features		
On Screen Display Control (OSD)	Picture, Sound, Channel, Parental, Setup, Others	
Built-in Tuner	ATSC / NTSC / Clear QAM	
OSD Supported Languages	English (Default) / French / Spanish	

SCEPTRE®	
Weak Signal Enhancement	Yes
Comb Filter	3D
De-interlace Technology	3D
Auto Dynamic Contrast Mode	Yes
Noise Reduction	Yes
MPEG Noise Reduction	Yes
Built-in Speakers	10 watts per Channel x 2
Surround Sound Mode	Yes (SRS TruSurround HD)
Sound Equalizer Settings	Yes (7-band)
Auto Volume Level Control	Yes
Wall Mountable	Yes
Swivel Angles	± 30 degree
Neck & Base Detachable	Yes
Energy Guide	X505BV-FHD
Outputs	
Analog Audio Output ( L + R)	1 x (2 RCA Terminals (White, Red))
Headphone Output	1 x Earphone terminal (Black)
Inputs	
PC Audio In	1 x Audio in terminal (Black)
HDTV Signal Compatibility	
VGA Input Support	1920 x 1080 @ 60Hz (Native & Max) br />1680 x 1050 @ 60Hz br />1360 x 768 @
	60Hz br />1280 x 1024 @ 60Hz br />1024x768 @ 60Hz 800x600 @ 60Hz
Inputs & Outputs	
HDMI (# of Ports & Version)	3 x HDMI
Supported HDMI Signals	1080/24p, 1080/60p, 1080i, 720p, 480p, 480i
Cable / Antenna Input	1 IEC-Connector 75 Ohm
Supported HDTV Signals	1080P, 1080i, 720P, 480P, 480i
SPDIF Audio Output	1 × SPDIF (Coaxial, Orange)
VGA (# of Ports)	1 x D-SUB terminal (Blue, 15 pin)
Component (YPbPr) Input	1 x Component (Audio input share with Composite)
USB	1 x USB 2.0
Composite Video	1 x Composite
Mechanical Features	
VESA Mount Pattern (mm)	400mm x 400mm
VESA Mount Screw Size (mm)	M5 x 20mm
Dimensions	
With Stand (inches, W x H x D)	46.0" × 29.85" × 11.5"
Without Stand (Inches, W x H x D)	46.0" x 28.0" x 4.15"
Carton Box Dimension (inches, W x H	x D)50.8" x 33.85" x 8.86"
Weight	
Net Weight with Stand (lbs)	49.38 lb
Net Weight without Stand (lbs)	42.44 lb
Gross Weight (lbs)	58.42 lb

SCEPTRE®	
Power	
Power Range (V, A, Hz)	100 ~ 240V, 60/50 Hz, 3.0A (Max.)
Power Consumption (Typical)	240 W (Maximum) 105 W (Typical) ≤1 W (Standby)
Regulations / Certifications	
Certificates	FCC, cTUVus, Energy Star V5.3, SRS TruSurround HD, ISTA 3A
Warranty	
Limited Parts and Labor	One Year
What's in the Box?	
Remote Control Model No	<a< td=""></a<>
	href="https://www.sceptre.com/Accessories/Remote-Control/TV-Remote-Control-KR007B"
	008-product736category19category69.html">KR007B008



### **Key Features**







#### **HDMI**

HDMI not only delivers superior digital video and audio, but also, connects both to the TV with only one cable.

#### **Parental Control**

Limits TV and movie viewing based on movie & TV rating as you select each rating. V-chip provides parents with the ability to determine their children's viewing options based on the movie and television content rating system.

#### **USB**

Let's you view your pictures as a slideshow or listen to your favorite music via the USB port. Just insert your flash drive into the USB port for the ultimate entertainment.



#### **Analog Audio Out**

Offering superior backwards compatibility for stereo receivers, Sceptre TVs are built with a pair of analog RCA audio outputs which will enrich your audio experience without the necessity of purchasing new digital audio equipment.



#### **Customer Service**

Our customer service representatives are, and have always been, based in the USA, guaranteeing that our customers' needs are met as efficiently as possible.



#### 30+ Years of Experience

Founded in City of Industry, CA over 30 years ago, Sceptre Inc. made a promise to create & deliver superior products for remarkably affordable prices, a rare tradition that continues today.