

E320BV-HD 32" LED TV



Specification

Display		
Active Screen Size	31.5" Diagonal Viewable	
Native Resolution	1366 x 768	
Aspect Ratio	16:9	
Response Time	6.5ms (G-to-G)	
Dynamic Contrast Ratio	Yes	
Color Depth	16.7 million	
Contrast Ratio	3,000 :1	
Brightness (Typ.)	400 cd/m²	
Viewing Angle	Vertical: 178° / Horizontal: 176°	
Backlight Life	20,000+ Hours	
Features		
Color Temperature	Warm, Normal, Cool, Standards	
Adjustable Picture Control*	Brightness, Contrast, Backlight, Color, Tint, Sharp	
Audio Features		
Auto Volume Level Control	Yes	
Speakers	10 watts per Channel x 2	

SCEPTRE®			
Equalizer Settings	N/A		
Surround Sound Mode	N/A		
Video Features			
OSD (On Screen Display Control)	Picture, Sound, Channel, Parental, Setup, Others		
Picture Mode	Custom / Standard / Mild / Vivid		
OSD Supported Languages / Subtitles	English		
Other Features			
Weak Signal Enhancement	No		
Comb Filter	Digital Noise Reduction		
De-interlace Technology	N/A		
Noise Reduction	3D Digital		
MPEG Noise Reduction	N/A		
Inputs & Dutputs			
HDMI (# of Ports & Version)	3 x HDMI Version 1.3 ports		
Supported HDMI Signals	up to 1080P		
Cable / Antenna Input	1		
Supported HDTV Signals	1080P, 1080i, 720P, 480P, 480i		
SPDIF Audio Output	1 (Optical SPDIF)		
VGA (# of Ports)	1		
Component (YPbPr) Input	1		
3.5mm Headphone Jack (Output)	1		
Supported VGA Signals	1920 X 1080 @60hz (Native resolution)		
	1024 x 768 @60hz		
	800 x 600, 640x480		
USB	0		
Composite Video	1		
Analog Audio Output (L + R)	0		
Mechanical Features			
Tilt Angles	No		
Neck Stand Swivel Angle	No		
Neck Height Adjustable	No		
Neck / Stand Detachable	Yes		
VESA Mount Pattern (mm)	400mm x 200mm		
VESA Mount Screw Size (mm)	M6		
Dimensions			
With Stand (inches, W x H x D)	38.98" x 27.9" x 13"		
Without Stand (Inches, W x H x D)	38.98" x 25.7" x 4.2"		
Carton Box Dimension (inches, W x H x I)None		
Weight			
Net Weight with Stand (lbs)	49.6 lbs		
Gross Weight (lbs)	62.8 lbs		
Power	Power		
Power Range (V, A, Hz)	110-240V, 3.0A, 50/60Hz (Max.)		

SCEPTRE"	
Power Consumption (Typical)	< 70W (Typical)
	< 0.92W (Standby)
Regulations / Certifications	
Certifications	CSA, CSA-US, FCC Class B
Warranty	
Limited Parts and Labor	One Year Limited Parts and Labor



Key Features