

# X23WG-1080P



# Specification

| LCD Panel                        |   |
|----------------------------------|---|
| Aspect Ratio                     | Wide Screen 16:9  |
| Brightness                       | 500 cd/m2   |
| Response Time                    | 8 ms (G-to-G)   |
| Colors                           | 16.7M   |
| Lamp Life                        | 50,000+ Hour  |
| Viewing Angle                    | 160° (Horizontal), 140° (Vertical)  |
| On Screen Display (OSD) Controls | Auto Adjust, Brightness, Contrast, Screen Settings, Color Temp, Language, OSD Settings, |
|                                  | Source, Audio, Recall, Exit   |
| Display                          |   |
| Active Screen Size               | 22.95" Diaognal Viewable  |
| Native Resolution                | 1360 x 768  |
| Contrast Ratio                   | 1000:1  |
| Features                         |   |
| On Screen Display Control (OSD)  | Power on/off, OSD (On Screen Display), Contrast, Brightness, Clock, phase, H-Position,  |
|                                  | V-Position, H-Size, V-Size, Graph/Text Mode Selection, Auto-adjust, Color Temperature,  |
|                                  | Audio Volume, OSD H-Position, OSD V-Position, Display Mode Detection, Show Firmware     |



| PNP: DDC1/2B (Analog), DDC2B (Digital)       | Yes                                    |
|--|--|
| Flicker and Static Free                      | Yes                                    |
| Built-in Speakers                            | Dual speakers with 3W X 2 audio output |
| Wall Mountable                               | Yes                                    |
| Neck & Base Detachable                       | Yes                                    |
| Energy Guide                                 | N/A                                    |
| Mechanical Features                          |  |
| Tilt Angles                                  | Yes                                    |
| Power Source                                 |  |
| Power Source                                 | 100 - 240 VAC, 60/50 Hz                |
| Dimensions                                   |  |
| Without Stand (Inches, W x H x D)            | 22.5" x 15.5" x 2.5"                   |
| With Stand (Inches, $W \times H \times D$ )* | 22.50" x 18.5" x 4"                    |
| Carton Box Dimension (inches, W x H x D      | )26" × 21.7" × 7.1"                    |
| Weight                                       |  |
| Net Weight with Stand (lbs)                  | 18 lbs.                                |
| Gross Weight (lbs)                           | 23 lbs                                 |
| Power  |  |
| Power Range (V, A, Hz)                       | 80w max                                |
|  | 100V to 240V AC @ 50/60 Hz             |
| Power Consumption (Typical)                  | <55W (Typical)   <1W (Standby)         |
| Regulations / Certifications                 |  |
| Certificates                                 | FCC, cTUVus                            |
| Warranty                                     |  |
| Limited Parts and Labor                      | One Year                               |
|  |  |





## DVI

Providing the capability for analog and digital content, DVI inputs allow you to connect your favorite devices to the monitor to achieve stellar picture quality and performance.



With a 5 millisecond response time,

all activity on your LED screen will

seamlessly transition almost

instantly.

**5ms Response Time** 



### VGA

With the ability to connect your computer, laptop, monitor, or TV to all your favorite variety of input options, VGA inputs deliver superb analog video.



#### **Customer Service**

Our customer service representatives are, and have always been, based in the USA, guaranteeing that our customers' needs are met as efficiently as possible.



#### **30+ Years of Experience**

Founded in City of Industry, CA over 30 years ago, Sceptre Inc. made a promise to create & deliver superior products for remarkably affordable prices, a rare tradition that continues today.