

# C248B-1858RN 24" Curved Monitor



# Specification

Display	
Active Screen Size	23.8" Diagonal Viewable
Panel Type	VA (Vertical Alignment)
Curvature	1200R
Native Resolution	1920 x 1080
Refresh Rate	Up to 180Hz Refresh Rate
Aspect Ratio	16:9
Display Colors	16.7M
Response Time	GTG: 3 ms Blur Reduction : 1 ms
Pixel Pitch	0.27156mm (H) x 0.27156mm (V)
Dynamic Contrast Ratio	1,000,000:1
Color Gamut	sRGB:95%
Color Depth	16.7M
Contrast Ratio	3,000:1
Brightness (Typ.)	250 cd/m²
Viewing Angle	Vertical: 178° / Horizontal: 178°
Backlight Type	Edge-Lit LED


Picture PresetsStandard, User, Movie, Eco, FPS, RTSGame PresetsFPS and RTSOSD Supported LanguagesEnglish (Default), French, Spanish , ChineseType of SyncAMD FreeSync PremiumBlue Light ShiftAvailableOverdriveYesAuto Dynamic Contrast ModeAvailableAuto StandbyAvailableGammaAdjustableAudio FeaturesSpeakers2 x 2W/4ΩInputs & DutputsSupported Digital Signals31 - 165 kHz (Horizontal) / 49 - 144 kHz (Vertical)HDMI (# of Ports & Version)2 x HDMI (HDMI 1: 2.0; HDMI 2: 1.4)Supported HDMI SignalsHDMI 1 up to 1920 x 1080 @ 144Hz; HDMI 2 up to 1920 x 1080 @ 120Hz; 1080/60p, 1080/60i, 720p, 480p	SCEPTRE®	
Surface Treatment	Backlight Life	30,000+ Hours
Potaturos	Anti-Flicker	Yes
On Screen Display Control (OSD)	Surface Treatment	SAG 40%,3H
Color Temperature         Warm, Normal (Default), Cool, User           Picture Presets         Standard, User, Movie, Eco, FPS, RTS           Game Presets         FPS and RTS           Game Presets         FPS and RTS           SDS Supported Languages         English (Default), French, Spanish , Chinese           Type of Sync         AMD FreeSync Premium           Blue Light Shift         Available           Overdrive         Yes           Auto Dynamic Contrast Mode         Available           Auto Standby         Available           Auto Features         2 x 2W/4Q           Inputs & Bamp; Outputs         2 x 2W/4Q           Inputs & Bamp; Outputs         2 x 2W/4Q           Inputs & Present Signals         31 - 165 kHz (Horizontal) / 49 - 144 kHz (Vertical)           HDMI (# of Ports & Version)         2 x HDMI (HDMI 1: 2.0; HDMI 2: 1.4)           Supported HDMI Signals         31 - 1920 x 1080 @ 144Hz; HDMI 2 up to 1920 x 1080 @ 120Hz; 1080/60p, 1080/6	Features	
Picture Presets         Standard, User, Movie, Eco, PPS, RTS           Game Presets         FPS and RTS           OSD Supported Languages         English (Default), French, Spanish , Chinese           Type of Sync         AMD FreeSync Premium           Blue Light Shift         Available           Overdrive         Yes           Auto Dynamic Contrast Mode         Available           Auto Standby         Available           Auto Standby         Adjustable           Auto Teasters         2x 2W/40           Inputs         Samps           Supported Digital Signals         31 - 165 KHz (Horizontal) / 49 - 144 KHz (Vertical)           HDMI (4 of Ports & Version)         2x + HDMI (HDMI 1: 2.0; HDMI 2: 1.4)           Supported HDMI Signals         HDMI 1 up to 1920 x 1080 @ 144Hz; HDMI 2 up to 1920 x 1080 @ 120Hz; 1080/60p, 1	On Screen Display Control (OSD)	Quick Start, Picture, Color, System
Game Presets FPS and RTS OSD Supported Languages English (Default), French, Spanish , Chinese Type of Sync AMD FreeSync Premium Blue Light Shift Available Overdrive Yes Auto Dynamic Contrast Mode Available Auto Standby Available Gamma Adjustable Auto Standby Spanish (Default), French Spanish , Chinese Speakers Auto Dynamic Contrast Mode Available Auto Standby Available Gamma Adjustable Auto Standby Spanish Spa	Color Temperature	Warm, Normal (Default), Cool, User
OSD Supported Languages Type of Sync AMD FreeSync Premium Blue Lipht Shift Available Overdrive Yes Auto Dynamic Contrast Mode Auto Standby Available Auto Standby  Speakers  2 x 2W/4Ω Inputs & Amp; Outputs Supported Digital Signals 11 - 165 kHz (Horizontal) / 49 - 144 kHz (Vertical) Inputs & Amp; Outputs Supported Digital Signals ADMI (# of Ports & Version) 2 x HDMI (HDMI 1: 2.0; HDMI 2: 1.4) Supported HDMI Signals HDMI 1 up to 1920 x 1080 @ 144Hz; HDMI 2 up to 1920 x 1080 @ 120Hz; 1080/60p, 1080/60i, 720p, 480p DP (# of Ports & Version) 1 x DisplayPort (1.2) Supported DP Signals J. Smm Headphone Jack (Output) 3.5mm Mini-Jack for External Speakers / Headphone Mechanical Features Chassis Colors Black Till Backward:15°, Forward:5° Neck / Stand Detachable Yes Slim Design Ultra Slim VESA Mount Pattern (mm) 75mm x 75mm VESA Mount Pattern (mm) 75mm x 75mm VESA Mount Pattern (mm) M4 x 12mm (1 pc) Stand Screw Size & Quantity (mm) M4 x 12mm (1 pc) Stand Screw Size & Quantity (mm) M4 x 12mm (1 pc) Stand Screw Size & Quantity (mm) Dimensions With Stand (Inches, W x H x D) (21.21° x 16.21° x 8.37° Without Stand (Inches, W x H x D) (21.21° x 15.31° x 4.48° Stand Separation Dimension W x D (inches) Weight Net Weight with Stand (Ibs) 7.14 lbs	Picture Presets	Standard, User, Movie, Eco, FPS, RTS
Type of Sync	Game Presets	FPS and RTS
Blue Light Shift	OSD Supported Languages	English (Default), French, Spanish , Chinese
Overdrive         Yes           Auto Dynamic Contrast Mode         Available           Auto Standby         Available           Gamma         Adjustable           Audio Features         VEXW/Ω           Speakers         2 x 2W/4Ω           Inputs & Amp; Outputs         Vexu/(Paper)           Supported Digital Signals         31 · 165 kHz (Horizontal) / 49 - 144 kHz (Vertical)           HDMI (# of Ports & Version)         2 x HDMI (HDMI 1: 2.0; HDMI 2: 1.4)           Supported HDMI Signals         HDMI 1 up to 1920 x 1080 @ 144Hz; HDMI 2 up to 1920 x 1080 @ 120Hz; 1080/60p, 1080/60p	Type of Sync	AMD FreeSync Premium
Auto Dynamic Contrast Mode         Available           Auto Standby         Available           Audio Features         Audio Features           Speakers         2 x 2W/4Ω           Inputs & Ramp; Outputs         Supported Digital Signals         31 - 165 kHz (Horizontal) / 49 - 144 kHz (Vertical)           HDMI (# of Ports & Version)         2 x HDMI (HDMI 1: 2.0; HDMI 2: 1.4)           Supported HDMI Signals         HDMI 1 up to 1920 x 1080 @ 144Hz; HDMI 2 up to 1920 x 1080 @ 120Hz; 1080/60p, 1080/	Blue Light Shift	Available
Auto Standby Available  Audio Features  Speakers 2 x 2W/4Q  Inputs & Samp; Outputs  Supported Digital Signals 31 - 165 kHz (Horizontal) / 49 - 144 kHz (Vertical)  HDMI (# of Ports & Version) 2 x HDMI (HDMI 1: 2.0; HDMI 2: 1.4)  Supported HDMI Signals HDMI 1 up to 1920 x 1080 @ 144Hz; HDMI 2 up to 1920 x 1080 @ 120Hz; 1080/60p, 1080/60i, 720p, 480p  DP (# of Ports & Version) 1 x DisplayPort (1.2)  Supported DP Signals Up to 1920 x 1080 @ 180Hz, 1080/60p, 1080/60i, 720p, 480p  3.5mm Headphone Jack (Output) 3.5mm Mini-Jack for External Speakers / Headphone  Mechanical Foatures  Chassis Colors Black  Tilt Backward: 15°, Forward: 5°  Neck / Stand Detachable Yes  Slim Design Ultra Slim  VESA Mount Pattern (mm) 75mm x 75mm  VESA Mount Pattern (mm) 75mm x 75mm  VESA Mount Screw Size & Quantity (mm) M4 x 8mm  Neck Screw Size & Quantity (mm) M4 x 12mm (1 pc)  Stand Screw Size & Quantity (mm) M4 x 12mm (2 pcs)  Dimensions  With Stand (Inches, W x H x D) 21.21" x 16.21" x 8.37"  Without Stand (Inches, W x H x D) 22.21" x 15.31" x 4.48"  Stand Separation Dimension (W x D I (1.60" x 8.37" x 2.64"  Weight  Net Weight with Stand (lbs) 7.14 lbs	Overdrive	Yes
Gamma         Adjustable           Audio Features         2 x 2W/4Ω           Inputs & Samp; Outputs         Inputs & Supported Digital Signals         31 · 165 kHz (Horizontal) / 49 - 144 kHz (Vertical)           HDMI (# of Ports & Version)         2 x HDMI (HDMI 1; 2.0; HDMI 2: 1.4)           Supported HDMI Signals         HDMI 1 up to 1920 x 1080 @ 144Hz; HDMI 2 up to 1920 x 1080 @ 120Hz; 1080/60p, 1080/60i, 720p, 480p           DP (# of Ports & Version)         1 x DisplayPort (1.2)           Supported DP Signals         Up to 1920 x 1080 @ 180Hz, 1080/60p, 1080/60i, 720p, 480p           3.5mm Headphone Jack (Output)         3.5mm Mini-Jack for External Speakers / Headphone           Mechanical Features         Chassis Colors           Black         Tilt         Backward:15°, Forward:5°           Neck / Stand Detachable         Yes           SIlm Design         Ultra Slim           VESA Mount Pattern (mm)         75mm x 75mm           VESA Mount Screw Size & Quantity (mm)         M4 x 8mm           Neck Screw Size & Quantity (mm)         M4 x 12mm (1 pc)           Stand Screw Size & Quantity (mm)         M4 x 12mm (2 pcs)           Dimensions         21.21° x 16.21° x 8.37°           Without Stand (Inches, W x H x D)         21.21° x 16.21° x 8.37° x 2.41°           Carton Box Dimension (inches, W x H x D)         21.21° x 16.20° x 2.41°<	Auto Dynamic Contrast Mode	Available
Speakers   2 x 2W/4Q   Inputs & Amp; Outputs	Auto Standby	Available
Speakers         2 x 2W/4Ω           Inputs & Dutputs           Supported Digital Signals         31 - 165 kHz (Horizontal) / 49 - 144 kHz (Vertical)           HDMI (# of Ports & Version)         2 x HDMI (HDMI 1: 2.0; HDMI 2: 1.4)           Supported HDMI Signals         HDMI 1 up to 1920 x 1080 @ 144Hz; HDMI 2 up to 1920 x 1080 @ 120Hz; 1080/60p, 1080/60p, 1080/60i, 720p, 480p           DP (# of Ports & Version)         1 x DisplayPort (1.2)           Supported DP Signals         Up to 1920 x 1080 @ 180Hz, 1080/60p, 1080/60i, 720p, 480p           3.5mm Headphone Jack (Output)         3.5mm Mini-Jack for External Speakers / Headphone           Mechanical Features         Chassis Colors           Black         Backward:15°, Forward:5°           Neck / Stand Detachable         Yes           Slim Design         Ultra Slim           VESA Mount Pattern (mm)         75mm x 75mm           VESA Mount Screw Size (mm)         M4 x 8mm           Neck Screw Size & Quantity (mm)         M4 x 12mm (1 pc)           Stand Screw Size & Quantity (mm)         M4 x 12mm (2 pcs)           Dimensions         21.21" x 16.21" x 8.37"           Without Stand (Inches, W x H x D)         21.21" x 15.31" x 4.48"           Stand Separation Dimension (inches, W x H x D)         21.21" x 15.31" x 4.48"           Stand Separation Dimension (inches, W x H x D) <t< td=""><td>Gamma</td><td>Adjustable</td></t<>	Gamma	Adjustable
Inputs & Samp; Outputs           Supported Digital Signals         31 - 165 kHz (Horizontal) / 49 - 144 kHz (Vertical)           HDMI (# of Ports & Version)         2 x HDMI (HDMI 1: 2.0; HDMI 2: 1.4)           Supported HDMI Signals         HDMI 1 up to 1920 x 1080 @ 144Hz; HDMI 2 up to 1920 x 1080 @ 120Hz; 1080/60p, 1080/60p, 1080/60i, 720p, 480p           DP (# of Ports & Version)         1 x DisplayPort (1.2)           Supported DP Signals         Up to 1920 x 1080 @ 180Hz, 1080/60p, 1080/60i, 720p, 480p           3.5mm Headphone Jack (Output)         3.5mm Mini-Jack for External Speakers / Headphone           Mechanical Features           Chassis Colors           Black           Tilt         Backward:15°, Forward:5°           Neck / Stand Detachable         Yes           VESA Mount Pattern (mm)         75mm x 75mm           VESA Mount Screw Size (mm)         M4 x 8mm           Neck Screw Size & Quantity (mm)         M4 x 12mm (1 pc)           Stand Screw Size & Quantity (mm)         M4 x 12mm (2 pcs)           Dimensions           With Stand (Inches, W x H x D)         21.21" x 16.21" x 8.37"           Without Stand (Inches, W x H x D)         21.21" x 12.69" x 2.41"           Carton Box Dimension (inches, W x H x D)         21.21" x 12.69" x 2.41"           Carton Box Dimension (inches, W x H	Audio Features	
Supported Digital Signals         31 - 165 kHz (Horizontal) / 49 - 144 kHz (Vertical)           HDMI (# of Ports & Version)         2 x HDMI (HDMI 1: 2.0; HDMI 2: 1.4)           Supported HDMI Signals         HDMI 1 up to 1920 x 1080 @ 144Hz; HDMI 2 up to 1920 x 1080 @ 120Hz; 1080/60p, 1080/60i, 720p, 480p           DP (# of Ports & Version)         1 x DisplayPort (1.2)           Supported DP Signals         Up to 1920 x 1080 @ 180Hz, 1080/60p, 1080/60i, 720p, 480p           3.5mm Headphone Jack (Output)         3.5mm Mini-Jack for External Speakers / Headphone           Mechanical Features           Chassis Colors         Black           Tilt         Backward:15°, Forward:5°           Neck / Stand Detachable         Yes           Slim Design         Ultra Slim           VESA Mount Pattern (mm)         75mm x 75mm           VESA Mount Screw Size (mm)         M4 x 8mm           Neck Screw Size & Quantity (mm)         M4 x 12mm (1 pc)           Stand Screw Size & Quantity (mm)         M4 x 12mm (2 pcs)           Dimensions           With Stand (inches, W x H x D)         21.21" x 16.21" x 8.37"           Without Stand (Inches, W x H x D)         21.21" x 12.69" x 2.41"           Carton Box Dimension (inches, W x H x D)         16.60" x 8.37" x 2.64"           Wichotes         16.60" x 8.37" x 2.64" <td>Speakers</td> <td>2 x 2W/4Ω</td>	Speakers	2 x 2W/4Ω
HDMI (# of Ports & Version)  2 x HDMI (HDMI 1: 2.0; HDMI 2: 1.4)  Supported HDMI Signals  HDMI 1 up to 1920 x 1080 @ 144Hz; HDMI 2 up to 1920 x 1080 @ 120Hz; 1080/60p, 1080/60i, 720p, 480p  DP (# of Ports & Version)  1 x DisplayPort (1.2)  Supported DP Signals  Up to 1920 x 1080 @ 180Hz, 1080/60p, 1080/60i, 720p, 480p  3.5mm Headphone Jack (Output)  3.5mm Mini-Jack for External Speakers / Headphone  Mechanical Features  Chassis Colors  Black  Tilt  Backward:15°, Forward:5°  Neck / Stand Detachable  Yes  Slim Design  Ultra Slim  VESA Mount Pattern (mm)  75mm x 75mm  VESA Mount Screw Size (mm)  M4 x 8mm  Neck Screw Size & Quantity (mm)  M4 x 12mm (1 pc)  Stand Screw Size & Quantity (mm)  M4 x 12mm (2 pcs)  Dimensions  With Stand (Inches, W x H x D)  21.21" x 16.21" x 8.37"  Without Stand (Inches, W x H x D)  Carton Box Dimension (inches, W x H x D)  16.60" x 8.37" x 2.64"  (inches)  Weight  Net Weight with Stand (lbs)  7.14 lbs	Inputs & Outputs	
Supported HDMI Signals  HDMI 1 up to 1920 x 1080 @ 144Hz; HDMI 2 up to 1920 x 1080 @ 120Hz; 1080/60p, 1080/60i, 720p, 480p  DP (# of Ports & Version)  1 x DisplayPort (1.2)  Supported DP Signals  Up to 1920 x 1080 @ 180Hz, 1080/60p, 1080/60i, 720p, 480p  3.5mm Headphone Jack (Output)  3.5mm Mini-Jack for External Speakers / Headphone  Mechanical Features  Chassis Colors  Black  Tilt  Neck / Stand Detachable  Yes  Slim Design  Ultra Slim  VESA Mount Pattern (mm)  75mm x 75mm  VESA Mount Screw Size (mm)  M4 x 8mm  Neck Screw Size & Quantity (mm)  M4 x 12mm (1 pc)  Stand Screw Size & Quantity (mm)  M4 x 12mm (2 pcs)  Dimensions  With Stand (Inches, W x H x D)  21.21" x 16.21" x 8.37"  Without Stand (Inches, W x H x D)  Carton Box Dimension (inches, W x H x D)  (inches)  Weight  Net Weight with Stand (lbs)  7.14 lbs	Supported Digital Signals	31 - 165 kHz (Horizontal) / 49 - 144 kHz (Vertical)
1080/60i, 720p, 480p   1 x DisplayPort (1.2)   2   2   2   2   2   2   2   2   2	HDMI (# of Ports & Version)	2 x HDMI (HDMI 1: 2.0; HDMI 2: 1.4)
DP (# of Ports & Version)  1 x DisplayPort (1.2)  Supported DP Signals  3.5mm Headphone Jack (Output)  3.5mm Mini-Jack for External Speakers / Headphone  Mechanical Features  Chassis Colors  Black  Tilt  Backward:15°, Forward:5°  Neck / Stand Detachable  Yes  Slim Design  Ultra Slim  VESA Mount Pattern (mm)  75mm x 75mm  VESA Mount Screw Size (mm)  M4 x 8mm  Neck Screw Size & Quantity (mm)  M4 x 12mm (1 pc)  Stand Screw Size & Quantity (mm)  M4 x 12mm (2 pcs)  Dimensions  With Stand (inches, W x H x D)  21.21" x 16.21" x 8.37"  Without Stand (Inches, W x H x D)  21.21" x 15.31" x 4.48"  Stand Separation Dimension (w x D (inches)  Weight  Net Weight with Stand (lbs)  7.14 lbs	Supported HDMI Signals	HDMI 1 up to 1920 x 1080 @ 144Hz; HDMI 2 up to 1920 x 1080 @ 120Hz; 1080/60p,
Supported DP Signals  Up to 1920 x 1080 @ 180Hz, 1080/60p, 1080/60i, 720p, 480p  3.5mm Headphone Jack (Output)  3.5mm Mini-Jack for External Speakers / Headphone  Mechanical Features  Chassis Colors  Black Tilt  Backward:15°, Forward:5°  Neck / Stand Detachable  Yes Slim Design  Ultra Slim  VESA Mount Pattern (mm)  75mm x 75mm  VESA Mount Screw Size (mm)  M4 x 8mm  Neck Screw Size & Quantity (mm)  M4 x 12mm (1 pc)  Stand Screw Size & Quantity (mm)  Dimensions  With Stand (inches, W x H x D)  21.21" x 16.21" x 8.37"  Without Stand (Inches, W x H x D)  Carton Box Dimension (inches, W x H x D)  16.60" x 8.37" x 2.64"  Weight  Net Weight with Stand (lbs)  7.14 lbs		1080/60i, 720p, 480p
3.5mm Headphone Jack (Output)  Mechanical Features  Chassis Colors  Black Tilt  Backward:15°, Forward:5°  Neck / Stand Detachable Yes  Slim Design  Ultra Slim  VESA Mount Pattern (mm)  VESA Mount Screw Size (mm)  Neck Screw Size & Quantity (mm)  M4 x 12mm (1 pc)  Stand Screw Size & Quantity (mm)  M4 x 12mm (2 pcs)  Dimensions  With Stand (inches, W x H x D)  Without Stand (Inches, W x H x D)  Carton Box Dimension (inches, W x H x D)  Stand Separation Dimension W x D  (inches)  Weight  Net Weight with Stand (lbs)  7.14 lbs	DP (# of Ports & Version)	1 x DisplayPort (1.2)
Chassis Colors  Black Tilt  Backward:15°, Forward:5°  Neck / Stand Detachable  Yes Slim Design  Ultra Slim  VESA Mount Pattern (mm)  75mm x 75mm  VESA Mount Screw Size (mm)  M4 x 8mm  Neck Screw Size & Quantity (mm)  M4 x 12mm (1 pc) Stand Screw Size & Quantity (mm)  M4 x 12mm (2 pcs)  Dimensions  With Stand (inches, W x H x D)  21.21" x 16.21" x 8.37"  Without Stand (Inches, W x H x D)  21.21" x 15.31" x 4.48"  Stand Separation Dimension W x D  (inches)  Weight  Net Weight with Stand (lbs)  7.14 lbs	Supported DP Signals	Up to 1920 x 1080 @ 180Hz, 1080/60p, 1080/60i, 720p, 480p
Chassis Colors  Black  Tilt  Backward:15°, Forward:5°  Neck / Stand Detachable  Yes  Slim Design  Ultra Slim  VESA Mount Pattern (mm)  75mm x 75mm  VESA Mount Screw Size (mm)  M4 x 8mm  Neck Screw Size & Quantity (mm)  M4 x 12mm (1 pc)  Stand Screw Size & Quantity (mm)  M4 x 12mm (2 pcs)  Dimensions  With Stand (inches, W x H x D)  21.21" x 16.21" x 8.37"  Without Stand (Inches, W x H x D)  Carton Box Dimension (inches, W x H x D)  Stand Separation Dimension W x D  (inches)  Weight  Net Weight with Stand (lbs)  7.14 lbs	3.5mm Headphone Jack (Output)	3.5mm Mini-Jack for External Speakers / Headphone
Tilt Backward:15°, Forward:5°  Neck / Stand Detachable Yes  Slim Design Ultra Slim  VESA Mount Pattern (mm) 75mm x 75mm  VESA Mount Screw Size (mm) M4 x 8mm  Neck Screw Size & Quantity (mm) M4 x 12mm (1 pc)  Stand Screw Size & Quantity (mm) M4 x 12mm (2 pcs)  Dimensions  With Stand (inches, W x H x D) 21.21" x 16.21" x 8.37"  Without Stand (Inches, W x H x D) 22.21" x 12.69" x 2.41"  Carton Box Dimension (inches, W x H x D) (22.91" x 15.31" x 4.48"  Stand Separation Dimension W x D (inches)  Weight  Net Weight with Stand (lbs) 7.14 lbs	Mechanical Features	
Neck / Stand Detachable  Yes  Slim Design  Ultra Slim  VESA Mount Pattern (mm)  75mm x 75mm  VESA Mount Screw Size (mm)  M4 x 8mm  Neck Screw Size & Quantity (mm)  M4 x 12mm (1 pc)  Stand Screw Size & Quantity (mm)  M4 x 12mm (2 pcs)  Dimensions  With Stand (inches, W x H x D)  21.21" x 16.21" x 8.37"  Without Stand (Inches, W x H x D)  21.21" x 12.69" x 2.41"  Carton Box Dimension (inches, W x H x D)  Stand Separation Dimension W x D  (inches)  Weight  Net Weight with Stand (lbs)  7.14 lbs	Chassis Colors	Black
Slim Design  VESA Mount Pattern (mm)  75mm x 75mm  VESA Mount Screw Size (mm)  M4 x 8mm  Neck Screw Size & Quantity (mm)  M4 x 12mm (1 pc)  Stand Screw Size & Quantity (mm)  M4 x 12mm (2 pcs)  Dimensions  With Stand (inches, W x H x D)  21.21" x 16.21" x 8.37"  Without Stand (Inches, W x H x D)  21.21" x 12.69" x 2.41"  Carton Box Dimension (inches, W x H x D)  Stand Separation Dimension W x D  (inches)  Weight  Net Weight with Stand (Ibs)  7.14 Ibs	Tilt	Backward:15°, Forward:5°
VESA Mount Pattern (mm)  VESA Mount Screw Size (mm)  M4 x 8mm  Neck Screw Size & Quantity (mm)  M4 x 12mm (1 pc)  Stand Screw Size & Quantity (mm)  M4 x 12mm (2 pcs)  Dimensions  With Stand (inches, W x H x D)  Without Stand (Inches, W x H x D)  Carton Box Dimension (inches, W x H x D)  Stand Separation Dimension W x D  (inches)  Weight  Net Weight with Stand (Ibs)  7.14 lbs	Neck / Stand Detachable	Yes
VESA Mount Screw Size (mm) M4 x 8mm  Neck Screw Size & Quantity (mm) M4 x 12mm (1 pc)  Stand Screw Size & Quantity (mm) M4 x 12mm (2 pcs)  Dimensions  With Stand (inches, W x H x D) 21.21" x 16.21" x 8.37"  Without Stand (Inches, W x H x D) 21.21" x 12.69" x 2.41"  Carton Box Dimension (inches, W x H x D) 22.91" x 15.31" x 4.48"  Stand Separation Dimension W x D (inches)  Weight  Net Weight with Stand (lbs) 7.14 lbs	Slim Design	Ultra Slim
Neck Screw Size & Quantity (mm)  Stand Screw Size & Quantity (mm)  M4 x 12mm (1 pc)  M4 x 12mm (2 pcs)  Dimensions  With Stand (inches, W x H x D)  Without Stand (Inches, W x H x D)  Carton Box Dimension (inches, W x H x D)  Stand Separation Dimension W x D  (inches)  Weight  Net Weight with Stand (lbs)  M4 x 12mm (1 pc)  M4 x 12mm (2 pcs)  M6 x 12m x 8.37"  21.21" x 16.21" x 8.37"  21.21" x 12.69" x 2.41"  Carton Box Dimension (inches, W x H x D)  16.60" x 8.37" x 2.64"  Veight  Net Weight with Stand (lbs)  7.14 lbs	VESA Mount Pattern (mm)	75mm x 75mm
Stand Screw Size & Quantity (mm)  M4 x 12mm (2 pcs)  Dimensions  With Stand (inches, W x H x D)  Without Stand (Inches, W x H x D)  Carton Box Dimension (inches, W x H x D)  Stand Separation Dimension W x D  (inches)  Weight  Net Weight with Stand (lbs)  M4 x 12mm (2 pcs)  M4 x 12mm (2 pcs)  M4 x 12mm (2 pcs)  M5 x 8.37" x 8.37"  16.61" x 8.37"  16.62" x 8.37" x 2.64"  7.14 lbs	VESA Mount Screw Size (mm)	M4 x 8mm
With Stand (inches, W x H x D)  Without Stand (Inches, W x H x D)  Carton Box Dimension (inches, W x H x D)  Stand Separation Dimension W x D  (inches)  Weight  Net Weight with Stand (Ibs)  21.21" x 16.21" x 8.37"  21.21" x 12.69" x 2.41"  21.21"	Neck Screw Size & Quantity (mm)	M4 x 12mm (1 pc)
With Stand (inches, W x H x D)  21.21" x 16.21" x 8.37"  Without Stand (Inches, W x H x D)  21.21" x 12.69" x 2.41"  Carton Box Dimension (inches, W x H x D)  Stand Separation Dimension W x D  (inches)  Weight  Net Weight with Stand (Ibs)  21.21" x 16.21" x 8.37"  21.21" x 12.69" x 2.41"  21.21"	Stand Screw Size & Quantity (mm)	M4 x 12mm (2 pcs)
Without Stand (Inches, W x H x D)  Carton Box Dimension (inches, W x H x D)  Stand Separation Dimension W x D  (inches)  Weight  Net Weight with Stand (Ibs)  21.21" x 12.69" x 2.41"  21.21" x 12.69" x 2.41"  16.60" x 8.37" x 2.64"  16.60" x 8.37" x 2.64"  7.14 Ibs	Dimensions	
Carton Box Dimension (inches, W x H x D)22.91" x 15.31" x 4.48"  Stand Separation Dimension W x D (inches)  Weight  Net Weight with Stand (lbs)  7.14 lbs	With Stand (inches, W x H x D)	21.21" x 16.21" x 8.37"
Stand Separation Dimension W x D (inches)  Weight  Net Weight with Stand (lbs)  16.60" x 8.37" x 2.64"  7.14 lbs	Without Stand (Inches, W x H x D)	21.21" x 12.69" x 2.41"
(inches)  Weight  Net Weight with Stand (lbs)  7.14 lbs	Carton Box Dimension (inches, W x H x	x D)22.91" x 15.31" x 4.48"
Weight Net Weight with Stand (lbs) 7.14 lbs	Stand Separation Dimension W x D	16.60" x 8.37" x 2.64"
Net Weight with Stand (lbs) 7.14 lbs	(inches)	
·	Weight	
·	Net Weight with Stand (lbs)	7.14 lbs
	-	6.32 lbs

SCEPTRE®	
Gross Weight (lbs)	10.38 lbs
Power	
Power Range (V, A, Hz)	12V/4A
Power Consumption (Typical)	31W
Maximum	54W
Standby	≤ 0.5W
Regulations / Certifications	
Regulations	FCC, cETLus, ISTA 6A, RoHS
Certifications	AMD, HDMI
Warranty	
Limited Parts and Labor	One Year
What's in the Box?	
Power Cable	AC Power Adapter x 1
Display Cable	DisplayPort Cable x 1
Accessories	Monitor Display x 1, Base x 1, Neck x 1, Base Screws x 2, Neck Screws x 2, Screwdriver x
	1, User Guide x 1, Warranty Card x 1



### **Key Features**







#### 1200R Curved Display

The 1200R degree curved design emulates the shape of the human eye, providing razor-sharp clarity from any spot in the room.

#### **LED**

With sharper contrasts of light and darks, LED display delivers a vast array of rich colors, ensuring that moving images have never been so pleasing to the eyes.

#### **VA Panel**

The VA (Vertical Alignment) panel makes its mark by delivering advanced refresh rates, sharper contrast ratios, and stellar viewing angles. All of these assets make this panel ideal for gaming and artistic pursuits.







#### 180Hz Refresh Rate

Performing at three times the speed of the standard refresh rate, 180Hz gives gamers an edge in visibility as frames transition instantly, leaving behind no blurred images.

#### **Fast Response Time**

Fast response times reduce ghosting & blurring while transitioning pixels, always keeping the enemy & terrain precisely in focus during chaotic moments.

#### **Edgeless Design**

Edgeless Design completely immerses you in all the captivating action and wondrous scenery that 1080P resolution and 180Hz refresh rate have to offer.



### **Key Features**







#### AMD FreeSync™ Premium

By accelerating the frame rate to at least 120Hz at 1080P FHD resolution and delivering low latency to prevent visible delay in data processing, AMD FreeSync™
Premium allows gameplay to reach the highest echelons of performance.

#### **Multiple Ports**

The DisplayPort delivers up to a stellar 180Hz, a refresh rate that presents motion images three times faster & sharper than the standard. HDMI 1 (144Hz) & HDMI 2 (120Hz) make their own incredible marks on image quality.

#### **Built-in Speakers**

Perfectly suited to work & gaming settings, built-in speakers deliver robust & smooth audio while saving space on your desk.







#### **Blue Light Shift**

Blue Light Shift reduces blue light, allowing you to comfortably work, watch, or play applications without straining your eyes.

#### Anti-Flicker

Provides a crisper picture by preventing the backlight from flickering periodically.


#### **FPS-RTS Game Modes**

FPS and RTS are Sceptre's custom set display settings built for an enhanced gaming experience. FPS (First Person Shooter), RTS (Real-Time Strategy).



## **Key Features**







#### **Luminous Back Cover Lights**

A colorful LED light illuminates the back cover of the monitor, delivering a uniquely modern design.

#### **Tiltable Display**

A display that tilts 15° backward and 5° forward allows you to find a sweet spot that bridges clarity and comfort.

#### **VESA Wall Mountable**

The VESA wall mount pattern gives you the freedom to select the optimum viewing position for your monitor, eliminate cable clutter, and save valuable space for your gaming and work station.





#### **Customer Service**

Our customer service representatives are, and have always been, based in the USA, guaranteeing that our customers' needs are met as efficiently as possible.

#### 30+ Years of Experience

Founded in City of Industry, CA over 30 years ago, Sceptre Inc. made a promise to create & deliver superior products for remarkably affordable prices, a rare tradition that continues today.