

## E275W-QPT Sceptre 27" IPS LED Monitor



## Specification

| 101 | []         | 61 | [m] | ٧.  |
|-----|------------|----|-----|-----|
| -   | <b>C-1</b> |    | 0   | N., |
|     |            |    |     |     |

| Display                |                                   |
|------------------------|-----------------------------------|
| Active Screen Size     | 26.8" Diagonal Viewable           |
| Panel Type             | IPS (In-Plane Switching)          |
| Native Resolution      | 2560 x 1440 Quad HD Resolution    |
| Refresh Rate           | Up to 75Hz Refresh Rate           |
| Aspect Ratio           | 16:9                              |
| Response Time          | 5ms (G-to-G) with OD              |
| Pixel Pitch            | 0.2331mm x 0.2331mm               |
| Dynamic Contrast Ratio | 1,000,000:1                       |
| Color Gamut            | 99% sRGB                          |
| Color Depth            | 16.7M                             |
| Contrast Ratio         | 3,000:1                           |
| Brightness (Typ.)      | 300 cd/m <sup>2</sup>             |
| Viewing Angle          | Vertical: 178° / Horizontal: 178° |
| Backlight Type         | Edge-Lit LED                      |
| Backlight Life         | 30,000+ Hours                     |
| Anti-Flicker           | Yes                               |
|                        |                                   |

| SCEPTRE®<br>Surface Treatment                                   | Antiglare, Hard coating (3H)                 |  |
|---|--|--|
|   |  |  |
| Features  |  |  |
| On Screen Display Control (OSD)                                 | Quick Start, Picture, Color, System          |  |
| Picture Presets   | Standard, Movie, ECO, User                   |  |
| Game Presets  | FPS and RTS                                  |  |
| OSD Supported Languages   | English, Spanish, simplified Chinese, French |  |
| Type of Sync  | Adaptive Sync                                |  |
| Blue Light Shift  | Yes  |  |
| Overdrive   | Yes  |  |
| Audio Features  |  |  |
| Speakers  | 2 x 2W/4Ω                                    |  |
| Inputs & Outputs  |  |  |
| HDMI (# of Ports & Version)                                     | 2 x HDMI (V1.4)                              |  |
| Supported HDMI Signals  | Up to 2560 x 1440 @ 75Hz                     |  |
| DP (# of Ports & Version)                                       | 1 x DisplayPort (V1.2A)                      |  |
| Supported DP Signals  | Up to 2560 x 1440 @ 75Hz                     |  |
| 3.5mm Headphone Jack (Output)                                   | Yes  |  |
| Mechanical Features   |  |  |
| Chassis Colors  | Black  |  |
| Tilt Angles   | Forward: 5° Backward: 15°                    |  |
| Bezel Width   | 6mm  |  |
| Neck / Stand Detachable   | Yes  |  |
| VESA Mount Pattern (mm)   | 100mm x 100mm                                |  |
| VESA Mount Screw Size (mm)                                      | M4 x 10mm                                    |  |
| Stand Screw Size & Quantity (mm)                                | M4 x 10mm (3 pcs)                            |  |
| Monitor Neck Height (inches)                                    | 3.34"  |  |
| Security  | Security Lock                                |  |
| Dimensions  |  |  |
| With Stand (inches, W x H x D)                                  | 24.37" x 17.97" x 8.27"                      |  |
| Without Stand (Inches, $W \times H \times D$ )                  | 24.37" x 14.51" x 2.74"                      |  |
| Carton Box Dimension (inches, W x H x D)26.85" x 17.72" x 5.31" |  |  |
| Stand Separation Dimension W x D                                | 8.26" x 12.99"                               |  |
| (inches)  |  |  |
| Weight  |  |  |
| Net Weight with Stand (lbs)                                     | 11.4 lbs.                                    |  |
| Net Weight without Stand (lbs)                                  | 9.37 lbs.                                    |  |
| Gross Weight (lbs)  | 15.81 lbs.                                   |  |
| Power   |  |  |
| Туре  | Adapter 12V 3A                               |  |
| Power Range (V, A, Hz)  | 100-240V, 0.8A, 50-60Hz                      |  |
| Power Consumption (Typical)                                     | 28.8W  |  |
| Maximum   | 30.2W  |  |
| Standby   | 0.23W  |  |
|   |  |  |

| SCEPTRE®                     |  |  |
|------------------------------|--|--|
| Sleep                        | 0.23W  |  |
| Off                          | 0.22W  |  |
| Regulations / Certifications |  |  |
| Regulations                  | FCC, cTUVus, ISTA, RoHS  |  |
| Certifications               | HDMI   |  |
| Warranty                     |  |  |
| Limited Parts and Labor      | One Year   |  |
| What's in the Box?           |  |  |
| Power Cable                  | Adapter x 1  |  |
| Display Cable                | DisplayPort cable x 1 (V.1.2)  |  |
| Accessories                  | Display x 1, Stand x 1, Screwdriver x 1, Stand Screws x 3, User Guide x 1, Warranty Card |  |
|                              | x 1  |  |

