

C325B-QWD168 32" Curved Quad HD Gaming Monitor



Specification

Display	
Active Screen Size	31.5" Diagonal Viewable
Panel Type	Vertical Aligntment (VA)
Curvature	1500R
Native Resolution	2560 x 1440 Quad HD
Refresh Rate	Up to 165Hz Refresh Rate
Aspect Ratio	16:9
Response Time	1ms Blur Reduction
Pixel Pitch	0.2724×0.2724 mm
Dynamic Contrast Ratio	1,000,000:1
Color Gamut	99% sRGB
Color Depth	16.7 million
Contrast Ratio	3,000:1
Brightness (Typ.)	420 cd/m²
Viewing Angle	Vertical: 178° / Horizontal: 178°
High Dynamic Range (HDR)	VESA DisplayHDR400
Backlight Type	Edge-Lit LED

Backlight Life 30,0000+ Hours Anti-Flicker Yes Surface Treatment Haze 25%, Hard Coating (3H) Features Warn, Normal (Default), Cool, User Picture Presets Standard, Movie, ECO, User Game Presets FPS and RTS OSD Supported Languages English, Spanish, Chinese, French Type of Sync AMD FreeSync Premium Backcover LED Lights Yes Blue Light Shift Supported Overdrive Supported Auto Dynamic Contrast Mode Supported Auto Enatures Supported Aution Features 3W / 4O Inputs & Amp: Outputs Up to 2560 x 1440 resolution @ 144Hz HDM (ar Ports & Version) 2 x HDMI 2.0 Supported HDMI Signals Up to 2560 x 1440 resolution @ 155Hz 3.5mm Headphone Jack (Output) 1 port Mochanical Features Yes Chassis Colors Black Tilt Forward: 55deg: Backward: 155deg: Neck / Stand Descabelle Yes VESA Mount: Pattern (mm) 7 mm x 75mm VESA Mo	SCEPTRE®			
Surface Treatment Haze 25%, Hard Coating (3H) Features On Screen Display Control (OSD) Ouick Start, Picture, Color, System Color Temperature Warm, Normal (Default), Cool, User Picture Presets Standard, Movie, ECO, User Game Presets Presets Ps and RTS OSD Supported Languages English, Spanish, Chinese, French Type of Sync AMD FreeSync Premium Backcover LED Lights Yes Blue Light Shift Supported Auto Dynamic Contrast Mode Supported Auto Presety Sync AMD FreeSync Premium Adjustable Audio Features Speakers 3 3W / 4\Q Inputs & Samp; Outputs HDMI (# of Ports & Version) 2 x HDMI 2.0 Supported HDMI Signals Up to 2560 x 1440 resolution @ 144Hz DP (# of Ports & Version) 2 x PD 1.4 Supported DP Signals Up to 2560 x 1440 resolution @ 165Hz 3.5mm Headphone Jack (Output) 1 port Mechanical Features Chassis Colors Black Tilt Forward: Sédeg: Backward: 156deg: Neck Height Adjustable Yes Neck / Stand Detachable Yes Neck / Stand Detachable Yes Neck / Stand Detachable Yes Neck / Stand Serew Size & Quantity (mm) 1 M4 x 10mm Stand Screw Size & Quantity (mm) 1 M6 x 16mm Monitor Neck Height (inches) 2.1"-7.48" Dimensions With Stand (inches, W x H x D) 27.95" x 16.57" x 5.28" Carton Box Dimension (inches, W x H x D) 16.97" x 8.14" (inches) Weight Weight without Stand (lobs) 14.13 Net Weight without Stand (lobs) 14.13 Net Weight without Stand (lobs) 12.43	Backlight Life	30,0000+ Hours		
On Screen Display Control (OSD) Quick Start, Picture, Color, System Color Temperature Warm, Normal (Default), Cool, User Picture Presets Standard, Movie, ECO, User Game PresetS FPS and RTS OSD Supported Languages English, Spanish, Chinese, French Type of Sync AMD FreeSync Premium Backcover LED Lights Yes Blue Light Shirt Supported Querdrive Supported Auto Dynamic Contrast Mode Supported Auto Dynamic Contrast Mode Supported Auto Dynamic Contrast Mode Supported Auto Bynamic Contrast Mode Supported Auto Bynamic Contrast Mode Supported Auto Freetwest Start Strain Str	Anti-Flicker	Yes		
On Screen Display Control (OSD) Quick Start, Picture, Color, System Color Temperature Warm, Normal (Default), Cool, User Picture Presets Standard, Movie, ECO, User Game Presets FPS and RTS OSD Supported Languages English, Spanish, Chinese, French Type of Sync AMD FreeSync Premium Backcover LED Lights Bileu Light Shift Supported Overdrive Supported Overdrive Supported Auto Dynamic Contrast Mode Supported Gamma Adjustable Autof Foatures Speakers 3W / 4Q Inputs & Bamp, Outputs HDMI (# of Ports & Version) 2 x HDMI 2.0 Supported HDMI Signals Up to 2560 x 1440 resolution @ 144Hz DP (# of Ports & Version) 2 x PP 1.4 Supported DP Signals Up to 2560 x 1440 resolution @ 165Hz 3.5mm Headphone Jack (Output) 1 port Mechanical Features Chassis Colors Black Tilt Forward: Sédeg: Backward: 15°: Neck Height Adjustable Yes VESA Mount Pattern (mm) 75mm x 75mm VESA Mount Pattern (mm) 75mm x 75mm VESA Mount Screw Size (mm) Ma x 8mm Screws Neck Stand Chachable Yes VESA Mount Screw Size (mm) Mantor Neck Height (inches) 2.1" ~7.48" Dimensions With Stand (Inches, W x H x D) 1.6.97" x 8.14" Weight Without Stand (libs) 14.13 Net Weight without Stand (libs) 14.13	Surface Treatment	Haze 25%, Hard Coating (3H)		
Color Temperature Warm, Normal (Default), Cool, User Picture Presets Standard, Movie, ECO, User Game Presets FSS Game Pater FSS Game Presets FSS Game Presets FSS Game Presets FSS Game Presets FSS Game Pater	Features			
Picture Presets Standard, Movie, ECO, User Game Presets FPS and RTS OSD Supported Languages English, Spanish, Chinese, French Type of Sync AMD FreeSync Premium Backcover LED Lights Yes Blue Light Shift Supported Overdrive Supported Auto Dynamic Contrast Mode Supported Gamma Adjustable Auto Dynamic Contrast Mode Supported Supported Auto Dynamic Contrast Mode Supported Supported Auto Dynamic Contrast Mode Supported Supported Supported Auto Dynamic Contrast Mode Supported Supported Contrast C	On Screen Display Control (OSD)	Quick Start, Picture, Color, System		
Game Presets FPS and RTS OSD Supported Languages English, Spanish, Chinese, French Type of Sync AMD FreeSync Premium Backcover LED Lights Yes Blue Light Shift Supported Overdrive Supported Auto Dynamic Contrast Mode Supported Auto Dynamic Contrast Mode Supported Auto Dynamic Contrast Mode Supported Auto Prestures Speakers 3W / 4Q Inputs & Amp; Outputs HDMI (# of Ports & Version) 2 x HDMI 2.0 Supported HDMI Signals Up to 2560 x 1440 resolution @ 144Hz DP (# of Ports & Version) 2 x DP 1.4 Supported PD Fignals Up to 2560 x 1440 resolution @ 165Hz 3.5mm Headphone Jack (Output) 1 port Mechanical Features Chassis Colors Black Tilk Forward: Sédeg; Backward: 15° Neck Height Adjustable Yes Neck / Stand Detachable Yes Neck Screw Size & Quantity (mm) 75mm x 75mm VESA Mount Pattern (mm) 75mm x 75mm VESA Mount Pattern (mm) 1 M4 x 8mm Screws Neck Screw Size & Quantity (mm) 1 M4 x 10mm Stand Screw Size & Quantity (mm) 1 M6 x 16mm Monitor Neck Height (inches) 2.1" -7.48" Dimensions With Stand (inches, W x H x D) 27.95" x 24.19" x 8.72" Without Stand (inches, W x H x D) 17.95" x 24.19" x 8.72" Without Stand (inches, W x H x D) 17.95" x 24.19" x 8.72" Without Stand (inches, W x H x D) 17.95" x 24.19" x 8.72" Without Stand (inches, W x H x D) 17.95" x 24.19" x 8.72" Without Stand (inches, W x H x D) 16.97" x 8.14" Net Weight with Stand (libs) 14.13 Net Weight without Stand (libs) 14.13 Net Weight without Stand (libs) 12.43	Color Temperature	Warm, Normal (Default), Cool, User		
OSD Supported Languages English, Spanish, Chinese, French Type of Sync AMD FreeSync Premium Backcover LED Lights Yes Blue Light Shift Supported Overdrive Supported Auto Dynamic Contrast Mode Supported Auto Dynamic Contrast Mode Supported Autio Evaluates Speakers Speakers 3W / 4Q Inputs & Samp; Outputs HDMI (# of Ports & Version) Supported HDMI Signals Up to 2560 x 1440 resolution @ 144Hz DP (# of Ports & Version) 2 x DP 1.4 Supported DP Signals Up to 2560 x 1440 resolution @ 165Hz 3.5mm Headphone Jack (Output) 1 port Mechanical Features Chassis Colors Black Tilt Tilt Forward: 5° Backward: 15° Neck / Stand Detachable Yes VESA Mount Pattern (mm) 75mm x 75mm VESA Mount Pattern (mm) 75mm x 75mm VESA Wount Pattern (mm) 1 M4 x 10mm Stand Serew Size & Quantity (mm) 1 M6 x 16mm Monitor Neck Height (inches) 2.1" -7.48" <	Picture Presets	Standard, Movie, ECO, User		
Type of Sync	Game Presets	FPS and RTS		
Backcover LED Lights Yes Blue Light Shift Supported Overdrive Supported Auto Dynamic Contrast Mode Supported Gamma Adjustable Audio Features Speakers 3W / 4Ω Inputs & Wersion Supported Mill Signals Up to 2560 x 1440 resolution @ 144Hz DP (# of Ports & Version) 2 x HDMI 2.0 Supported HDMI Signals Up to 2560 x 1440 resolution @ 144Hz DP (# of Ports & Version) 2 x DP 1.4 Supported DP Signals Up to 2560 x 1440 resolution @ 165Hz 3.5mm Headphone Jack (Output) 1 port Mochanical Features Chassis Colors Black Tilt Forward: 5°: Backward: 15°: Neck Height Adjustable Yes VESA Mount Pattern (mm) 75mm x 75mm VESA Mount Pattern (mm) 75mm x 75mm VESA Mount Pattern (mm) 14M x 10mm Stand Screw Size & Quantity (mm) 1 M4 x 10mm Stand Screw Size & Quantity (mm) 1 M6 x 16mm Monitor Neck Height (Inches) 2.1"~7.48" Dimensions With Stand (Inches, W x H x D) 27.95" x 24.19" x 8.72" Without Stand (Inches, W x H x D) 16.97" x 8.14" (inches) Veight With Stand (libs) 14.13 Net Weight with Stand (lbs) 14.13 Net Weight with Stand (lbs) 14.13 Net Weight with Stand (lbs) 12.43	OSD Supported Languages	English, Spanish, Chinese, French		
Blue Light Shift Overdrive Supported Auto Dynamic Contrast Mode Supported Audio Features Speakers 3W / 4Ω Inputs & Amp: Outputs HDMI (# of Ports & Version) Supported HDMI Signals Up to 2560 x 1440 resolution @ 144Hz DP (# of Ports & Version) 2 x DP 1.4 Supported PD Signals Up to 2560 x 1440 resolution @ 165Hz 3.5mm Headphone Jack (Output) I port Mechanical Features Chassis Colors Black Tilt Forward: 5°: Backward: 15° Neck Height Adjustable Yes Neck / Stand Detachable Yes Neck / Stand Detachable Yes Neck Screw Size & Quantity (mm) Stand Screw Size & Quantity (mm) Stand Screw Size & Quantity (mm) Monitor Neck Height (inches) 2 "-7.48" Dimensions With Stand (Inches, W x H x D) Carton Box Dimension (inches, W x H x D) Carton Box Dimension (inches, W x H x D) Carton Box Dimension (inches, W x H x D) Carton Box Dimension (inches, W x H x D) (inches) Weight Net Weight with Stand (lbs) 14.13 Net Weight with Stand (lbs) 14.13 Net Weight with Output Stand (lbs) 1.413	Type of Sync	AMD FreeSync Premium		
Overdrive Supported Auto Dynamic Contrast Mode Supported Gamma Adjustable Audio Features Speakers Speakers 3W / 4Ω Inputs & Amp; Outputs HDMI (# of Ports & Version) Supported HDMI Signals Up to 2560 x 1440 resolution @ 144Hz DP (# of Ports & Version) 2 x DP 1.4 Supported DP Signals Up to 2560 x 1440 resolution @ 165Hz 3.5mm Headphone Jack (Output) 1 port Mechanical Features Chassis Colors Black Tilt Forward: 5° Backward: 15° Neck Height Adjustable Yes VESA Mount Pattern (mm) 75mm x 75mm VESA Mount Pattern (mm) 75mm x 75mm VESA Mount Screw Size & Quantity (mm) 1 M4 x 10mm Stand Screw Size & Quantity (mm) 1 M6 x 16mm Monitor Neck Height (inches) 2.1"~7.48" Dimensions Without Stand (Inches, W x H x D) 27.95" x 24.19" x 8.72" Without Stand (Inches, W x H x D) 27.95" x 5.57" x 5.28" Carton Box Dimension (inches, W x H x D) 27.95" x 8.14" Weight 14.13 Net Weigh	Backcover LED Lights	Yes		
Auto Dynamic Contrast Mode Gamma Adjustable Audio Features Speakers 3W / 4Ω Inputs & Amp; Outputs HDMI (# of Ports & Version) Supported HDMI Signals Up to 2560 x 1440 resolution @ 144Hz DP (# of Ports & Version) 2 x DP 1.4 Supported DP Signals Up to 2560 x 1440 resolution @ 165Hz 3.5mm Headphone Jack (Output) 1 port Mechanical Features Chassis Colors Black Tilt Forward: 5° Backward: 15° Neck Height Adjustable Yes Neck / Stand Detachable Yes Neck / Stand Detachable Yes Ness Mount Pattern (mm) 75mm x 75mm VESA Mount Screw Size (mm) Neck Screw Size & Quantity (mm) 1 M4 x 10mm Stand Screw Size & Quantity (mm) 1 M6 x 16mm Monitor Neck Height (inches) 2.1°~7.48" Dimensions With Stand (inches, W x H x D) 27.95" x 24.19" x 8.72" Without Stand (inches, W x H x D) 16.97" x 8.14" Weight Net Weight with Stand (lbs) 14.13 Net Weight without Stand (lbs) 14.13 Net Weight without Stand (lbs) 14.13	Blue Light Shift	Supported		
Gamma Adjustable Audio Featuros 3W / 4Ω Inputs & Bamp; Outputs Inputs & Ports & Version 2 x HDMI 2.0 Supported HDMI Signals Up to 2560 x 1440 resolution @ 144Hz DP (# of Ports & Version) 2 x DP 1.4 Supported DP Signals Up to 2560 x 1440 resolution @ 165Hz 3.5mm Headphone Jack (Output) 1 port Mechanical Features Vermard: 5° Backward: 15° Chassis Colors Black Tilt Forward: 5° Backward: 15° Neck Height Adjustable Yes Neck / Stand Detachable Yes VESA Mount Pattern (mm) 75mm x 75mm VESA Mount Screw Size (mm) M4 x 8mm Screws Neck Screw Size & Quantity (mm) 1 M4 x 10mm Stand Screw Size & Quantity (mm) 1 M6 x 16mm Monitor Neck Height (inches) 2.1"~7.48" Dimensions Without Stand (inches, W x H x D) 27.95" x 16.57" x 5.28" Carton Box Dimension (inches, W x H x D) 27.95" x 16.57" x 5.28" Carton Box Dimension (inches, W x H x D) 16.97" x 8.14" Weight Weight Weight 14.13 Net Weight with Stand (libs) 14.13 Net Weight without Stand (libs) 14.13	Overdrive	Supported		
Speakers 3W / 4Q Inputs & Amp; Outputs	Auto Dynamic Contrast Mode	Supported		
Speakers 3W / 4Ω Inputs & Amp; Outputs	Gamma	Adjustable		
Inputs & Aamp; Outputs HDMI (# of Ports & Version) Supported HDMI Signals Up to 2560 x 1440 resolution @ 144Hz DP (# of Ports & Version) 2 x DP 1.4 Supported DP Signals Up to 2560 x 1440 resolution @ 165Hz 3.5mm Headphone Jack (Output) 1 port Mechanical Features Chassis Colors Black Titt forward: 5° Backward: 15° Neck Height Adjustable Yes Neck / Stand Detachable Yes VESA Mount Pattern (mm) VESA Mount Pattern (mm) VESA Mount Screw Size (mm) M4 x 8mm Screws Neck Screw Size & Quantity (mm) Stand Screw Size & Quantity (mm) 1 M6 x 16mm Monitor Neck Height (inches) 2.1"-7.48" Dimensions With Stand (inches, W x H x D) 27.95" x 24.19" x 8.72" Without Stand (Inches, W x H x D) 37.95" x 24.19" x 8.72" Without Stand Separation Dimension W x D (inches) Weight Net Weight with Stand (lbs) 14.13 Net Weight without Stand (lbs) 12.43	Audio Features			
HDMI (# of Ports & Version) 2 x HDMI 2.0	Speakers	3W / 4Ω		
Supported HDMI Signals DP (# of Ports & Version) 2 x DP 1.4 Supported DP Signals Up to 2560 x 1440 resolution @ 165Hz 3.5mm Headphone Jack (Output) 1 port Mechanical Features Chassis Colors Black Tilt Forward: 5° Backward: 15° Neck Height Adjustable Yes VESA Mount Pattern (mm) 75mm x 75mm VESA Mount Screw Size (mm) Mex x 8mm Screws Neck Size & Quantity (mm) 1 M4 x 10mm Stand Screw Size & Quantity (mm) 1 M6 x 16mm Monitor Neck Height (inches) 2.1"~7.48" Dimensions With Stand (Inches, W x H x D) 27.95" x 24.19" x 8.72" Without Stand (Inches, W x H x D) 16.97" x 8.14" (inches) Weight Net Weight with Stand (lbs) 14.13 Net Weight without Stand (lbs) 12.43	Inputs & Outputs			
DP (# of Ports & Version) 2 x DP 1.4 Supported DP Signals Up to 2560 x 1440 resolution @ 165Hz 3.5mm Headphone Jack (Output) 1 port Mechanical Features Chassis Colors Black Tilt Forward: 5° Backward: 15° Neck Height Adjustable Yes Neck / Stand Detachable Yes VESA Mount Pattern (mm) VESA Mount Screw Size (mm) M4 x 8mm Screws Neck Screw Size & Quantity (mm) 1 M4 x 10mm Stand Screw Size & Quantity (mm) 1 M6 x 16mm Monitor Neck Height (inches) 2.1"~7.48" Dimensions With Stand (inches, W x H x D) 27.95" x 24.19" x 8.72" Without Stand (Inches, W x H x D) 16.97" x 8.14" (inches) Weight Net Weight without Stand (lbs) 14.13 Net Weight without Stand (lbs) 12.43	HDMI (# of Ports & Version)	2 x HDMI 2.0		
Supported DP Signals 3.5mm Headphone Jack (Output) 1 port Mechanical Features Chassis Colors Black Tilt Forward: 5° Backward: 15° Neck Height Adjustable Yes Neck / Stand Detachable Yes VESA Mount Pattern (mm) VESA Mount Pattern (mm) VESA Mount Screw Size & Quantity (mm) Neck Screw Size & Quantity (mm) MM x 8mm Screws Neck Screw Size & Quantity (mm) 1 M4 x 10mm Stand Screw Size & Quantity (mm) Mnonitor Neck Height (inches) 2.1"~7.48" Dimensions With Stand (Inches, W x H x D) 27.95" x 24.19" x 8.72" Without Stand (Inches, W x H x D) 37.95" x 16.57" x 5.28" Carton Box Dimension (inches, W x H x D) Stand Separation Dimension W x D (inches) Weight Net Weight with Stand (lbs) 14.13 Net Weight without Stand (lbs) 12.43	Supported HDMI Signals	Up to 2560 x 1440 resolution @ 144Hz		
3.5mm Headphone Jack (Output) 1 port Mechanical Features Chassis Colors Black Tilt Forward: 5° Backward: 15° Neck Height Adjustable Yes Neck / Stand Detachable Yes VESA Mount Pattern (mm) 75mm x 75mm VESA Mount Screw Size (mm) M4 x 8mm Screws Neck Screw Size & Quantity (mm) 1 M4 x 10mm Stand Screw Size & Quantity (mm) 1 M6 x 16mm Monitor Neck Height (inches) 2.1"~7.48" Dimensions With Stand (Inches, W x H x D) 27.95" x 24.19" x 8.72" Without Stand (Inches, W x H x D) 31.65"(W) x 21.06"(H) x 7.99"(D) Stand Separation Dimension W x D (inches) Weight Net Weight with Stand (lbs) 14.13 Net Weight without Stand (lbs) 12.43	DP (# of Ports & Version)	2 x DP 1.4		
Chassis Colors Black Tilt Forward: 5° Backward: 15° Neck Height Adjustable Yes Neck / Stand Detachable Yes VESA Mount Pattern (mm) VESA Mount Screw Size (mm) Neck Screw Size & Quantity (mm) Stand Screw Size & Quantity (mm) Monitor Neck Height (inches) Dimensions With Stand (Inches, W x H x D) Without Stand (Inches, W x H x D) Carton Box Dimension (inches, W x H x D) Stand Separation Dimension W x D Inches (Inches) Inches (Inches (Inch	Supported DP Signals	Up to 2560 x 1440 resolution @ 165Hz		
Chassis Colors Black Tilt Forward: 5° Backward: 15° Neck Height Adjustable Yes Neck / Stand Detachable Yes VESA Mount Pattern (mm) VESA Mount Screw Size (mm) Neck Screw Size & Quantity (mm) Stand Screw Size & Quantity (mm) Monitor Neck Height (inches) Dimensions With Stand (inches, W x H x D) Without Stand (inches, W x H x D) Carton Box Dimension (inches, W x H x D) Stand Separation Dimension W x D (inches) Weight Net Weight with Stand (lbs) 14.13 Net Weight without Stand (lbs) 12.43	3.5mm Headphone Jack (Output)	1 port		
Tilt Forward: 5° Backward: 15° Neck Height Adjustable Yes Neck / Stand Detachable Yes VESA Mount Pattern (mm) 75mm x 75mm VESA Mount Screw Size (mm) M4 x 8mm Screws Neck Screw Size & Quantity (mm) 1 M4 x 10mm Stand Screw Size & Quantity (mm) 1 M6 x 16mm Monitor Neck Height (inches) 2.1"~7.48" Dimensions With Stand (Inches, W x H x D) 27.95" x 24.19" x 8.72" Without Stand (Inches, W x H x D) 31.65"(W) x 21.06"(H) x 7.99"(D) Stand Separation Dimension W x D (inches) Weight Net Weight with Stand (lbs) 14.13 Net Weight without Stand (lbs) 12.43	Mechanical Features			
Neck Height Adjustable Yes Neck / Stand Detachable YESA Mount Pattern (mm) YESA Mount Screw Size (mm) Neck Screw Size & Quantity (mm) Stand Screw Size & Quantity (mm) Monitor Neck Height (inches) Dimensions With Stand (inches, W x H x D) Without Stand (Inches, W x H x D) Carton Box Dimension (inches, W x H x D) Stand Separation Dimension W x D (inches) Weight Net Weight with Stand (lbs) 14.13 Net Weight without Stand (lbs) 15mm x 75mm M4 x 8mm Screws M4 x 10mm 1 M4 x 10mm 1 M6 x 16mm 2 1 M6 x 16mm 2 1 M7 x 8 12" 2 7 .95" x 24.19" x 8.72" 2 7 .95" x 24.19" x 8.72" 2 8 .72" 1 6 .97" x 8.14" 1 6 .97" x 8.14"	Chassis Colors	Black		
Neck / Stand Detachable VESA Mount Pattern (mm) VESA Mount Screw Size (mm) Neck Screw Size & Quantity (mm) Stand Screw Size & Quantity (mm) Monitor Neck Height (inches) Dimensions With Stand (inches, W x H x D) Without Stand (Inches, W x H x D) Carton Box Dimension (inches, W x H x D) Stand Separation Dimension W x D (inches) Weight Net Weight with Stand (lbs) 12.43	Tilt	Forward: 5° Backward: 15°		
VESA Mount Pattern (mm) VESA Mount Screw Size (mm) M4 x 8mm Screws Neck Screw Size & Quantity (mm) 1 M4 x 10mm Stand Screw Size & Quantity (mm) Monitor Neck Height (inches) Dimensions With Stand (inches, W x H x D) 27.95" x 24.19" x 8.72" Without Stand (Inches, W x H x D) 27.95" x 16.57" x 5.28" Carton Box Dimension (inches, W x H x D) Stand Separation Dimension W x D 16.97" x 8.14" (inches) Weight Net Weight with Stand (lbs) 14.13 Net Weight without Stand (lbs) 12.43	Neck Height Adjustable	Yes		
VESA Mount Screw Size (mm) Neck Screw Size & Quantity (mm) Stand Screw Size & Quantity (mm) Monitor Neck Height (inches) Dimensions With Stand (inches, W x H x D) 27.95" x 24.19" x 8.72" Without Stand (Inches, W x H x D) 27.95" x 16.57" x 5.28" Carton Box Dimension (inches, W x H x D) Stand Separation Dimension W x D (inches) Weight Net Weight with Stand (lbs) 14.13 Net Weight without Stand (lbs) 1 M4 x 8mm Screws M4 x 8mm Screws M4 x 10mm 1 M4 x 10mm 2 1 M6 x 16mm 2 1 M6 x 16mm 2 1 M6 x 16mm 2 1 M6 x 16mm 1	Neck / Stand Detachable	Yes		
Neck Screw Size & Quantity (mm) Stand Screw Size & Quantity (mm) Monitor Neck Height (inches) Dimensions With Stand (inches, W x H x D) 27.95" x 24.19" x 8.72" Without Stand (Inches, W x H x D) 27.95" x 16.57" x 5.28" Carton Box Dimension (inches, W x H x D) Stand Separation Dimension W x D (inches) Weight Net Weight with Stand (lbs) 14.13 Net Weight without Stand (lbs) 1 M4 x 10mm 1 M4 x 10mm 1 M6 x 16mm 1 M6 x 16mm 2.1"~7.48" 27.95" x 24.19" x 8.72" 27.95" x 16.57" x 5.28" 27.95" x 16.57" x 5.28" 16.97" x 8.14"	VESA Mount Pattern (mm)	75mm x 75mm		
Stand Screw Size & Quantity (mm) 1 M6 x 16mm Monitor Neck Height (inches) 2.1"~7.48" Dimensions With Stand (inches, W x H x D) 27.95" x 24.19" x 8.72" Without Stand (Inches, W x H x D) 27.95" x 16.57" x 5.28" Carton Box Dimension (inches, W x H x D) 31.65"(W) x 21.06"(H) x 7.99"(D) Stand Separation Dimension W x D (inches) Weight Net Weight with Stand (lbs) 14.13 Net Weight without Stand (lbs) 12.43	VESA Mount Screw Size (mm)	M4 x 8mm Screws		
Monitor Neck Height (inches) 2.1"~7.48" Dimensions With Stand (inches, W x H x D) 27.95" x 24.19" x 8.72" Without Stand (Inches, W x H x D) 27.95" x 16.57" x 5.28" Carton Box Dimension (inches, W x H x D) Stand Separation Dimension W x D (inches) Weight Net Weight with Stand (lbs) 14.13 Net Weight without Stand (lbs) 12.43	Neck Screw Size & Quantity (mm)	1 M4 x 10mm		
With Stand (inches, W x H x D) 27.95" x 24.19" x 8.72" Without Stand (Inches, W x H x D) 27.95" x 16.57" x 5.28" Carton Box Dimension (inches, W x H x D) 31.65"(W) x 21.06"(H) x 7.99"(D) Stand Separation Dimension W x D 16.97" x 8.14" (inches) Weight Net Weight with Stand (lbs) 14.13 Net Weight without Stand (lbs) 12.43	Stand Screw Size & Quantity (mm)	1 M6 x 16mm		
With Stand (inches, W x H x D) 27.95" x 24.19" x 8.72" Without Stand (Inches, W x H x D) 27.95" x 16.57" x 5.28" Carton Box Dimension (inches, W x H x D) Stand Separation Dimension W x D (inches) Weight Net Weight with Stand (Ibs) 14.13 Net Weight without Stand (Ibs) 12.43	Monitor Neck Height (inches)	2.1"~7.48"		
Without Stand (Inches, W x H x D) Carton Box Dimension (inches, W x H x D)31.65"(W) x 21.06"(H) x 7.99"(D) Stand Separation Dimension W x D (inches) Weight Net Weight with Stand (Ibs) 14.13 Net Weight without Stand (Ibs) 12.43	Dimensions			
Carton Box Dimension (inches, W x H x D)31.65"(W) x 21.06"(H) x 7.99"(D) Stand Separation Dimension W x D (inches) Weight Net Weight with Stand (lbs) 14.13 Net Weight without Stand (lbs) 12.43	With Stand (inches, W x H x D)	27.95" x 24.19" x 8.72"		
Stand Separation Dimension W x D (inches) Weight Net Weight with Stand (lbs) Net Weight without Stand (lbs) 16.97" x 8.14" 16.97" x 8.14"	Without Stand (Inches, W x H x D)	27.95" x 16.57" x 5.28"		
(inches) Weight Net Weight with Stand (lbs) Net Weight without Stand (lbs) 14.13 Net Weight without Stand (lbs)	Carton Box Dimension (inches, W x H x	D)31.65"(W) x 21.06"(H) x 7.99"(D)		
WeightNet Weight with Stand (lbs)14.13Net Weight without Stand (lbs)12.43	Stand Separation Dimension W x D	16.97" x 8.14"		
Net Weight with Stand (lbs)14.13Net Weight without Stand (lbs)12.43	(inches)			
Net Weight without Stand (lbs) 12.43	Weight			
	Net Weight with Stand (lbs)	14.13		
Gross Weight (lbs) 21.99 lbs.	Net Weight without Stand (lbs)	12.43		
	Gross Weight (lbs)	21.99 lbs.		

,		 (a)

Power		
Туре	AC Adapter	
Power Range (V, A, Hz)	12V / 4A	
Power Consumption (Typical)	54W	
Maximum	46W	
Standby	0.2W	
Sleep	0.2W	
Off	0.2W	
Regulations / Certifications		
Regulations	FCC, ISTA6A, RoHS, UL	
Certifications	HDMI, AMD FreeSync, VESA DisplayHDR	
Warranty		
Limited Parts and Labor	One Year	
What's in the Box?		
Power Cable	1 AC Adapter	
Display Cable	1 DP Cable	
Accessories	Monitor Display x 1, Stand x 1, Neck x 1, Stand Screws x 1, Neck Screws x 1, Wall-Mount	
	Plate x 1, Screwdriver x1, User Guide x 1, Warranty Card x 1	



Key Features







Vertical Alignment Panel

The VA (Vertical Alignment) panel makes its mark by delivering advanced refresh rates, sharper contrast ratios, and stellar viewing angles. All of these assets make this panel ideal for gaming and artistic pursuits.

1500R Curved Display

The 1500R degree curved design immerses you completely into the gaming landscape, allowing you to spot all threats and opportunities before all of your competitors.

QHD Resolution

Quad (QHD) resolution is aptly named for having four times more pixels (2560×1440) than HD and delivers a splash of transcendent color and piercing clarity.







165Hz Refresh Rate

Stay above the pack with 165Hz, giving you an edge in performance as frames transition instantly.

Blur Reduction

Playing fast action games and watching action adventure movies always require fast and accurate pixel response from an LED. With 1ms Blur Reduction, ghosting and blurring are reduced so the user can enjoy the monitor with clarity and precision.

400 Brightness

Remarkably vivid colors illuminate the screen like never before with 400 cd/m² brightness.



Key Features







HDR400

HDR400 (High Dynamic Range) enhances dynamic contrast ratio, illuminating colors up to 50% brighter than SDR while displaying profoundly clear dark colors.

Anti-Flicker

Provides a crisper picture by preventing the backlight from flickering periodically.

Built-In Speakers

Perfectly suited to work & gaming settings, built-in speakers deliver robust & smooth audio while saving space on your desk.







Multiple Ports

The DisplayPorts deliver up to 165Hz refresh rate, providing incredible visibility & agility to beat your standard player. The HDMI ports provide an impressive 144hz refresh rate.

Luminous Backcover Lights

A colorful LED light illuminates the back cover of the monitor, delivering a uniquely modern design.

Blue Light Shift

Blue Light Shift reduces blue light, allowing you to comfortably work, watch, or play applications without straining your eyes.



Key Features







VESA Wall Mountable

The VESA wall mount pattern gives you the freedom to select the optimum viewing position for your monitor, eliminate cable clutter, & save valuable space for your gaming & work station.

Customer Service

Our customer service representatives are, and have always been, based in the USA, guaranteeing that our customers' needs are met as efficiently as possible.

30+ Years of Experience

Founded in City of Industry, CA over 30 years ago, Sceptre Inc. made a promise to create & deliver superior products for remarkably affordable prices, a rare tradition that continues today.