

E275B-QPD168 27" Gaming Monitor



Specification

Display	
Active Screen Size	27" Diagonal Viewable
Panel Type	IPS (In-plane Switching)
Native Resolution	2560 x 1440 Quad HD
Refresh Rate	Up to 165Hz
Aspect Ratio	16:9
Response Time	1ms (G-t-G)
Pixel Pitch	0.2331mm (H) x 0.2331mm (V)
Dynamic Contrast Ratio	1,000,000:1
Color Gamut	sRGB:100% DCI-P3: 92%
Color Depth	1.07B
Contrast Ratio	3,000:1
Brightness (Typ.)	450 cd/m²
Brightness (HDR Peak)	400 cd/m²
Viewing Angle	Vertical: 178° / Horizontal: 178°
High Dynamic Range (HDR)	VESA DisplayHDR™ 400 Certified
Backlight Type	Edge-Lit LED

Backlight Life	30,000+ Hours
Anti-Flicker	Yes
Surface Treatment	Anti-glare 3H
<b>Features</b>	
On Screen Display Control (OSD)	Quick Start, Picture, Color, System
Color Temperature	Warm, Normal (Default), Cool, User
Picture Presets	Standard, Movie, ECO, User
Game Presets	FPS and RTS
OSD Supported Languages	English, Spanish, Chinese, French
Type of Sync	AMD FreeSync™ Premium
Blue Light Shift	Yes
Overdrive	Yes
Auto Dynamic Contrast Mode	Available
Gamma	Adjustable
<b>Audio Features</b>	
Speakers	2 x 2W/4Ω
<b>Inputs &amp; Outputs</b>	
HDMI (# of Ports & Version)	2 x HDMI 2.0
Supported HDMI Signals	Up to 2560 x 1440 @ 144Hz
DP (# of Ports & Version)	2 x DisplayPort 1.2
Supported DP Signals	Up to 2560 x 1440 @ 165Hz
3.5mm Headphone Jack (Output)	Yes
<b>Mechanical Features</b>	
Chassis Colors	Black
Tilt Angles	Forward: 5° Backward: 15°
Bezel Width	11.2mm
Neck Stand Swivel Angle	15°
Neck Height Adjustable	95mm
Neck / Stand Detachable	Yes
VESA Mount Pattern (mm)	75mm X 75mm
VESA Mount Screw Size (mm)	M4 x 12mm
Neck Screw Size & Quantity (mm)	M4 x 26mm (4pcs.)
Stand Screw Size & Quantity (mm)	M4 x 12mm (2pcs.)
Monitor Neck Height (inches)	16.58"
<b>Dimensions</b>	
With Stand (inches, W x H x D)	24.37" x 20.25" x 9.09"
Without Stand (Inches, W x H x D)	24.37" x 14.39" x 1.61"
Carton Box Dimension (inches, W x H x D)	27.76" x 17.4" x 6.93"
Stand Separation Dimension W x D (inches)	12.21" x 8.45" x 1.14"
<b>Weight</b>	
Net Weight with Stand (lbs)	13.44 lbs
Net Weight without Stand (lbs)	10.09 lbs

Gross Weight (lbs)	18.78 lbs
<b>Power</b>	
Type	Adapter 12V, 4A
Power Range (V, A, Hz)	100 - 240VAC,47-63Hz,1.4A
Power Consumption (Typical)	47W
Maximum	<52W
Standby	≤0.5W
Sleep	≤0.5W
Off	≤0.5W
<b>Regulations / Certifications</b>	
Regulations	FCC, cTUVus, ISTA, RoHS
Certifications	HDMI, AMD FreeSync
<b>Warranty</b>	
Limited Parts and Labor	One Year
<b>What's in the Box?</b>	
Power Cable	AC Power Cable x 1
Display Cable	DisplayPort Cable x 1
Accessories	Display x 1, Stand Base x 1,Stand Neck x 1, Screw Driver x 1, Stand Screws x 2, User Guide x 1, Warranty Card x 1

SCEPTRE®

Key Features

Designed for the most intensive gaming performance, E2788-GPD168 has equipped 2k resolution, 165hz refresh rate, and 1ms Gray-to-Gray response time.



AMD FreeSync Premium

Exciting, but no Ghosting

Rapid Response Time

The 1ms (GtG) response time ensures that the display does not suffer from ghosting or motion blur. The extremely low response time provides you with a clear, crisp picture that allows you to stay focused on your game play.



1ms G-t-G Response Time


Great for gaming and productivity.

Experience True-to-Life Colors with Our Advanced Display Panel



The E2788-GPD168 is a 100% sRGB color performance IPS display panel, certified with VESA Certified DisplayHDR 400 to ensure stunningly accurate and vibrant colors in anything you display, whether you're gaming, working, or checking your favorite movies. Our monitor delivers visually immersive experience that brings your content to life.

Productivity



Multi-port Connectivity