


## E248W-19203RTA 24" LED Monitor



## Specification

Display	
Active Screen Size	23.8" Diagonal Viewable
Panel Type	VA (Vertical Alignment)
Native Resolution	1920 x 1080 Full HD
Refresh Rate	Up to 75Hz Refresh Rate
Aspect Ratio	16:9
Response Time	3ms (G-to-G)
Pixel Pitch	0.2745mm (H) x 0.2745mm (V)
Dynamic Contrast Ratio	1,000,000:1
Color Gamut	99% sRGB
Color Depth	16.7M
Contrast Ratio	3,000:1
Brightness (Typ.)	250 cd/m <sup>2</sup>
Viewing Angle	Vertical: 178° / Horizontal: 178°
Backlight Type	Edge-lit LED
Backlight Life	30,000+ Hours
Anti-Flicker	Yes

SCEPTRE®	
Surface Treatment	Anti-glare, Hard Coating (3H)
Features	
On Screen Display Control (OSD)	Quick Start, Picture, Color, System
Color Temperature	Warm, Normal (Default), Cool, User
Picture Presets	Standard, User, Movie, Eco, FPS, RTS
Game Presets	FPS and RTS
OSD Supported Languages	English (Default), French, Spanish , Chinese
Type of Sync	Adaptive Sync
Blue Light Shift	Available
Auto Dynamic Contrast Mode	Available
Gamma	Adjustable
Audio Features	
Speakers	2x 2W/4Ω
Inputs & Outputs	
HDMI (# of Ports & Version)	2 x HDMI, type A, 1.3 version
Supported HDMI Signals	Up to 1920 x 1080 @ 75Hz; 1080/60p, 1080/60i, 720p, 480p, 480i
3.5mm Auxiliary Input Jack	Yes
VGA (# of Ports)	1 x VGA, D-sub 15 pin
3.5mm Headphone Jack (Output)	Yes
Supported VGA Signals	Up to 1920 x 1080 @ 75Hz; 1080/60p, 1080/60i, 720p, 480p, 480i
Mechanical Features	
Chassis Colors	Black
Tilt	Backward: 15° Forward: 5°
Bezel Width	0.42" (10.68mm)
Neck / Stand Detachable	Yes
VESA Mount Pattern (mm)	100 x 100 mm
VESA Mount Screw Size (mm)	M4 x 10 mm
Neck Screw Size & Quantity (mm)	M4 x 10mm (2pcs)
Monitor Neck Height (inches)	3.17
Dimensions	
With Stand (inches, W x H x D)	21.59" x 15.83" x 7.02"
Without Stand (Inches, W x H x D)	21.59" x 12.72" x 1.28"
Carton Box Dimension (inches, W x H x I	
Stand Separation Dimension W x D	Elliptical, D1= 7.02" (178.4mm) , D2= 10.17 (258.4mm)
(inches)	
Weight	
Net Weight with Stand (lbs)	6.49 lbs.
Net Weight without Stand (lbs)	5.94 lbs.
Gross Weight (lbs)	9.46 lbs.
Power	
Туре	Adapter 12V 2.5A
Power Range (V, A, Hz)	100 - 240 VAC, 0.8A, 50/60 Hz
Power Consumption (Typical)	23.8W
· over consumption (rypical)	

SCEPTRE		
Maximum	26W	
Standby	0.12W	
Sleep	0.22W	
Off	0.16W	
Regulations / Certifications		
Regulations	FCC, cTUVus, RoHS	
Certifications	HDMI	
Warranty		
Limited Parts and Labor	One Year	
What's in the Box?		
Power Cable	AC Adapter x 1	
Display Cable	HDMI Cable x 1	
Accessories	Monitor Display x 1,	
	Base x 1,	
	Screw Driver x 1,	
	Wall Mount Standoffs,	
	User Manual x 1,	
	Warranty Card x 1	

