

U275W-UPT1 27" 4K UHD Monitor



Specification

Display	
Active Screen Size	27" Diagonal Viewable
Panel Type	IPS (In-Plane Switching)
Native Resolution	3840 x 2160 Ultra HD
Refresh Rate	Up to 70Hz Refresh Rate
Aspect Ratio	16:9 Widescreen
Response Time	5 ms (G-to-G) with OD
Pixel Pitch	0.1554mm(H) x 0.1554mm(V)
Dynamic Contrast Ratio	1,000,000:1
Color Gamut	sRGB:99%
Color Depth	16.7M
Contrast Ratio	1,000:1
Brightness (Typ.)	350 cd/m ²
Viewing Angle	Vertical: 178° / Horizontal: 178°
Backlight Life	30,000+ Hours
Anti-Flicker	Yes
Surface Treatment	Antiglare, Hard coating (3H)

SCEPTRE®	
Features	
On Screen Display Control (OSD)	Quick Start, Picture, Color, System
Color Temperature	Warm, Normal (Default), Cool, User
Picture Presets	Standard, User, Movie, Eco, FPS, RTS
Game Presets	FPS and RTS
OSD Supported Languages	English (Default), French, Spanish , Chinese
Blue Light Shift	Available
Auto Dynamic Contrast Mode	Available
Wall Mountable	Yes
Energy Guide	Yes
Gamma	Adjustable
Audio Features	
Speakers	2W/4Ω
Inputs & Dutputs	
HDMI (# of Ports & Version)	2 x HDMI; (HDMI 1: HDMI 2.0, HDCP2.2;
	HDMI 2, 3 : HDMI 1.4, HDCP1.4);
Supported HDMI Signals	HDMI 1: Up to 3840 x 2160 @ 60Hz; 480i, 480p, 720p, 1080i, 1080p, 4k2k / HDMI 2: Uj
oupported organis	to Up to 3840 x 2160 @ 30Hz; 480i, 480p, 720p, 1080i, 1080p, 4k2k
DP (# of Ports & Version)	2 x DP 1.4A
Supported DP Signals	Up to 3840 x 2160 @ 70Hz; 480i, 480p, 720p, 1080i, 1080p, 4k2k
3.5mm Headphone Jack (Output)	3.5mm Mini-Jack for External Speaker / Headphone
Mechanical Features	
Tilt	Backward: 15° Forward: 5°
Neck / Stand Detachable	Yes
VESA Mount Pattern (mm)	100mm x 100mm
VESA Mount Screw Size (mm)	M4 x 10mm
Stand Screw Size & Quantity (mm)	M4 x 10mm (4Pcs)
Dimensions	
With Stand (inches, W x H x D)	24.19" x 17.75" x 8.06"
Without Stand (Inches, W x H x D)	24.19" x 14.43" x 2.14"
Carton Box Dimension (inches, W x H	
Weight	X 2 /2 0.03 X 10.13 X 3.73
Net Weight with Stand (lbs)	11.46 lbs
Net Weight without Stand (lbs)	9.7 lbs
Gross Weight (lbs)	11.57 lbs
Power	22.57.165
Power Range (V, A, Hz)	100 - 240V~, 50/60Hz, 12V4A
Power Consumption (Typical)	35W
Standby	0.27W
Sleep	0.26W
Off	0.22W
Regulations / Certifications	··

FCC, cTUVus, ISTA 6A

Regulations

SCEPTRE®		
Certifications	HDMI	
Warranty		
Limited Parts and Labor	One Year	
What's in the Box?		
Power Cable	AC Power Cable x 1	
Display Cable	DP Cable x 1	
Accessories	Monitor Display x 1, Base x 1, Neck x 1, Base Screws x 2, Neck Screws x 3, Screwdriver x	
	1, User Manual x 1	



Key Features

xperience unmatched clarity and vibrancy



Meet New Colors.

IPS
Display Panel
99% sRGB
Color Gamut

The wider color gamut combine with IPS display allows for more natural and realistic color reproduction enhancing the overall visus experience for our users.



Crystal clear view from 350 Nits Brightness & Edgeless Design



4K UHD Resolution sRGB Brightness

Your Productivity Starts Here





Productivity