

U325W-UPT 27" 4K UHD Monitor



Specification

| Display | |
|------------------------|---|
| Active Screen Size | 32" Diagonal Viewable |
| Panel Type | VA (Vertical Alignment) |
| Native Resolution | 3840 x 2160 Ultra HD |
| Refresh Rate | Up to 70Hz Refresh Rate |
| Aspect Ratio | 16:9 Widescreen |
| Response Time | 7 ms (G-to-G) with OD |
| Pixel Pitch | 0.1816mm(H) x 0.1816mm(V) |
| Dynamic Contrast Ratio | 1,000,000:1 |
| Color Gamut | sRGB: 100% |
| Color Depth | 1.08B |
| Contrast Ratio | 1,000:1 |
| Brightness (Typ.) | 350 cd/m ² |
| Viewing Angle | Vertical: 178° / Horizontal: 178° |
| Backlight Life | 30,000+ Hours |
| Anti-Flicker | Yes |
| Surface Treatment | Antiglare, Hard coating (3H) |

| Features | |
|--|--|
| On Screen Display Control (OSD) | Quick Start, Picture, Color, System |
| Color Temperature | Warm, Normal (Default), Cool, User |
| Picture Presets | Standard, User, Movie, Eco, FPS, RTS |
| Game Presets | FPS and RTS |
| OSD Supported Languages | English (Default), French, Spanish , Chinese |
| Blue Light Shift | Available |
| Auto Dynamic Contrast Mode | Available |
| Wall Mountable | Yes |
| Energy Guide | Yes |
| Gamma | Adjustable |
| Audio Features | |
| Speakers | 2W/4Ω |
| Inputs & Outputs | |
| HDMI (# of Ports & Version) | 2 x HDMI 2.1 |
| Supported HDMI Signals | Up to 3840 x 2160 @ 60Hz; 480i, 480p, 720p, 1080i, 1080p, 4k2k |
| DP (# of Ports & Version) | 2 x DP 1.4 |
| Supported DP Signals | Up to 3840 x 2160 @ 70Hz; 480i, 480p, 720p, 1080i, 1080p, 4k2k |
| 3.5mm Headphone Jack (Output) | 3.5mm Mini-Jack for External Speaker / Headphone |
| Mechanical Features | |
| Tilt | Backward: 15° Forward: 5° |
| Neck / Stand Detachable | Yes |
| VESA Mount Pattern (mm) | 100mm x 100mm |
| VESA Mount Screw Size (mm) | M4 x 10mm |
| Stand Screw Size & Quantity (mm) | M4 x 10mm (4Pcs) |
| Dimensions | |
| With Stand (inches, W x H x D) | 28.14" x 20.30" x 8.80" |
| Without Stand (Inches, W x H x D) | 28.14" x 16.70" x 2.85" |
| Carton Box Dimension (inches, W x H x D) | 32.44" x 21.26" x 6.97" |
| Weight | |
| Net Weight with Stand (lbs) | 16.87 lbs |
| Net Weight without Stand (lbs) | 14.5 lbs |
| Gross Weight (lbs) | 23.55 lbs |
| Power | |
| Power Range (V, A, Hz) | 100 - 240V~, 50/60Hz, 12V4A |
| Power Consumption (Typical) | 40W |
| Standby | 0.15W |
| Sleep | 0.2W |
| Off | 0.12W |
| Regulations / Certifications | |
| Regulations | FCC, cTUVus, ISTA 6A |
| Certifications | HDMI |

Warranty

| | |
|-------------------------|----------|
| Limited Parts and Labor | One Year |
|-------------------------|----------|

What's in the Box?

| | |
|-------------|--------------------|
| Power Cable | AC Power Cable x 1 |
|-------------|--------------------|

| | |
|---------------|--------------|
| Display Cable | DP Cable x 1 |
|---------------|--------------|

| | |
|-------------|---|
| Accessories | Monitor Display x 1, Base x 1, Neck x 1, Base Screws x 2, Neck Screws x 3, Screwdriver x 1, User Manual x 1 |
|-------------|---|

Key Features

Experience unmatched clarity and vibrancy with Sceptre 4K displays.



4K UHD Resolution

Crystal clear view from 350 Nits Brightness & Edgeless Design



Brightness

Your Productivity Starts Here



Productivity