

C275B-FWT2401 27" Curved Gaming 240Hz Monitor



Specification

Display

| Display | |
|------------------------|-----------------------------------|
| Active Screen Size | 27" Diagonal Viewable |
| Panel Type | VA (Vertical Alignment) |
| Curvature | 1500R |
| Native Resolution | 1920 x 1080 Full HD |
| Refresh Rate | Up to 240Hz Refresh Rate |
| Aspect Ratio | 16:9 Wide |
| Response Time | 6ms |
| Pixel Pitch | 0.2716mm (H) x 0.2716mm (V) |
| Dynamic Contrast Ratio | 1,000,000:1 |
| Color Gamut | 99% sRGB |
| Color Depth | 16.7M |
| Contrast Ratio | 3,000:1 |
| Brightness (Typ.) | 300 cd/m ² |
| Viewing Angle | Vertical: 178° / Horizontal: 178° |
| Backlight Type | Edge-Lit LED |
| Backlight Life | 30,000+ hours |
| | |

| SCEPTRE® | |
|--|--|
| Anti-Flicker | Yes |
| Surface Treatment | Anti-glare, Hard Coating 3H |
| Features | |
| On Screen Display Control (OSD) | Quick Start, Picture, Color, System |
| Color Temperature | Warm, Normal (Default), Cool, User |
| Picture Presets | Standard, User, Movie, Eco, FPS, RTS |
| Game Presets | FPS and RTS |
| OSD Supported Languages | English (Default), French, Spanish , Chinese |
| Type of Sync | AMD FreeSync™ Premium |
| Blue Light Shift | Available |
| Overdrive | Yes |
| Auto Dynamic Contrast Mode | Available |
| Auto Standby | Available |
| Gamma | Adjustable |
| Audio Features | |
| Speakers | 2W/4Ω |
| Inputs & Outputs | |
| HDMI (# of Ports & Version) | 2 x HDMI 2.0 |
| Supported HDMI Signals | Up to 1920 x 1080 @ 165Hz |
| DP (# of Ports & Version) | 2 x DP 1.4 |
| Supported DP Signals | Up to 1920 x 1080 @ 240Hz |
| 3.5mm Headphone Jack (Output) | Yes |
| Mechanical Features | |
| Chassis Colors | Black |
| Tilt | 15° backward and 5° forward |
| Bezel Width | 12.85mm |
| Neck / Stand Detachable | Yes |
| VESA Mount Pattern (mm) | 100mm x 100mm |
| VESA Mount Screw Size (mm) | M4 x 10mm |
| Neck Screw Size & Quantity (mm) | M4 x 10mm (2pcs) |
| Stand Screw Size & Quantity (mm) | M3 x 20mm (2pcs) |
| Monitor Neck Height (inches) | 3.21" |
| Dimensions | |
| With Stand (inches, $W \times H \times D$) | 25.63" x 17.77" x 8.22" |
| Without Stand (Inches, $W \times H \times D$) | 25.63" x 14.38" x 3.41" |
| Carton Box Dimension (inches, W x H x I | D)26.96" x 18.11" x 5.43" |
| Weight | |
| Net Weight with Stand (lbs) | 10.52 lbs |
| Net Weight without Stand (lbs) | 9.24 lbs |
| Gross Weight (lbs) | 14.81 lbs |
| Power | |
| Туре | AC Adapter 12V 4A |
| Power Range (V, A, Hz) | 100-240V,0.8A,50-60Hz |
| | 1 |

| SCEPTRE® | |
|------------------------------|---|
| Power Consumption (Typical) | 30W |
| Maximum | 32W |
| Standby | 0.25W |
| Sleep | 0.28W |
| Off | 0.24W |
| Regulations / Certifications | |
| Regulations | FCC, cTUVus, ISTA, RoHS |
| Certifications | HDMI, AMD Freesync™ |
| Warranty | |
| Limited Parts and Labor | One Year |
| What's in the Box? | |
| Power Cable | AC Power Adapter x 1 |
| Display Cable | DisplayPort Cable x 1 |
| Accessories | Monitor x 1, Neck x 1, Stand x 1, Sceptre Screw Driver x 1, Neck Screw x 2, Stand Screw |
| | x 2, User Manual x 1, Warranty Card x 1 |







Refresh Rate

AMD FreeSync™ Premium

Multiple Ports



Performance