

E275W-FW100T 27" Full HD 100Hz LED Gaming Monitor



Specification

Display	
Active Screen Size	27" Diagonal Viewable
Panel Type	VA (Vertical Alignment)
Native Resolution	1920 x 1080 Full HD
Refresh Rate	Up to 100Hz Refresh Rate
Aspect Ratio	16:9
Response Time	1ms Blur Reduction; 5ms (G-to-G) OD
Pixel Pitch	0.3114mm (H) x0.3114mm (V)
Dynamic Contrast Ratio	1,000,000:1
Color Gamut	100% sRGB
Color Depth	16.7M
Contrast Ratio	3,000:1
Brightness (Typ.)	280 cd/m²
Viewing Angle	Vertical: 178° / Horizontal: 178°
Backlight Type	Edge-lit LED
Backlight Life	30,000+ Hours
Anti-Flicker	Yes

Surface Treatment Antiglane, Hard coating (3H) Features On Screen Display Control (OSD) Quick Start, Picture, Color, System Color Temperature Warm, Normal (Default), Cool, User Picture Presels Standard, User, Novie, Eco, PPS, RTS Game Presels FPS and RTS OSD Supported Languages English (Default), French, Spanish, Chinese Type of Sync AMD Freesync'* Supported Blue Light Shift Available Overdrive Yes Auto Dynamic Contrast Mode Available Gamma Adjustable Auto Features Speakers Speakers 2 x 2W/4Q Inputs &, Outputs HDMI € 2: Up to 1920 x 1080 @ 100Hz HDMI (of of Ports & Version) 1 x DisplayPort 1.2 Supported HDMI Signals HDMI 1 6: 2: Up to 1920 x 1080 @ 100Hz De (of of Ports & Version) 1 x DisplayPort 1.2 Supported HDMI Signals Up to 1920 x 1080 @ 100Hz De (of of Ports & Version) 1 x DisplayPort 1.2 Supported HDMI Signals HDMI 1 6: 2: Up to 1920 x 1080 @ 100Hz De (of of Ports & Version) 1 x Displa	SCEPTRE®	
On Screen Display Control (OSD) Quick Start, Picture, Color, System Color Temperature Warm, Normal (Default), Cool, User Picture Presets Standard, User, Movie, Eco, FPS, RTS Game Presets FP3 and RTS OSD Supported Languages English (Default), French, Spanish, Chinese Type of Sync AND Freesync™ Supported Blue Light Shift Available Overdrive Yes Auto Dynamic Contrast Mode Available Gamma Adjustable Auto Proatures 2 x 2W/4Ω Inputs & Action Footures Speakers 2 x 2W/4Ω Inputs & Action Footures Inputs & Action Footures Supported IDM Signals DP (# of Ports & Version) 2 x HDMI 1.6 2: Up to 1920 x 1080 @ 100Hz Supported DP Signals Up to 1920 x 1080 @ 100Hz 3.5mm Headphone Jack (Output) Yes Chassis Colors Black Tilt Forward: -5*Backward: -15* Neck J Stand Detactable Yes VESA Moun	Surface Treatment	Antiglare, Hard coating (3H)
Color Temperature Warm, Normal (Default), Cool, User Picture Presets Standard, User, Movie, Eco, PPS, RTS Game Presets FPS and RTS Game Presets FPS and RTS Game Presets FPS and RTS OSD Supported Languages English (Default), French, Spanish, Chinese Type of Sync AMD Freesync'* Supported Blue Light Shift Available Overdrive Yes Auto Dynamic Contrast Mode Available Gamma Adjustable Auto Dynamic Contrast Mode Available Gamma Adjustable Auto Present Features	Features	
Picture Presets Standard, User, Movie, Eco, FPS, RTS	On Screen Display Control (OSD)	Quick Start, Picture, Color, System
Game Presets FPS and RTS OSD Supported Languages English (Default), French, Spanish , Chinese Type of Sync AMD Freesync™ Supported Blue Light Shift Available Overdrive Yes Auto Dynamic Contrast Mode Available Gamma Adjustable Auto Features Xex PMM 2 Speakers 2 x 2W/4Q Inputs Ramp; Outputs Inputs Ramp; Outputs HDMI & of Ports & Version) 2 x HDMI 2.0 Supported HDMI Signals HDMI 1 & 2: Up to 1920 x 1080 @ 100Hz DP (# of Ports & Version) 1 x DisplayPort 1.2 Supported DP Signals Up to 1920 x 1080 @ 100Hz 3.5mm Headphone Jack (Output) Yes Mechanical Features Tit Chassis Colors Black Tit Forward: -5*Backward: -15* Neck / Stand Detachable Yes VESA Mount Pattern (mm) 100 x 100mm VESA Mount Screw Size (mm) M4*10 x 4 Monitor Neck Height (inches) 3.05* Security Yes Dimensions 24.13* x 17	Color Temperature	Warm, Normal (Default), Cool, User
OSD Supported Languages English (Default), French, Spanish , Chinese Type of Sync AMD Freesync™ Supported Blue Light Shift Available Overdrive Yes Auto Dynamic Contrast Mode Available Auto Dynamic Contrast Mode Adjustable Audio Features Speakers Speakers 2 x 2W/4Ω Inputs & Samp; Outputs PMDMI (a of Ports & Version) Supported HDMI Signals HDMI 1 & 2: Up to 1920 x 1080 @ 100Hz Supported DP Signals Up to 1920 x 1080 @ 100Hz Supported DP Signals Up to 1920 x 1080 @ 100Hz Supported DP Signals Up to 1920 x 1080 @ 100Hz Supported DP Signals Up to 1920 x 1080 @ 100Hz Supported DP Signals Up to 1920 x 1080 @ 100Hz Supported DP Signals Up to 1920 x 1080 @ 100Hz Neck J Stand Detachable Yes VESA Mount Pattern (mm) Up x 100mm VESA Mount Pattern (mm) 100 x 100mm VESA Mount Pattern (mm) 100 x 100mm VESA Mount Pattern (mm) 100 x 100mm VESA Mount (fences, W x H x D) 24.13* x 17.21* x 7.66*	Picture Presets	Standard, User, Movie, Eco, FPS, RTS
Type of Sync	Game Presets	FPS and RTS
Blue Light Shift Available Overdrive Yes Auto Dynamic Contrast Mode Available Gamma Adjustable Audio Features Speakers 2 x 2W/40 Inputs & Amp; Outputs HDMI (# of Ports & Version) 2 x HDMI 2.0 Supported HDMI Signals HDMI 1 & 2: Up to 1920 x 1080 @ 100Hz DP (# of Ports & Version) 1 x DisplayPort 1.2 Supported PS Ginals Up to 1920 x 1080 @ 100Hz 3.5mm Headphone Jack (Output) Yes Mechanical Features Chassis Colors Black Tilt Forward: -5°Backward:~15° Neck / Stand Detachable Yes VESA Mount Pattern (mm) 100 x 100mm VESA Mount Pattern (mm) 100 x 100mm VESA Mount Screw Size (mm) M4*10 x 4 Monitor Neck Height (inches) 3.05" Security Yes Dimensions With Stand (inches, W x H x D) 24.13" x 17.21" x 7.66" Without Stand (inches, W x H x D) 24.13" x 17.21" x 7.66" Stand Separation Dimension (inches, W x H x D) 26.42" x 17.48" x 5.20" Stand Separation Dimension W x D (inches) 10.6 lbs Weight Net Weight with Stand (lbs) 7.21 lbs Net Weight without Stand (lbs) 6.48 lbs Gross Weight (lbs) 10.6 lbs Power Type Adapter 12V 3.0A Power Range (V, A, Hz) 100-240V, 1.5A, 50-60Hz Power Consumption (Typical) 28W	OSD Supported Languages	English (Default), French, Spanish , Chinese
Overdrive Yes Auto Dynamic Contrast Mode Available Gamma Adjustable Audio Features Speakers 2 x 2W/4Ω Inputs & Empty Cutputs Inputs & Empty Cutputs HDMI (# of Ports & Version) 2 x HDMI 2.0 Supported HDMI Signals HDMI 1 & 2: Up to 1920 x 1080 @ 100Hz DP (# of Ports & Version) 1 x DisplayPort 1.2 Supported DP Signals Up to 1920 x 1080 @ 100Hz 3.5mm Headphone Jack (Output) Yes Mechanical Features Neck / Stand Detachable Chassis Colors Black Tilt Forward: -5*Backward: -15* Neck / Stand Detachable Yes VESA Mount Pattern (mm) 100 x 100mm VESA Mount Screw Size (mm) M4*10 x 4 Monitor Neck Height (inches) 3.05* Security Yes Dimensions With Stand (inches, W x H x D) 24.13* x 17.21* x 7.66* With Stand (inches, W x H x D) 24.13* x 14.23* x 1.75* Carton Box Dimension (inches, W x H x D) 10.84* x 7.66* Without Stand (inches, W x H x D) 10.84* x 7.66*	Type of Sync	AMD Freesync™ Supported
Auto Dynamic Contrast Mode Available Gamma Adjustable Audic Features Verall Park (and the park of t	Blue Light Shift	Available
Gamma Adjustable Audio Features Speakers 2 x 2W/4Ω Inputs & Outputs HDMI (# of Ports & Version) 2 x HDMI 2.0 Supported HDMI Signals HDMI 1 & 2: Up to 1920 x 1080 @ 100Hz DP (# of Ports & Version) 1 x DisplayPort 1.2 Supported DP Signals Up to 1920 x 1080 @ 100Hz 3.5mm Headphone Jack (Output) Yes Mechanical Features Chassis Colors Black Title Forward: -5°Backward: -15° Neck / Stand Detachable Yes VESA Mount Pattern (mm) 100 x 100mm VESA Mount Pattern (imm) 100 x 100mm VESA Mount	Overdrive	Yes
Audio Features Speakers 2 x 2W/4Ω Inputs & Amp; Outputs HDMI (# of Ports & Version) 2 x HDMI 2.0 Supported HDMI Signals HDMI 1 & 2: Up to 1920 x 1080 @ 100Hz DP (# of Ports & Version) 1 x DisplayPort 1.2 Supported DP Signals Up to 1920 x 1080 @ 100Hz 3.5mm Headphone jack (Output) Yes Mechanical Features Chassis Colors Black Tilt Forward: -5°Backward: ~15° Neck / Stand Detachable Yes VESA Mount Pattern (mm) 100 x 100mm VESA Mount Screw Size (mm) M4*10 x 4 Monitor Neck Height (inches) 3.05° Security Yes Dimensions With Stand (inches, W x H x D) 24.13" x 17.21" x 7.66° Without Stand (inches, W x H x D) 24.13" x 17.28" x 5.20° Stand Separation Dimension W x D 10.84" x 7.66° Wichot Stand (inches, W x H x D) 10.84" x 7.66° Widelity With Stand (lbs) 7.21 lbs Net Weight without Stand (lbs) 6.48 lbs Gross Weight (lbs) <td>Auto Dynamic Contrast Mode</td> <td>Available</td>	Auto Dynamic Contrast Mode	Available
Speakers 2 x 2W/4Ω Inputs & Amp; Outputs	Gamma	Adjustable
Inputs & Amp; Outputs	Audio Features	
HDMI (# of Ports & Version) 2 x HDMI 2.0 Supported HDMI Signals HDMI 1 & 2: Up to 1920 x 1080 @ 100Hz DP (# of Ports & Version) 1 x DisplayPort 1.2 Supported DP Signals Up to 1920 x 1080 @ 100Hz 3.5mm Headphone Jack (Output) Yes Mechanical Features Chassis Colors Black Tilt Forward: -5°Backward:~15° Neck / Stand Detachable Yes VeSA Mount Pattern (mm) 100 x 100mm VESA Mount Pattern (mm) 100 x 100mm VESA Mount Screw Size (mm) M4*10 x 4 Monitor Neck Height (inches) 3.05" Security Yes Dimensions With Stand (inches, W x H x D) 24.13" x 17.21" x 7.66" Without Stand (inches, W x H x D) 24.13" x 14.23" x 1.75" Carton Box Dimension (inches, W x H x D) 26.42" x 17.48" x 5.20" Stand Separation Dimension W x D (inches) Weight Net Weight with Stand (lbs) 7.21 lbs Net Weight with Stand (lbs) 10.6 lbs Power Type Adapter 12V 3.0A Power Range (V, A, Hz) 100-240V, 1.5A, 50-60Hz Power Consumption (Typical) 28W	Speakers	2 x 2W/4Ω
Supported HDMI Signals HDMI 1 & 2: Up to 1920 x 1080 @ 100Hz DP (# of Ports & Version) 1 x DisplayPort 1.2 Supported DP Signals Up to 1920 x 1080 @ 100Hz 3.5mm Headphone Jack (Output) Yes Mechanical Features Chassis Colors Black Tilt Forward: '-5'Backward:~-15' Neck / Stand Detachable Yes VESA Mount Pattern (mm) 100 x 100mm VESA Mount Screw Size (mm) M4*10 x 4 Monitor Neck Height (inches) 3.05" Security Yes Dimensions With Stand (inches, W x H x D) 24.13" x 17.21" x 7.66" Without Stand (inches, W x H x D) 24.13" x 14.23" x 1.75" Carton Box Dimension (inches, W x H x D)26.42" x 17.48" x 5.20" Stand Separation Dimension W x D (inches) 10.84" x 7.66" Weight Weight without Stand (lbs) 7.21 lbs Net Weight without Stand (lbs) 6.48 lbs Gross Weight (lbs) 10.6 lbs Power Type Adapter 12V 3.0A Power Consumption (Typical) 28W	Inputs & Outputs	
DP # of Ports & Version) 1 x DisplayPort 1.2 Supported DP Signals Up to 1920 x 1080 @ 100Hz 3.5mm Headphone Jack (Output) Yes Mechanical Features Chassis Colors Black Tilt Forward: -5°Backward:~15° Neck / Stand Detachable Yes VESA Mount Pattern (mm) 100 x 100mm VESA Mount Screw Size (mm) M4*10 x 4 Monitor Neck Height (inches) 3.05" Security Yes Dimensions With Stand (inches, W x H x D) 24.13" x 17.21" x 7.66" Without Stand (inches, W x H x D) 24.13" x 14.23" x 1.75" Carton Box Dimension (inches, W x H x D) 26.42" x 17.48" x 5.20" Stand Separation Dimension W x D 10.84" x 7.66" (inches) 10.84" x 7.66" Weight Net Weight with Stand (lbs) 7.21 lbs Net Weight without Stand (lbs) 6.48 lbs Gross Weight (lbs) 10.6 lbs Power Type Adapter 12V 3.0A Power Consumption (Typical) 28W	HDMI (# of Ports & Version)	2 x HDMI 2.0
Supported DP Signals John 1920 x 1080 @ 100Hz 3.5mm Headphone Jack (Output) Mechanical Features Chassis Colors Black Tilt Forward: -5°Backward: ~15° Neck / Stand Detachable Yes VESA Mount Pattern (mm) 100 x 100mm VESA Mount Screw Size (mm) M4*10 x 4 Monitor Neck Height (inches) Security Yes Dimensions With Stand (inches, W x H x D) 24.13" x 17.21" x 7.66" Without Stand (Inches, W x H x D) 24.13" x 14.23" x 1.75" Carton Box Dimension (inches, W x H x D) 10.84" x 7.66" (inches) Veight Net Weight with Stand (lbs) 7.21 lbs Net Weight without Stand (lbs) 6.48 lbs Gross Weight (lbs) 10.6 lbs Power Type Adapter 12V 3.0A Power Range (V, A, Hz) Power Consumption (Typical)	Supported HDMI Signals	HDMI 1 & 2: Up to 1920 x 1080 @ 100Hz
3.5mm Headphone Jack (Output) Mechanical Features Chassis Colors Black Tilt Forward: -5°Backward: -15° Neck / Stand Detachable Yes VESA Mount Pattern (mm) 100 x 100mm VESA Mount Screw Size (mm) M4*10 x 4 Monitor Neck Height (inches) 3.05" Security Yes Dimensions With Stand (inches, W x H x D) 24.13" x 17.21" x 7.66" Without Stand (Inches, W x H x D) 24.13" x 14.23" x 1.75" Carton Box Dimension (inches, W x H x D) Stand Separation Dimension W x D (inches) Weight Net Weight with Stand (lbs) 7.21 lbs Net Weight without Stand (lbs) 7.21 lbs Adapter 12V 3.0A Power Type Adapter 12V 3.0A Power Range (V, A, Hz) Power Consumption (Typical)	DP (# of Ports & Version)	1 x DisplayPort 1.2
Chassis Colors Black Tilt Forward: -5°Backward:~15° Neck / Stand Detachable Yes VESA Mount Pattern (mm) 100 x 100mm VESA Mount Screw Size (mm) M4*10 x 4 Monitor Neck Height (inches) 3.05" Security Yes Dimensions With Stand (inches, W x H x D) 24.13" x 17.21" x 7.66" Without Stand (Inches, W x H x D) 24.13" x 14.23" x 1.75" Carton Box Dimension (inches, W x H x D) 10.84" x 7.66" (inches) Weight Net Weight with Stand (lbs) 7.21 lbs Net Weight without Stand (lbs) 6.48 lbs Gross Weight (lbs) 10.6 lbs Power Type Adapter 12V 3.0A Power Consumption (Typical) 28W	Supported DP Signals	Up to 1920 x 1080 @ 100Hz
Chassis Colors Black Tilt Forward: -5°Backward:~15° Neck / Stand Detachable Yes VESA Mount Pattern (mm) 100 x 100mm VESA Mount Screw Size (mm) M4*10 x 4 Monitor Neck Height (inches) Security Yes Dimensions With Stand (inches, W x H x D) 24.13" x 17.21" x 7.66" Without Stand (Inches, W x H x D) 24.13" x 14.23" x 1.75" Carton Box Dimension (inches, W x H x D) 24.13" x 7.48" x 5.20" Stand Separation Dimension W x D (inches) Weight Net Weight with Stand (lbs) 7.21 lbs Net Weight without Stand (lbs) 6.48 lbs Gross Weight (lbs) 10.6 lbs Power Type Adapter 12V 3.0A Power Range (V, A, Hz) 100-240V, 1.5A, 50-60Hz Power Consumption (Typical)	3.5mm Headphone Jack (Output)	Yes
Tilt Forward: -5°Backward:~15° Neck / Stand Detachable Yes VESA Mount Pattern (mm) 100 x 100mm VESA Mount Screw Size (mm) M4*10 x 4 Monitor Neck Height (inches) 3.05" Security Yes Dimensions With Stand (inches, W x H x D) 24.13" x 17.21" x 7.66" Without Stand (Inches, W x H x D) 24.13" x 14.23" x 1.75" Carton Box Dimension (inches, W x H x D) 26.42" x 17.48" x 5.20" Stand Separation Dimension W x D (inches) Weight Net Weight with Stand (lbs) 7.21 lbs Net Weight with Stand (lbs) 6.48 lbs Gross Weight (lbs) 10.6 lbs Power Type Adapter 12V 3.0A Power Range (V, A, Hz) 100-240V, 1.5A, 50-60Hz Power Consumption (Typical) 28W	Mechanical Features	
Neck / Stand Detachable Yes VESA Mount Pattern (mm) 100 x 100mm VESA Mount Screw Size (mm) M4*10 x 4 Monitor Neck Height (inches) 3.05" Security Yes Dimensions With Stand (inches, W x H x D) 24.13" x 17.21" x 7.66" Without Stand (Inches, W x H x D) 24.13" x 14.23" x 1.75" Carton Box Dimension (inches, W x H x D) 26.42" x 17.48" x 5.20" Stand Separation Dimension W x D (inches) 10.84" x 7.66" Weight Net Weight with Stand (lbs) 7.21 lbs Net Weight without Stand (lbs) 6.48 lbs Gross Weight (lbs) 10.6 lbs Power Type Adapter 12V 3.0A Power Range (V, A, Hz) 100-240V, 1.5A, 50-60Hz Power Consumption (Typical) 28W	Chassis Colors	Black
VESA Mount Pattern (mm) 100 x 100mm VESA Mount Screw Size (mm) M4*10 x 4 Monitor Neck Height (inches) 3.05" Security Yes Dimensions With Stand (inches, W x H x D) 24.13" x 17.21" x 7.66" Without Stand (Inches, W x H x D) 24.13" x 14.23" x 1.75" Carton Box Dimension (inches, W x H x D) 10.84" x 7.66" Stand Separation Dimension W x D 10.84" x 7.66" (inches) Weight Net Weight with Stand (lbs) 7.21 lbs Net Weight without Stand (lbs) 6.48 lbs Gross Weight (lbs) 10.6 lbs Power Type Adapter 12V 3.0A Power Range (V, A, Hz) 100-240V, 1.5A, 50-60Hz Power Consumption (Typical) 28W	Tilt	Forward: -5°Backward:~15°
VESA Mount Screw Size (mm) M4*10 x 4 Monitor Neck Height (inches) 3.05" Security Yes Dimensions With Stand (inches, W x H x D) 24.13" x 17.21" x 7.66" Without Stand (Inches, W x H x D) 24.13" x 14.23" x 1.75" Carton Box Dimension (inches, W x H x D) 26.42" x 17.48" x 5.20" Stand Separation Dimension W x D 10.84" x 7.66" (inches) Weight Net Weight with Stand (lbs) 7.21 lbs Net Weight without Stand (lbs) 6.48 lbs Gross Weight (lbs) 10.6 lbs Power Type Adapter 12V 3.0A Power Range (V, A, Hz) 100-240V, 1.5A, 50-60Hz Power Consumption (Typical) 28W	Neck / Stand Detachable	Yes
Monitor Neck Height (inches) Security Yes Dimensions With Stand (inches, W x H x D) 24.13" x 17.21" x 7.66" Without Stand (Inches, W x H x D) Carton Box Dimension (inches, W x H x D) Stand Separation Dimension W x D (inches) Weight Net Weight with Stand (lbs) 7.21 lbs Net Weight without Stand (lbs) Gross Weight (lbs) 10.6 lbs Power Type Adapter 12V 3.0A Power Consumption (Typical) 24.13" x 17.21" x 7.66" 24.13" x 17.21" x 7.66" 10.84" x 7.66" 10.84"	VESA Mount Pattern (mm)	100 x 100mm
Security Pimensions With Stand (inches, W x H x D) Without Stand (Inches, W x H x D) Carton Box Dimension (inches, W x H x D) Stand Separation Dimension W x D (inches) Weight Net Weight with Stand (lbs) Net Weight without Stand (lbs) Forces Weight (lbs) Power Type Adapter 12V 3.0A Power Range (V, A, Hz) Power Consumption (Typical) Power Adapter 12V 3.04 Power Consumption (Typical)	VESA Mount Screw Size (mm)	M4*10 x 4
Dimensions With Stand (inches, W x H x D) 24.13" x 17.21" x 7.66" Without Stand (Inches, W x H x D) 24.13" x 14.23" x 1.75" Carton Box Dimension (inches, W x H x D) Stand Separation Dimension W x D (inches) Weight Net Weight with Stand (Ibs) Net Weight without Stand (Ibs) Forss Weight (Ibs) 7.21 lbs 8.48 lbs 9.648 lbs 9.705 Weight (Ibs) Power Type Adapter 12V 3.0A Power Range (V, A, Hz) Power Consumption (Typical) 28W	Monitor Neck Height (inches)	3.05"
With Stand (inches, W x H x D) 24.13" x 17.21" x 7.66" Without Stand (Inches, W x H x D) 24.13" x 14.23" x 1.75" Carton Box Dimension (inches, W x H x D) Stand Separation Dimension W x D (inches) Weight Net Weight with Stand (Ibs) Net Weight without Stand (Ibs) Gross Weight (Ibs) Power Type Adapter 12V 3.0A Power Range (V, A, Hz) Power Consumption (Typical) 24.13" x 17.21" x 7.66" 25.20" Stand Separation Dimension (Inches, W x H x D) 26.42" x 17.48" x 5.20" 26.42" x 17.48" x 5.20" 26.42" x 17.48" x 5.20" 27.48" x 17.21" x 7.66" 26.42" x 17.48" x 5.20" 27.48" x 17.21" x 17.5" 28.48" x 17.21" x 17.5" 26.42" x 17.48" x 5.20" 27.20" 28.48" x 7.66" 27.21 lbs 28.48" x 7.66" 28.48" x 7.66" 28.48" x 7.66" 28.48" x 7.66" 29.48" x 7.66" 29.48" x 7.66" 20.58" x 17.48" x 5.20" 20.68" x 17.48" x 5.20" 20.68" x 17.48" x 5.20" 20.78" x 17.48" x 5.20" 20.88" x 17.48" x 7.66" 20.88" x	Security	Yes
Without Stand (Inches, W x H x D) Carton Box Dimension (inches, W x H x D) Stand Separation Dimension W x D (inches) Weight Net Weight with Stand (Ibs) Net Weight without Stand (Ibs) Gross Weight (Ibs) Fower Type Adapter 12V 3.0A Power Range (V, A, Hz) Power Consumption (Typical) 24.13" x 14.23" x 1.75" 24.13" x 14.23" x 1.75" 10.84" x 7.66" 10.84"	Dimensions	
Carton Box Dimension (inches, W x H x D)26.42" x 17.48" x 5.20" Stand Separation Dimension W x D (inches) Weight Net Weight with Stand (lbs) Net Weight without Stand (lbs) Gross Weight (lbs) Power Type Adapter 12V 3.0A Power Range (V, A, Hz) Power Consumption (Typical) 28W	With Stand (inches, W x H x D)	24.13" x 17.21" x 7.66"
Stand Separation Dimension W x D (inches) Weight Net Weight with Stand (lbs) Net Weight without Stand (lbs) Gross Weight (lbs) Power Type Adapter 12V 3.0A Power Range (V, A, Hz) Power Consumption (Typical) 10.84" x 7.66" 10.84" x 7.66" 10.84" x 7.66" Adapter 12V 3.66" 10.84" x 7.66"	Without Stand (Inches, W x H x D)	24.13" x 14.23" x 1.75"
(inches) Weight Net Weight with Stand (lbs) Net Weight without Stand (lbs) Gross Weight (lbs) Power Type Adapter 12V 3.0A Power Range (V, A, Hz) Power Consumption (Typical) 28W	Carton Box Dimension (inches, W x H x	D)26.42" x 17.48" x 5.20"
WeightNet Weight with Stand (lbs)7.21 lbsNet Weight without Stand (lbs)6.48 lbsGross Weight (lbs)10.6 lbsPowerTypeAdapter 12V 3.0APower Range (V, A, Hz)100-240V, 1.5A, 50-60HzPower Consumption (Typical)28W	Stand Separation Dimension W x D	10.84" x 7.66"
Net Weight with Stand (lbs) Net Weight without Stand (lbs) Gross Weight (lbs) Power Type Adapter 12V 3.0A Power Range (V, A, Hz) Power Consumption (Typical) 7.21 lbs 6.48 lbs 4.48 lbs 10.6 lbs 10.7 lbs 10.6 lbs 10.7 lbs 10.7 lbs 10.7 lbs 10.8 lbs 10.9 lbs 1	(inches)	
Net Weight without Stand (lbs) Gross Weight (lbs) Power Type Adapter 12V 3.0A Power Range (V, A, Hz) Power Consumption (Typical) 6.48 lbs 10.6 lbs 10.6 lbs 28W	Weight	
Gross Weight (lbs) Power Type Adapter 12V 3.0A Power Range (V, A, Hz) Power Consumption (Typical) 10.6 lbs 10.6 lbs 10.6 lbs	Net Weight with Stand (lbs)	7.21 lbs
Type Adapter 12V 3.0A Power Range (V, A, Hz) 100-240V, 1.5A, 50-60Hz Power Consumption (Typical) 28W	Net Weight without Stand (lbs)	6.48 lbs
Type Adapter 12V 3.0A Power Range (V, A, Hz) 100-240V, 1.5A, 50-60Hz Power Consumption (Typical) 28W	Gross Weight (lbs)	10.6 lbs
Power Range (V, A, Hz) 100-240V, 1.5A, 50-60Hz Power Consumption (Typical) 28W	Power	
Power Range (V, A, Hz) 100-240V, 1.5A, 50-60Hz Power Consumption (Typical) 28W	Туре	Adapter 12V 3.0A
		100-240V, 1.5A, 50-60Hz
Maximum 33W	Power Consumption (Typical)	28W
	Maximum	33W

SCEPTRE"	
Standby	0.17W
Sleep	0.21W
Off	0.11W
Regulations / Certifications	
Regulations	AER, RoHS, CTUVus, FCC
Certifications	HDMI, ISTA6A, ISTA Amazon
Warranty	
Limited Parts and Labor	One Year
What's in the Box?	
Power Cable	AC Power Adapter x 1
Display Cable	HDMI Cable x 1
Accessories	Display x 1, Neck x 1, Stand x 1, Quick User Guide x 1, Warranty Card x 1



Key Features







100Hz Banner AMD FreeSync Multiple Ports



Productivity