

E305B-FU200TW 30" Ultrawide 210Hz Full HD Monitor



Specification

Display	
Active Screen Size	30" Diagonal Viewable
Panel Type	IPS (In-Plane Switching)
Native Resolution	2560 x 1080 Wide Full HD
Refresh Rate	Up to 210Hz Refresh Rate
Aspect Ratio	21:9 Ultrawide
Response Time	1ms with Blur Reduction; 3ms G-to-G with OverDrive
Pixel Pitch	0.2697mm (H) x 0.2697mm (V)
Dynamic Contrast Ratio	1,000,000:1
Color Gamut	100% sRGB
Color Depth	16.7M
Contrast Ratio	1000:1
Brightness (Typ.)	300 cd/m²
Viewing Angle	Vertical:178°; / Horizontal:178°;
Backlight Type	Edge-Lit
Backlight Life	30,000+ Hours
Anti-Flicker	Yes

Surface Treatment	Haze 25%,3H
Features	
On Screen Display Control (OSD)	Quick Start, Picture, Color, System
Color Temperature	Warm, Normal (Default), Cool, User□
Picture Presets	Standard, Movie, ECO, User
Game Presets	FPS and RTS
OSD Supported Languages	English, Spanish, Chinese, French
Type of Sync	AMD FreeSync™ Certified
Backcover LED Lights	No
Blue Light Shift	Available
Overdrive	Available
Auto Dynamic Contrast Mode	Availalbe
Gamma	Adjustable
Audio Features	
Speakers	4Ω3W
Inputs & Outputs	
HDMI (# of Ports & Version)	2 x HDMI 2.0
Supported HDMI Signals	Up to 2560 x 1080 @ 190Hz
DP (# of Ports & Version)	2 x DisplayPort 1.4
Supported DP Signals	Up to 2560 x 1080 @ 210Hz
3.5mm Headphone Jack (Output)	Yes
Mechanical Features	
Chassis Colors	Black
Tilt Angles	Forward: 5° Backward: 15°
Bezel Width	1.0 mm
Neck Stand Swivel Angle	No
Neck Height Adjustable	No
Neck / Stand Detachable	Yes
VESA Mount Pattern (mm)	100mm x 100mm
VESA Mount Screw Size (mm)	M4 x 10mm
Neck Screw Size & Quantity (mm)	M4 x 10 (2 Pcs.)
Stand Screw Size & Quantity (mm)	M4 x 10mm (3 Pcs.)
Monitor Neck Height (inches)	3.46"
Security	Yes
Dimensions	
With Stand (inches, W x H x D)	27.81" x 15.85" x 8.22"
Without Stand (Inches, W x H x D)	27.81" x 12.50" x 1.38"
Carton Box Dimension (inches, W x H x D)	30.7" x 16.69" x 4.21"
Stand Separation Dimension W x D (inches)	N/A
Weight	
Net Weight with Stand (lbs)	8.16 lbs.
Net Weight without Stand (lbs)	7.5 lbs.

Gross Weight (lbs)	11.68 lbs.
Power	
Type	Adapter 19V, 3.42A
Power Range (V, A, Hz)	100-240AC 1.1A 50/60Hz
Power Consumption (Typical)	50W
Maximum	60W
Standby	0.2W
Sleep	0.22W
Off	0.17W
Regulations / Certifications	
Regulations	FCC,UL,CA65, AER
Certifications	HDMI, ISTA6A
Warranty	
Limited Parts and Labor	One Year
What's in the Box?	
Power Cable	AC Power Adapter x 1
Display Cable	DP Cable x 1
Accessories	Display x 1, Stand x 1, Neck Screws x 2, Stand Screws x 3, User Guide x 1, Warranty Card x 1, DP Cable x 1

SCEPTRE®


Key Features



Refresh Rate



IPS Panel



Multiple Ports



Lifestyle